


# Your Mission. Your Way.



Fall 2007

Tools and Hardware

[www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov)

See it. Buy it. Get it.

# GSA Global Supply Tools and Hardware

Featuring our newest and most popular items



GSA Global Supply is pleased to highlight a selection of tools and accessories. From cordless drills to heavy-duty air compressors, GSA Global Supply provides quality products backed by our service guarantees:

- Global delivery – we deliver anywhere duty calls
- Flexible ordering – phone, fax, online or FEDSTRIP/MILSTRIP
- Payment options – Government Purchase Card or AAC/DoDAAC
- Easy compliance – everything you purchase satisfies FAR and JWOD requirements

The items in this publication represent some of our newest and most popular items, but they are just a few of the tool and hardware items available from GSA Global Supply. To see more, please request our 2006/2007 Tools and Hardware catalog at [www.gsa.gov/cmls](http://www.gsa.gov/cmls) or by calling (817) 334-5215. The catalog displays more than 20,000 tool products with color photos, descriptions and prices.

Images in this publication are representative. Prices and product data are subject to change. Please verify at the time you order.

## Online (24 Hours)

[www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov)

The GSA Global Supply Web site gives you access to tens of thousands of tools, office supplies, computer products and other items. You can use your Government Purchase Card or arrange direct billing with your Activity Address Code (AAC/DoDAAC). Select the items you want and place your order.

All GSA Global Supply items are also available via **GSA Advantage!**® and the DOD EMALL Web site.

## DOD EMALL

All GSA Global Supply items appear on the Defense Logistics Agency's DOD EMALL Web site. Customers must use their DoDAAC to purchase GSA items.

## Telephone

**(800) 525-8027 DSN 465-1416**

Call our toll-free number to place your order. We are open from 7:30 a.m. to 8 p.m. (Eastern Time), Monday through Friday.

## Fax Orders (24 Hours)

**(800) 856-7057**

You will receive a confirmation of your order with a tracking number for your files. Use the handy order form at the back of the brochure. Make copies for future use.

## Part Number Ordering


Many GSA Global Supply catalogs feature items with National Stock Numbers (NSNs) and others with GSA part numbers. FEDSTRIP/MILSTRIP customers can order GSA part-numbered items by using one of the following identifiers:

- AOB: For domestic shipment
- AO2: For overseas shipment

Both NSNs and GSA part-numbered items carry the same customer benefits. All are FAR-compliant and JWOD Guaranteed.


All can be shipped anywhere on the globe. All are backed by GSA Global Supply customer service.





# Table of Contents

Hand Tools .....	2
Power Tools and Accessories .....	6
Abrasives .....	10
Hardware .....	11
Outdoor Equipment and Accessories .....	14
Safety .....	18



To see thousands of tools and hardware products available through GSA Global Supply, order our 2006/2007 Tools and Hardware Catalog. Visit [www.gsa.gov/cmls](http://www.gsa.gov/cmls) to order yours today!

# Hand Tools

## Needle-Nose Pliers Set

The LCS4 "Little Champ" four-piece pliers set includes: 4" flush cutter pliers (model 30); 5"-long needle-nose pliers (model 31); 4" end cutter pliers (model 32); and 4" short-needle nose (model 33).



TL1-CNL-89061B Channellock EA \$57.88

## Combination Pliers Set

The GB3 three-piece pliers set contains: 7-1/2" long-nose pliers (model 3017); and 8" diagonal pliers (model 338); and 10" tongue-and-groove pliers (model 430).



TL1-CNL-92533H Channellock EA \$33.31

## Bolt Cutter

Industrial-grade bolt cutter penetrates soft, medium and hard materials. Drop-forged, precision-ground-alloy tool features steel jaws with center cut blades. Lockplate keeps jaws from turning. Toggle joints turn 50 lbs. hand pressure to 4,000 lbs. cutting pressure. Screw-type adjustment re-aligns edges. Steel handles with rubber grips.



Maximum hardness of material to be cut: Brinell 455/Rockwell C48.

Weight: 3 lbs., 8 oz. (approximate); Capacity in hard material: 1/4"; Capacity in soft material: 3/8"; Overall length: 18".

TL1-C00-90552A Cooper EA \$68.23

Weight: 5 lbs., 4 oz. (approximate); Capacity in hard material: 5/16"; Capacity in soft material: 7/16"; Overall length: 24".

TL1-C00-90713K Cooper EA \$78.81

## Flex-Head Wrench Set

This 11-piece set of 12-point flex-head wrenches contains sizes 1/4" through 7/8".



TL1-ARM-25696H Armstrong Tools EA \$239.40

## Angle Wrench Set

This 14-piece set of angle wrenches contains sizes 3/8" through 1-1/4".



TL1-ARM-27895E Armstrong Tools EA \$292.78

## Ratchet Box Wrench Set

Wrenches can be turned over to reverse style and feature 12-point openings. This set includes seven standard and five metric wrenches. Size range: 1/4 to 1-1/4"; 7 to 21 mm. Each wrench exceeds federal specifications for torque capacity.



TL1-CFH-32120M Craftsman EA \$109.79

## Socket Set

This 33-piece set includes 1/4"- and 3/8"-drive bit sockets packaged in a molded plastic case. Made in U.S.A. lifetime warranty.



TL1-SKL-10000C S-K EA \$174.03

### Torque Wrench



Wrench features a torque-wrap design that reduces stress on gear and pawl teeth. The rubber seal between ratchet head and tube keeps lubrication in and contaminants out of the torque mechanism, assuring accuracy and repeatability. Detent locking ring allows easy setting of desired torque and prevents accidental change of torque setting. The single-pawl, double-tooth design will not operate in neutral position. Innovative linear ball-bearing system eliminates friction between the spring and case, providing greater accuracy and repeatability. Lightly knurled and grooved handles provide non-slip grip and comfort. Enclosed-head design seals out contaminants for improved performance and life.

Drive size: 1/4"; Torque range: 5 to 50 in.-lbs.

TL1-ARM-64031B Armstrong Tools EA \$125.31

Drive size: 1/4"; Torque range: 30 to 200 in.-lbs.

TL1-ARM-64032L Armstrong Tools EA \$125.09

Drive size: 3/8"; Torque range: 50 to 250 in.-lbs.

TL1-ARM-64041E Armstrong Tools EA \$129.75

Drive size: 3/8"; Torque range: 100 to 1,000 in.-lbs.

TL1-ARM-64042B Armstrong Tools EA \$124.21

### Carbon Tap and Die Set

This 41-piece set includes one each of the following: plug tap and 1-1/2" round die for each of the 18 thread sizes; adjustable die stock; adjustable tap wrench; T-handle tap wrench; screw pitch gage; screwdriver; and plastic container. Thread Size and Pitch: 1/4 and 3/4".



TL1-IRS-25941L Irwin/Hanson EA \$222.54

This 117-piece metric tap and die set includes: one plain die stock; one adjustable die stock; one tap and reamer wrench; one T-handle tap wrench; one screw pitch gage; one screwdriver; and screw extractors and drills.



TL1-IRS-26377A Irwin/Hanson EA \$269.38

### Pipefitter's Tool Kit

Kit includes hacksaw blade; hacksaw frame; pipe-cutter wheel; pipe and tube cutters; propane cylinder; hammer; oiler; slip-joint pliers; reamer; cross- and flat-tip screwdriver; sealing compound; sealing flux (paste); solder; measuring tape; die-head thread cutter; pipe vise and stand; basin, pipe and plier wrenches and internal-gripping pipe wrench. Furnished in a tool chest. Army Supply Catalog 5180-95-N13.



5180-00-596-1501 KT \$3,363.88

### Office Tool Kit

Kit offers all-in-one convenience! Contains: screwdriver bit set and handle with one Phillips and five flat-tip mini-drivers; slip-joint pliers with combination jaw and cutter; chain pliers with long round nose and cutter; heavy-duty straight trimmer's shears; curved claw hammer; adjustable wrench; two flat-tip screwdrivers with tip widths 0.188" and 0.313"; two Phillips screwdrivers with tip sizes 1 and 2"; smooth jaw tweezers; six-piece, L-shaped Allen wrench set (nominal sizes 0.05 to 1/8"); steel measuring tape (16" long, 3/4" wide); utility knife with retractable blade in four positions. Equipped with a custom zipper tool case.



5180-01-336-7141 KT \$119.08

Do you have a suggestion  
for a new product?

E-mail it to

[GSAglobalsupply.gsa.gov](mailto:GSAglobalsupply.gsa.gov).

**Mechanic's Tool Kit**

This 154-piece mechanic's tool set includes: 105 sockets; five drive tools; 12 wrenches; five drive tools; and 32 specialty tools. Comes in a molded case. Weight: 30 lbs.



TL1-CFH-30031E Craftsman EA \$194.04



This 546-piece mechanic's tool set includes: 331 sockets; 90 wrenches; 26 drive tools; 31 screwdrivers and nutdrivers; and 68 additional tools. Shipping weight: 130.4 lbs.

TL1-CFH-30740K Craftsman EA \$1,692.91



This 266-piece mechanic's tool set includes: 155 sockets; six drive tools; 61 wrenches; and 44 additional tools. Shipping weight: 31.4 lbs.

TL1-CFH-30770J Craftsman EA \$399.13



This 475-piece mechanic's tool set includes: 263 sockets; 15 drive tools; 113 wrenches; and 84 additional tools. Shipping weight: 73 lbs.

TL1-CFH-30680L Craftsman EA \$1,064.36

**Backpack Tool Carrier**

This backpack carrier makes it convenient to transport tools virtually anywhere! Backpack carrier contains five to seven panels, each of which includes various sized pockets, slots and zippered compartments. Backpack includes padded shoulder straps with adjustable buckles, two handles to carry the pack like a bag, adjustable straps for securing back pack at waist (optional), flaps to hold tools in place, and a zipper closure. All panel shells are sewn together and joints are seamed-taped with nylon seam tape. Tool holder divisions are sewn and back-sewn at the terminating ends. Each panel has nylon seamed-taped radius edges to form a cup shaped enclosure. Each pocket is sewn independently, allowing holders in one panel to be altered without effecting the holders in the adjacent panel. Zipper chain is sewn around the outside edge on all sides of the pack back, except 8" on the bottom side.



5140-01-420-0438 EA \$100.25

**Tool Organizer**

This handy drawer organizer ensures that tools are properly stored and makes it easy to tell when a tool is missing. Each package contains enough foam for three standard chest drawers or two standard rollaway drawers. Includes two 16-1/4 x 22-1/4" foam inserts, cutting knife, two adhesive layout sheets, and instructions. Height: 1/2"; Shipping weight: 0.7 lbs.



TL1-CFM-50670B Craftsman EA \$21.84

### Tool Storage Unit

This seven-drawer, extra-deep chest features cover stays, keyed locks, and aluminum handles.  
Shipping weight: 101 lbs.



TL1-CFM-50940H	Craftsman	Red/Charcoal	Height: 19-3/4"; Width: 26; Depth: 18"	EA \$302.41
----------------	-----------	--------------	---	-------------

### Tool Storage Cart

The two-piece, five-drawer Versacart features two 10" wheels and two 5" swivel casters for easy maneuverability. Can be used with a 29"-wide cabinet. Weight: 131 lbs.



TL1-KEN-10415E	Kennedy	Red	Width: 43-1/8"; Depth: 20-1/4"D; Height: 36-5/16"	EA \$497.85
----------------	---------	-----	---	-------------

### Work Station

This storage-style work station features a maple-top 54" work area with five drawers that measure 16-9/16" wide, 16-1/2" deep and 3-3/16" high. Also features two shelves and adjustable feet. Durable gray wrinkle finish. Assembly required. Shipping weight: 152 Lbs.



TL1-KEN-10271C	Kennedy		Width: 54"; Depth: 20"; Height: 34-1/2"	EA \$332.95
----------------	---------	--	--	-------------

### Work Center

This nine-drawer work center features a ball-bearing drawer positioned below the work surface and eight friction-slide drawers. Top has built-in storage. Shipping weight: 225.7 lbs.



TL1-CFM-50880J	Craftsman	Black	Height: 36-3/4"; Width: 48"; Depth: 22-1/4"	EA \$844.61
----------------	-----------	-------	---	-------------

### Tool Cart

This 15-drawer tool cart has a capacity of 16,267 cubic inches. Weight: 205 lbs.; Shipping weight: 251 lbs.



TL1-WII-01500B	Waterloo Industries	Red	Width: 40.95"; Depth: 18"; Height: 35.61"	EA \$656.47
----------------	---------------------	-----	---	-------------

Can't find it here? Visit the  
GSA Global Supply Web site  
at [www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov).

# Power Tools and Accessories

## Cordless Multi-Tool

Multi-tool operates on 7.2 volts and has an rpm range of 7,500 to 15,000. Features a ball-bearing drive shaft and shaft lock for easy bit changing. Comes with a three-hour battery charger, a storage case and a 1/8" collet.



TL1-DRM-01008C Dremel EA \$56.76

## Electric Multi-Tool

Two-speed Dremel Moto-Tool runs on 120 volts and has an rpm range of 15,000 to 28,000. Ball-bearing motor construction reduces friction for a longer motor life. Tapered housing shape enables comfortable finger-tip control. Includes a double-insulated motor (no grounding required). Deluxe carrying case provides convenient storage. Six-foot two-wire coil cord. Quick-change collet nut for fast replacement of bits (up to 1/8" shank sizes). Collet capacity: 1/8".



TL1-DRM-02850J Dremel EA \$72.02

## Electric Engraver

Electric engraver (Dremel model 290) engraves permanently on metal, wood, plastic, ceramics and more. Engraving protect valuables by discouraging theft. Also, this is the perfect tool for dozens of hobbies and crafts.



TL1-DRM-00290L Dremel EA \$18.61

NSN or GSA part number —  
all our products carry the  
same customer benefits.

## Electric Scroll Saw

This 16" variable-speed scroll saw (Dremel model 1680) has cutter diameters of 2" at 0° and 1" at 45°. Features easy-access top-mounted controls and two-way table tilt (positions 45° both left and right for two-way bevel cutting). Table angle detents provide positive stops every 15° for consistent bevel cutting, with a stop at 0° to quickly and easily square the table. Blade holder requires no tools for fast and easy pin or plain-end blade changes. An adjustable, multi-directional dust blower keeps cutting line clear, and the attached light improves visibility during use. Includes permanent magnet. Speed: 500 to 1,600 spm; Blade: 5" plain and pin-end; Motor: 1.4 amp, 120V, 60Hz, 1/6 hp; Blade stroke: 3/4".



TL1-DRM-01185J Dremel EA \$228.86

## Electric Bandsaw

Manual portable bandsaw (Milwaukee model 6232-6) features a gear-drive mechanism that is lubricated with grease, therefore no oiling is required. Includes a needle-bearing blade guide and a front T-handle for increased control. Uses standard 44-7/8 x 1/2 x 0.020" bandsaw blades. Steel carrying case included. Motor: 120V; 6 amps; No-load speed: 0 to 350 rpm; Capacity (rectangular): 4-3/4 x 4-3/4"; Capacity (round): 4-3/4".



TL1-MIL-21915M Milwaukee EA \$336.81

## Drill Grinder

The Darex XT3000 expandable drill and countersink sharpener hones blades on even the most-used drills. This basic unit's capabilities can be expanded with optional attachments to sharpen other styles and sizes of drills, plus Weldon-style and single-flute countersinks. All adjustments and attachment changes are made without the need for tools. Point angle: 118 to 150°; Motor: Emerson 1/4 hp; Speed: 3,450 rpm; Rating: Continuous duty.



TL1-DRX-03000A Darex EA \$3,011.23

### Twist Drill Set


This high-speed steel twist drill set features a gold ferrous oxide finish. Set contains one each of the following 29 drill bit sizes – Split points: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, and 11/64". Pilot points: 3/16, 13/64, 7/32, 15/64, 1/4, 17/64, 9/32, 19/64, 5/16, 21/64, 11/32, 23/64, 3/8, 25/64, 13/32, 27/64, 7/16, 29/64, 15/32, 31/64 and 1/2". Furnished in a metal indexed case.



5133-01-535-1216 **DD** SE \$82.60

### Twist Drill Set (Cobalt Steel)

This cobalt jobber-length drill set contains 115 pieces. Sizes include: 1/16" to 1/2"; A to Z; and #1 to #60; Point type: 135-degree split point.



TL1-DSA-25706M Hertel EA \$305.80

### Twist Drill Set (High-Speed Steel)

General-purpose twist drills feature metal-cutting, high-speed steel bits for right-hand cutting. For use with hand, air-operated or electric drills for drilling ferrous and non-ferrous materials. Heat-treated bits have two spiral flutes. ASME B94.11M.



Short (jobbers) length set comes in a metal indexed case. 29 fractional sizes: 1/16 to 1/2" inclusive, by 64ths; Material: High-speed steel; Right-hand cutting; Point angle: 118°.

5133-00-293-0983 **PRIME** SE \$47.29

Eight-piece cobalt silver and deming drill set includes sizes 9/16" to 1" (in 16ths). Flute length: 3"; Overall length: 6".



TL1-DSA-80005L Hertel EA \$199.91

### Jobber Drill Set (High Speed)

This 114-piece high-speed set includes 118-degree-point drills ranging from 1/16" to 1/2" (in 64th graduations), #1 through #60, and 1mm to 13mm (in 0.5mm graduations). Surface treated. Metal case is indexed.



TL1-DSA-11400D Hertel EA \$171.39

Aircraft quality, heavy-duty cobalt high-speed steel bits for use in constant speed drills. Cobalt drills maintain their cutting ability at higher temperatures which is common in drilling harder materials. Recommended for use in the following types of steels: high-strength alloy steels, stainless steel, titanium, manganese steel, armor plate and steel. These bits feature 135° split points for easier drill starting without the need for center punching. The bits are oxide surface-treated and have two flutes. Conforms to National Aerospace Standard 907.




Type D: Straight shank; jobbers length; short flute. The numbered sizes 1 to 40 are provided in an indexed metal case.

5133-00-980-3423 **PRIME** SE \$92.50

### Twist Drill Set (Carbide)

This 29-piece jobber-length drill set features sizes 1/16" to 1/2" (in 64ths). Carbide-tipped; Point type: 118-degree point.



TL1-CTJ-90025K Select EA \$223.87

Didn't find an item you want?

Call customer service at

(800) 525-8027 or e-mail

your request to

[GSAglobalsupply@gsa.gov](mailto:GSAglobalsupply@gsa.gov)

### Cordless Power Tool Set



Set includes: an 18-volt 1/2" hammer-drill/drill/driver with 500 in.-lbs. of maximum torque and a patented three-speed all-metal transmission; an 18-volt circular saw with a 6-1/2" 16-tooth carbide blade and rip fence that can cut 2-x-4s at a 45-degree angle in a single pass; an 18-volt cordless reciprocating saw with keyless blade clamp that allows for quick blade change without touching blade or reciprocating shaft; an 18-volt right angle drill with 310 in.-lbs. of maximum torque; an 18-volt cut-off tool with 6,500 rpm and provides high power for cutting and grinding applications; and an 18-volt flexible floodlight that enables hands-free use.

TL1-DWT-79866B DeWalt EA \$708.89

### Combination Power Tool Set



Set includes: a 1/2" hammerdrill/drill/driver with 500 in.-lbs. of maximum torque and a patented three-speed all-metal transmission; a circular saw with a 6-1/2" 16-tooth carbide blade and rip fence that can cut 2-x-4s at a 45-degree angle in a single pass; a cordless reciprocating saw with keyless blade clamp that allows for quick blade change without touching blade or reciprocating shaft; and an 18-volt flexible floodlight that enables hands-free use.

TL1-DWT-43907A DeWalt EA \$603.97

### Cordless Drill Kit

Screwdriver features: an adjustable two-position handle for fitting into tight spaces; a 16-position adjustable clutch; variable speed and reversing trigger switch; a professional-grade switch with overload protection; and a quick-release keyless chuck. Also includes: a one-hour charger; two 7.2-volt compact batteries; and a heavy-duty kit box. Rating: 7.2 volts; No-load rpm: 0 to 500 reversing (maximum); Torque: 80 in.-lbs. of maximum output (provides superior power-to-weight ratio); Weight: 3.5 lbs.



TL1-DWT-52344B DeWalt EA \$121.06

### Cordless Reciprocating Saw

Powerful and yet easy to handle, this 18-volt cordless reciprocating saw features the Power Plus battery that offers longer runtime than standard batteries. The steel Quik-Lok blade clamp system allows the user to change out blades quickly, without tools. The lock-off trigger speed-control prevents unintentional startups, thereby ensuring safety. Saw has a D-handle and a variable speed switch. 0 to 2,700 spm. Includes: one 2.4 amp-hr. battery; a universal charger; a two-pack of Sawzall blades; and a durable carrying case.



TL1-MIL-05397D Milwaukee EA \$270.13

### Cordless Impact Wrench Kit

This 18-volt impact wrench kit is lightweight and compact in size. Maximum torque: 1,650 in.-lbs.; No-load rpm: 0 to 2,400; Impacts per minute: 0 to 3,000. Includes one-hour charger, two 18-volt batteries, and a heavy-duty kit box.



TL1-DWT-57659K DeWalt EA \$329.56

### Air Impact Wrench

As the first impact wrench to use titanium, this superior tool will stand up to intense use, even in the toughest environments. Weighs just under than four lbs., making it lighter than any competitive 1/2" impact wrench. Also features a super-strong composite housing with steel hammer case and textured grip area.



TL1-IRC-21350A Ingersoll Rand EA \$289.01

### Pneumatic Impact Wrench

Air-powered, portable, titanium impact wrench loosens and tightens bolts and nuts. Has built-in power regulator for control of power output. The wrench has a pistol-grip handle and is reversible. Operating pressure is 80-100 psig. Furnished with operating and maintenance instructions.



Wrench has a 3/8" square drive with a 1-3/8" maximum spindle offset. Air inlet connection is 1/4" NPT or NPTF. Air consumption while impacting: 15 CFM maximum; Torque developed after 5 seconds impacting: 70 ft.-lbs. minimum.

5130-00-234-4879 EA \$453.89

### Air Needle Scaler

This durable, standard-duty needle scaler contains 19 needles and provides 4,600 blows per minute at free speed. Ideal for surface preparation that involves cleaning or removing paint, rust, dirt and/or weld slag. Each needle measures 1/8" (3.2 mm).



TL1-IRC-12500B Ingersoll Rand EA \$163.10

This heavy-duty pistol-grip needle scaler is ideally suited for multiple applications on any surface. Contains 19 needles, each measuring 1/8" (3.2 mm). Provides 3,000 blows per minute at free speed. Air consumption: 5.5 cfm.



TL1-IRC-17000B Ingersoll Rand EA \$241.41

### Air Compressor

This three-gallon, portable air compressor (Campbell-Hausfeld model WL5100) is designed to meet professional long-life and high-performance requirements. Features: various tank configurations for easy transport; direct-drive, oil-less pump design; and slow-operation 1,725 rpm for long life and quiet operation. CFM at 40/90 psi: 3.0/2.0; Horsepower: 0.7; Maximum psi: 125; Voltage: 120; Weight: 51 lbs. Made in the U.S.A.



TL1-CMB-10361A Campbell-Hausfeld EA \$227.34

### Compressor

This three-phase, two-stage compressor (Campbell-Hausfeld model EX1120) features: rugged cast iron, oil-lubricated pump; heavy-duty ball bearings for long life; Oil-level sight glass for ease of maintenance; ASME-code air tanks; and ductile iron crankshaft. ; CFM at 40/90 psi: 35.2/37.6; Horsepower: 10.0; Maximum psi: 175; Tank capacity: 120 gallons (horizontal); Voltage: 208 - 230/460. Weight: 828 lbs. Five-year warranty.



TL1-CMB-61335B Campbell-Hausfeld EA \$1,874.90

### Generator

This generator contains a Honda 5.5-horsepower engine with a super-quiet muffler that reduces engine noise. Maintenance-free, brushless alternator provides increased durability. The high amp surge capacity is ideal for starting high-amp tools. Maximum AC output: 2,900 watts; Rated AC output: 2400 watts. Includes spark plug wrench.



TL1-DWT-57584A DeWalt EA \$1,163.55

Heavy-duty 6,000-watt generator features an 11-horsepower Honda engine, electric start with non-removable starter switch, and high amp surge capacity. Power switch ensures peak performance of 120- and 240-volt tools. Super-quiet muffler reduces engine noise.



TL1-DWT-57607L DeWalt EA \$2,149.54

### Vacuum

Eight-gallon single-stage vacuum (Shop-Vac model 9252810) includes: 1-1/4" x 8 foot hose; two metal extension wands; 10" combination wet/dry nozzle with squeegee insert; dual-surface selector nozzle; heavy-duty dolly with carriage handle; crevice tools; round brush; gulper nozzle; and tool basket. Dry capacity: 5 gal.; Wet capacity: 6 gal.; Peak horsepower: 6.0; Tank material: Plastic; 195 CFM, 120V, 60 Hz, 11.0 amps; Shipping weight: 21 lbs. UL listed.



TL1-SVC-92528K Shop-Vac EA \$134.24

This two-stage wet/dry vacuum (Shop-Vac model 6101210) features: an 18-foot power cord; a 1-1/2" x 12 foot crush-proof hose; two metal extension wands; and a 14" aluminum nozzle with brush and squeegee insert. Peak horsepower: 2.0; Tank size: 12 gal.; Dry capacity: 11 gal.; Wet capacity: 10 gal.; 120V, 60 Hz, 8.5 amps; Shipping weight: 23 lbs. UL listed.



TL1-SVC-61012B Shop-Vac EA \$171.19

This 16-gallon, two-stage wet/dry vacuum (Shop-Vac model 9502110) includes: a 1-1/2" x 10 foot crush-proof hose with positive-lock swivel end; two Interlocking metal extension wands; a 14" master nozzle with rug, brush and squeegee inserts; a crevice tool; a round brush; a 6" utility nozzle; a tool basket; and a 35-foot power cord. Dry capacity: 13-1/2 gal.; Wet capacity: 13-1/4 gal.; Peak horsepower: 4.0; Tank size: 14 gal.; Tank material: Plastic; 120V, 60 Hz, 11.5 amps; Shipping weight: 28 lbs.



TL1-SVC-95021E Shop-Vac EA \$428.04

# Abrasives

## Abrasive Flap Wheel

Abrasive flap wheel with 1/4" shank. Mandrel-mounted and coated.



Grit size: 60; Width: 1".

TL1-TMG-80762C	3M	Outside Diameter: 1-1/2"	EA	\$4.52
TL1-TMG-80763M	3M	Outside Diameter: 2"	EA	\$5.06
TL1-TMG-80650E	3M	Outside Diameter: 3"	EA	\$5.72

Grit size: 80; Width: 1".

TL1-TMG-80757E	3M	Outside Diameter: 1"	EA	\$3.83
TL1-TMG-80758B	3M	Outside Diameter: 1-1/2"	EA	\$4.52
TL1-TMG-80759L	3M	Outside Diameter: 2"	EA	\$5.06
TL1-TMG-80651B	3M	Outside Diameter: 3"	EA	\$5.72

Grit size: 120; Width: 1".

TL1-TMG-80753J	3M	Outside Diameter: 1"	EA	\$3.83
TL1-TMG-80755A	3M	Outside Diameter: 2"	EA	\$5.06
TL1-TMG-80652L	3M	Outside Diameter: 3"	EA	\$5.72

## Abrasive Mini-Grind Wheel Kit (Aluminum Oxide)

Cloth-backed abrasive wheels are useful for sanding, deburring, grinding and polishing applications. Wheels feature 1 to 3" diameters and 3/8 to 1-1/2" widths. Grit sizes range from 60 to 180.



All flap wheels have a built-in 1/4" x 20" threaded end; 10 Grind-O-Flex wheels plus adapters and grits test kit. Includes: 1 ea 1" diameter x 5/8" width, 120 grit; 1 ea 1" diameter x 1" width, 60 grit; 1 ea 1-3/8" diameter x 5/8" width, 180 grit; 1 ea 1-5/8" diameter x 1" width, 80 grit; 1 ea 2" diameter x 1/2" width, 80 grit; 1 ea 2" diameter x 1" width, 60 grit; 1 ea 2-1/2" diameter x 1/2" width, 120 grit; 1 ea 2-1/2" x 1" width, 60 grit; 1 ea 3" diameter x 1/2" width, 60 grit; 1 ea 3" diameter x 1" width, 180 grit; 1 ea 1/4" X 20" threaded end adapter.

5345-01-122-1170	<b>MSDS</b>	KT	\$26.81
------------------	-------------	----	---------

## Wire-End Brush

Solid-end brush quickly removes rust, scale and paint in hard-to-reach areas. This standard brush has a 1/4" shank and is designed for use in portable tools and flexible shaft equipment. Made of steel.



Trim length: 7/8"; Diameter: 1/2"; Wire size: 0.006".

TL1-WIR-10001M	Weiler	EA	\$4.43
----------------	--------	----	--------

Trim length: 7/8"; Diameter: 1/2"; Wire size: 0.014".

TL1-WIR-10003D	Weiler	EA	\$3.81
----------------	--------	----	--------

Trim length: 7/8"; Diameter: 3/4"; Wire size: 0.006".

TL1-WIR-10005K	Weiler	EA	\$7.50
----------------	--------	----	--------

Trim length: 7/8"; Diameter: 3/4"; Wire size: 0.014".

TL1-WIR-10007B	Weiler	EA	\$4.87
----------------	--------	----	--------

Trim length: 7/8"; Diameter: 1"; Wire size: 0.006".

TL1-WIR-10009H	Weiler	EA	\$10.10
----------------	--------	----	---------


Trim length: 7/8"; Diameter: 1"; Wire size: 0.014".

TL1-WIR-10011C	Weiler	EA	\$6.47
----------------	--------	----	--------

We've done the procurement work. Your requisition to GSA Global Supply requires no additional competition.

# Hardware

## Alkaline Battery



Duracell PROCELL alkaline batteries deliver outstanding performance and reliability. These long-lasting batteries are dependable, even after seven years of storage. Last up to ten times longer than super heavy-duty zinc carbon batteries in power-demanding applications. Long service life at high-drain discharges. Operate reliably in temperature extremes of -20 to 54° C. Date-coded to ensure maximum freshness. Economical bulk packaging for professional applications. Contain no added mercury.

### A. Package of 12 EA. PC1300.

TL1-DRC-51340J	Duracell	Size: D	PG	\$12.01
----------------	----------	---------	----	---------

### Package of 72 EA (six packages of 12). PC1300-6.

TL1-DRC-13006H	Duracell	Size: D	PG	\$54.91
----------------	----------	---------	----	---------

### B. Package of 12 EA. PC1400.

TL1-DRC-51140E	Duracell	Size: C	PG	\$13.03
----------------	----------	---------	----	---------

### Package of 72 EA (six packages of 12). PC1400-6.

TL1-DRC-14006C	Duracell	Size: C	PG	\$52.14
----------------	----------	---------	----	---------

### C. Package of 24 EA. C1500.

TL1-DRC-51540L	Duracell	Size: AA	PG	\$18.76
----------------	----------	----------	----	---------

### Package of 144 EA (six packages of 24). PC1500-6.

TL1-DRC-15006M	Duracell	Size: AA	PG	\$59.61
----------------	----------	----------	----	---------

### D. Package of 24 EA. PC2400.

TL1-DRC-52440E	Duracell	Size: AAA	PG	\$21.13
----------------	----------	-----------	----	---------

### Package of 72 EA (three packages of 24). PC2400-3.

TL1-DRC-24003E	Duracell	Size: AAA	PG	\$32.58
----------------	----------	-----------	----	---------

### E. Package of 12 EA. PC1604.

TL1-DRC-51640M	Duracell	Size: 9V	PG	\$23.26
----------------	----------	----------	----	---------

### Package of 72 EA (six packages of 12). PC1604-6.

TL1-DRC-16046L	Duracell	Size: 9V	PG	\$96.81
----------------	----------	----------	----	---------



This alkaline, manganese dioxide battery is great for use with tape recorders, pocket calculators, smoke detectors, transistor radios, and other electronic equipment. Frequently lasts more than twice as long as the same size carbon-zinc battery, depending on type of use. Non-rechargeable. ANSI C 18.1.

**Rectangular shaped, with two snap terminals.**

(NFES #1241)

ⓘ 36-month maximum shelf life (not extendable)

6135-00-900-2139	Size: 9V	PG(contains 12 EA)	\$10.70
------------------	----------	--------------------	---------

**Cylindrical battery has flat terminals; nominal voltage is 1.5V.**

ⓘ 36-month maximum shelf life (not extendable)

6135-00-826-4798	Size: AAA	PG(contains 12 EA)	\$3.53
------------------	-----------	--------------------	--------

**Pallet contains a total of 1,440 packages (120 cases, each containing 12 packages). (NFES #0030)**

ⓘ 36-month maximum shelf life (not extendable)

6135-00-985-7845	Size: AA	PG(contains 24 EA)	\$4.20
------------------	----------	--------------------	--------

(NFES #0834)

ⓘ 36-month maximum shelf life (not extendable)

6135-00-985-7846	Size: C	PG(contains 12 EA)	\$5.64
------------------	---------	--------------------	--------

(NFES #0033)

ⓘ 36-month maximum shelf life (not extendable)

6135-00-835-7210	Size: D	PG(contains 12 EA)	\$8.36
------------------	---------	--------------------	--------

## Lithium Battery

This three-volt lithium battery provides high energy density and has excellent rate capabilities. Lithium represent one of the latest advances in primary battery technology Up to four times the power of alkaline batteries. Wide operating temperature range. Excellent shelf life. Six per package.



TL1-DRC-12105C	Duracell	EA	\$16.59
----------------	----------	----	---------

**Flashlight**

Scorpion flashlight provides to one hour of continuous use. The high-pressure xenon lamp produces 6,500 peak-beam candlepower. Two three-volt lithium batteries (included) have a 10-year shelf life. Variable spot-to-flood focus. Rubber-armored sleeve over machined-aluminum body guarantees a sure grip and rugged durability. Spare lamp concealed in lamp holder assembly. Measures 4.9" in length and weighs 4.4 oz.



Without belt clip.

TL1-KEL-85001H	Streamlight	EA	\$48.90
----------------	-------------	----	---------

With belt clip.

TL1-KEL-85004J	Streamlight	EA	\$53.44
----------------	-------------	----	---------

Streamlight super-bright LEDs last for more 100,000 hours. Waterproof up to 200 feet. New tail-cap switch for momentary and easy on/off operation. Virtually indestructible, non-conductive polymer features a rubber face cap for impact and shock resistance.



Provides a runtime of 336 hours; 10 white LEDs. Requires three C-cell batteries (not included).

TL1-KEL-33202H	Streamlight	EA	\$44.84
----------------	-------------	----	---------



Provides a runtime of 155 hours. Seven white LEDs. Four AA batteries included.

TL1-KEL-68202M	Streamlight	EA	\$32.60
----------------	-------------	----	---------

Premium flashlight with durable aluminum body, featuring an adjustable beam between spot and flood utilizing a Xenon bulb for brighter light. Push button on/off switch, shatter proof lens and corrosion-resistant body. Includes a belt holster and 1 spare lamp in the head assembly. (3.0 volts) (2 AA alkaline batteries included). For replacement batteries, see NSNs 6135-01-447-0950 (PG/4) or 6135-00-985-7845 (PG/24).



6230-01-513-2663	DD P/N SW822BK	JWOD Black	Length: 6-1/4"	BX(contains 12 EA)	\$147.07
------------------	----------------	------------	----------------	--------------------	----------

Tube-shaped flashlight has a three-way switch for on, off and flasher functions. Features a roll-resistant design and a clear, pre-focused spot lens.



Heavy-duty model comes with one PR-2 bulb installed, plus a spare bulb that is stored in the watertight plastic case, with hanger ring. Requires two D cell batteries (not included). (Flashlight is not intended for use in environments containing explosive gases or extreme temperatures.) For batteries, see NSNs 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).

6230-00-163-1856	PRIME JWOD	Length: 8" (maximum)	EA	\$5.40
------------------	------------	----------------------	----	--------

Explosion-proof and heat-resistant flashlight is specifically designed to resist dust, water and fumes. It is especially suited for use in areas where danger is present from possible explosion of combustible gases, dusts or explosives. Also suitable for shipboard use. Features a three-way switch for on, off and flasher functions. Includes one PR-6 bulb installed plus one spare bulb. Requires two D cell batteries (not included). For batteries, see NSNs 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12). Meets MSHA for safe use in methane-air mixture in accordance with UL 783 Class I, Division I, Groups C and D.



6230-00-299-3035	PRIME Black and Yellow	Length: 8-1/4"; Diameter 3"	EA	\$10.64
------------------	------------------------	-----------------------------	----	---------

Specially designed for directing vehicular traffic and for other signaling purposes. Straight plastic body with cone-shaped traffic baton is watertight and includes a 30-1/2"-long nylon cord affixed to a mounting ring. Features a three-way switch for on, off and flasher functions. Multi-colored (red, amber, green, blue, and blackout) removable filters are provided. A clear, prefocused spot lens concentrates light in a specific area. Comes with one PR-6 bulb installed, plus one spare bulb. Requires two D-cell batteries (not included). For batteries see NSNs 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).



6230-00-926-4331	PRIME Gray	Length: 15-1/4"; Diameter 2-1/4"	EA	\$8.90
------------------	------------	----------------------------------	----	--------

In our ongoing efforts to fulfill your supply needs and provide you with quality products at cost-saving prices, we now offer a wider range of products than ever before. Check out our expanded inventory at [www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov)!

### Masking Tape

Premium high-performance paper masking tape is designed to perform well in most industrial situations, including the use of bake cycles. The balance of adhesive and backing provides a high degree of resistance to tearing or slivering during removal. Pack contains 24 each.



TL1-MMT-04237K	3M	Natural	2" x 60 yards	PK	\$232.21
----------------	----	---------	---------------	----	----------

### Duct Tape

3M's Highland industrial duct tape is useful for bundling, sealing and holding applications. Replaces MMT-69690D. Thickness: 9 to 10.7 mils.



TL1-MMT-06969B	3M		2" x 60 yards	EA	\$8.45
----------------	----	--	---------------	----	--------

### Electrical Tape

Scotch Super 33+ vinyl electrical tape conforms remarkably well. It wraps and holds in all weather and will continue to hold in sub-zero temperatures or in continuous temperature environment up to 220° F. Resistant to oil, water, wear, chemicals and solvents. Thickness: 7 mils.



TL1-MMT-06132H	3M		3/4" x 66 feet	EA	\$3.86
----------------	----	--	----------------	----	--------

Construct and repair electrical and electronic equipment with pressure-sensitive thermosetting tape that has a heat-curing adhesive. Use where high heat renders other tapes unsuitable. Features a glass-cloth backing. Roll has a 3" diameter core.



ⓘ 18-month maximum shelf life (extendable)

5970-00-686-9151			Width: 1"	RO(contains 60 YD)	\$14.67
------------------	--	--	-----------	--------------------	---------

Adheres readily to steel, galvanized sheet metal and other materials. Pressure-sensitive adhesive conforms to irregular surfaces.



**Indoor/outdoor use. Plastic-coated cloth tape is vapor-proof.**

(NFES #0071)

ⓘ 12-month maximum shelf life (extendable)

5640-00-103-2254	JWOD	Aluminum or Silver-Gray	Width: 2"	RO(contains 60 YD)	\$5.32
------------------	------	-------------------------	-----------	--------------------	--------

### Cord

Braided polyamide nylon cord is light- and heat-resistant. Has a 550-lb. breaking strength and 30 percent minimum elongation. Used by the Forest Service for shroud lines on cargo parachutes. MIL-C-5040H, Type III. (NFES #0533)



4020-00-240-2146	JWOD	White		SL(contains 2100 FT)	\$122.49
------------------	------	-------	--	----------------------	----------

**Can't find it here?**  
Visit the **GSA Global Supply**  
Web site at  
[www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov).

# Outdoor Equipment and Accessories

## Pitchfork



The 12-1/4"-long fork has sharply pointed, four forged-steel tines and a handle made of bent hardwood. The spread measures 9-1/2". Handle length: 48".

3750-00-255-7733 EA \$20.12

## Garden Rake



A must-have tool for effective gardening! This rake is designed for raking and smoothing soil. Rake head features a forged steel one-piece head and shank construction with a securely attached hardwood handle. CID A-A-2846.

**Class A: Bow. Head contains 14 to 16 teeth and is a minimum of 13-1/2" wide. Minimum head depth: 3"; Handle length: 59" minimum.**

3750-00-171-7182 EA \$14.32

**Class B: Level head; Head contains 14 to 16 teeth and is a minimum of 14" wide. Minimum head depth: 3"; Handle length: 65" minimum.**

3750-00-243-2408 EA \$17.32

## Lawn Rake



Lawn rake is suitable for raking grass clippings, leaves, twigs, and litter from lawns without injury to the grass or roots. This steel tine rake has a flexible head and a hardwood handle. CID A-A-2846.

**Class A: Radial head; Head width: 17" minimum; Tines: 18 minimum; Handle length: 42" minimum.**

3750-00-599-6101 EA \$8.27

**Class B: Semi-radial head; Size 1; Head width: 18" to 20"; Tines: 18 to 22; Handle length: 47" minimum.**

3750-00-086-7690 EA \$9.86

**Class B: Semi-radial head; Size 2; Head width: 22" to 26"; Tines: 21 to 26"; Handle length: 47" minimum.**

3750-00-903-0720 EA \$9.81

## Pruning Shears

Heavy-duty lopping shears have a convex blade and a concave hook. Used for pruning plants, bushes and tree limbs up to 1-1/2" in diameter. For two-handed use, shears have hardwood handles and a safety stop to protect operator.



3750-00-641-1197 Length: 27" EA \$24.49

Rose and garden shears for thinning plants or shaping small shrubbery. For one-handed use, shears have high-carbon steel blades and a metal handle.



**Hook-jaw shears have long-lasting cutting edges and a catch to lock blades shut.**

3750-00-641-5587 Length: 8" PR \$12.77

For large or small jobs,  
look to GSA Global Supply  
for the tools you need.

### Tree and Pole Climbing Set

Climbing set for linemen and tree trimmers. Calf and ankle straps are closely woven, four-ply, neoprene-coated, nylon cloth. Set consists of two 22" calf straps with pads, two 26" ankle straps with standard stirrups, one set of pole gaffs and one set of tree gaffs. Gaffs have positive-locking mechanisms. Leg irons have telescoping sleeves and are adjustable from 15 to 19" increments. ASTM F887.



4240-00-273-9668

SE \$216.00

### Hedge Clippers

These hardwood-handled clippers are excellent for trimming hedges and small shrubbery. Serrated blades are ground, sharpened and notched near the pivot points for easily cutting heavy canes and branches.



Cutting edge: 8" long; Handles: 9" long.

3750-00-951-1585

EA \$19.13

### Single-Bit Ax



This ax is ideal for general utility use in forestry work. It has a forged, hardened steel head, a ground polished cutting edge, and an elliptical tapered eye for the handle.

Single-bit, men's (Dayton) pattern ax has a curved hickory handle and flat-top face for striking. Features a 4-3/4"-wide cutting edge. Head weight: 4 lbs.; Handle length: 31".

(NFES #0707)

5110-00-293-2336

EA \$22.31

The ax is built for tough forestry and fire-suppression work. Has a forged, hardened steel head, a ground polished cutting edge, and a curved handle with shock-absorbing, slip-resistant grip.



Features a 13-1/8"-long handle, 4-7/8" head length and 3"-wide cutting edge. Comes with a leather sheath.

5110-00-720-0711

EA \$24.42

### Wheelbarrow

Wheelbarrow has a steel tray and legs. Pneumatic tire can be either tubeless or tube type.



Contractor 6 cu. ft. design has wooden handles.

3920-00-329-4303

EA \$88.02

### Peavy



Useful for rolling, turning and carrying logs and timber. Consists of socket, duckbill hook, hook bolt, pike and handle. Straight-spike pike is made of steel bar. Hook measures 1 x 1/2" with a 10-1/2" opening. Hardwood handle measures 54" long and is 2-1/2" in diameter.

5120-00-223-8996

Overall Length: 67"

EA \$89.45

### D-Handle Shovel

The ideal tool for handling loose and bulky materials, such as dirt, sand, gravel, grain and snow. High-grade steel blade is heat-treated for long life and features sharpened cutting edges. Shoulder edge of blade is rolled to form a step for digging leverage. Handle is fashioned from hardwood and features a transparent lacquer or varnish coating.



Has an open back and D-handle. Blade is made of 14-gauge steel and measures 12" long and 10" wide. Handle measures 26 to 28" long with a 17 to 21" handle lift.

*Rounded point.*

5120-00-293-3336

EA \$13.68

*Square point.*

5120-00-224-9326

EA \$13.94



Eastern-pattern scoop has an open back and D-handle. Blade is made of 16-gauge steel and measures 16 to 18" long and 13" wide. Handle measures 26 to 28" long with a 17 to 21" handle lift.

5120-00-188-8446

EA \$21.79

**Shovel**

The ideal tool for handling loose and bulky materials, such as dirt, sand, gravel, grain and snow. High-grade steel blade is heat-treated for long life and features sharpened cutting edges. Shoulder edge of blade is rolled to form a step for digging leverage. Handle is fashioned from hardwood and features a transparent lacquer or varnish coating.



Shovel has an open back and a long handle. Blade is made of 14-gauge steel and measures 12" long and 10" wide and has a round point. Socket or strap measures 8-3/4" in length. Handle measures 46 to 52" long with a 29 to 33" handle lift.

5120-00-188-8450 EA \$10.41

**Intrenching Tool**

The tool is capable of being used as a shovel when fully extended and as pick when the shovel blade is locked in positioned at a 90-degree angle. Intrenching tool features: a hinged shovel; D-type hand grip; one serrated cutting blade edge; one axe blade edge and an aluminum handle. The blade and handle can be locked into opened or closed positions. Folds to 9-1/2" for storage.



5120-00-878-5932 Length: 23-1/2" (extended) EA \$59.60

**Posthole Digger**

Digger is designed with two handles and two attached blades hinged together. Seasoned ash or sugar maple handles are four feet long and 1-3/16" in diameter. Has a bore diameter of 5" or more and a bolted hinge. High-grade steel blades are painted to resist corrosion. Minimum overall handle length is 58". Scoop shape is 4-1/2" across and 9" long. Weight: 8-1/2 to 12 lbs.



5120-00-223-8426 EA \$30.72

**Snow Shovel**

Generously sized scoop is excellent for clearing snow from sidewalks and driveways. Features a square-point blade and a welded or riveted handle socket. Knockdown-type shovel has a D-style wooden handle and an open-back construction.



Assembled handle measures 34 to 36" in length. Ribbed aluminum blade measures 14" long and 17" wide.

*Light-weight shovel.*

5120-00-892-5319 EA \$15.19

*Medium-weight shovel.*



5120-00-494-1863 EA \$18.32

Generously sized scoop is excellent for clearing snow from sidewalks and driveways. Features a square-point blade and a welded or riveted handle socket. Knockdown-type shovel has a wooden handle and an open-back construction.



Knockdown-style shovel has a pusher-type, long handle. Blade is made of 16-gauge steel and measures 24" wide and 10-1/2 to 12-1/2" high.

*Medium-weight shovel.*

5120-00-288-6529 Length: 55 to 72" EA \$28.11

**Sidewalk Ice Scraper and Chipper**

The scraper has a flat 0.09"-thick hardened steel blade and a 6-5/8" cutting edge. The scraper has an integral shank and socket for handle mounting. The handle is made of seasoned ash and has a lacquer or varnish coating.



5110-00-329-3299 Length: 55 to 65" EA \$20.97

**Garden Hose**

Commercial-grade, rubber/vinyl-reinforced 5/8" diameter garden hose. Kink-resistant hose includes brass couplings, a protective collar at faucet end, and an abrasion-resistant gray cover. Burst strength is 500 psi with a minimum four-ply construction.

♻️ 65% Postconsumer Material

4720-01-447-8759 CPG LG(contains 50 FT) \$23.10  
 4720-01-447-8757 CPG LG(contains 100 FT) \$26.25

**Drinking System**

**NEW**

Back-worn hydration system. Compatible with CamelBak HydroLink system. Features: Burst-resistant polyurethane reservoir with lead-proof threaded cap. Detachable insulated drinking tube with bite valve and cover and a positive shut-off valve. Abrasion-resistant 1000D Cordura nylon shell.



Capacity: 70 oz. (2.0 liter); 17.5" L x 8.75" W x 1" D. Volume: 122 cubic inches, empty weight: 1.0 lbs. Unit includes: External access wide-opening fill-port, adjustable shoulder straps with quick-release buckles, sternum strap with quick-release buckle and an ergonomic carrying handle with reflective stripes on pack and harness.

8465-01-517-4767 P/N 30072 Hi-Viz or equal International Orange EA \$36.66  
 8465-01-517-4769 P/N 30082 Hi-Viz or equal Lime Green EA \$36.66

**NEW**

Capacity: 70 oz. (2.0 liter); 18" L x 8" W x 1" D; Volume: 126 cubic inches. Empty weight: 0.92 lbs. Unit includes: Exterior access fill-port, adjustable quick-release shoulder straps, snapping reservoir compartment, ventilated mesh back panel and ergonomic carrying handle.



For replacement reservoir, see NSN 8465-01-396-9927.

8465-01-396-9917	P/N 71000 ThermoBak 2L or equal	Black	EA	\$34.00
8465-01-396-9918	P/N 71050 ThermoBak 2L or equal	Desert Camo	EA	\$34.00



Capacity: 100 oz. (3.0 liter); 18.5" L x 10" W x 5" D; Volume: cargo storage 540 cubic inches, volume including water: 720 cubic inches, empty weight: 1.81 lbs. Unit includes: Internal access wide-opening fill-port, approximately 9 liters of cargo storage, zippered reservoir compartment, two zippered cargo compartments and a waist belt that can be stowed away. Ventilated back panel, MOLLE attachment system. Adjustable padded shoulder suspension harness with quick-release buckles. Sternum strap with quick-release buckle and an ergonomic carrying handle.

For replacement reservoir, see NSN 8465-01-396-9928.

8465-01-396-9919	P/N 72000 M.U.L.E. Black or equal	Black	EA	\$72.99
8465-01-396-9926	P/N 72150 M.U.L.E. or equal	Desert Camo	EA	\$72.99
8465-01-396-9920	P/N 72050 M.U.L.E. or equal	Woodland Camo	EA	\$72.99

Capacity: 100 oz. (3.0 liter); 19" L x 12" W x 6" D; Volume: cargo storage 1100 cubic inches; Volume including water: 1280 cubic inches; Empty weight: 2.6 lbs. Unit includes: Internal access wide-opening fill-port, approximately 18 liters of cargo storage, dual antenna ports, zippered reservoir compartment and main compartment with compression straps, zippered cargo storage, waste belt can be stowed away, ventilated back panel, adjustable padded shoulder suspension harness with quick-release buckles, sternum strap with quick-release buckle, MOLLE attachment system and an ergonomic carrying handle.



For replacement reservoir, see NSN 8465-01-396-9928.

8465-01-396-9922	P/N 73000 H.A.W.G. or equal	Black	EA	\$85.89
------------------	-----------------------------	-------	----	---------



Back-worn hydration system includes: abrasive-resistant nylon, leak-proof reservoir with threaded cap; neck threads fit standard "M1" cap. 42" long drinking tube with insulated cover. Leak proof bite valve, tube retaining clip, a zippered 45 cubic-inch gear storage pocket/compartment. MOLLE webbing system. Adjustable two inch wide quick-release shoulder harness with sternum strap "D" rings for accessory attachments.

Capacity: 120 oz. (3.5 liter); 18" L x 9-1/2" W x 2-1/2" D; Empty weight: 1 lb., 12 oz.

8465-01-525-1560	DD Alpha Hydramax P/N HY2039	JWOD	Black	EA	\$43.86
8465-01-525-1561	DD Alpha Hydramax P/N HY2038	JWOD	Desert Camo	EA	\$43.86
8465-01-524-2765	DD Alpha-Reflector Hydramax P/N HY2063	JWOD	High Visibility Orange	EA	\$49.86
8465-01-525-1559	DD Alpha Hydramax P/N HY2047	JWOD	Universal Camo	EA	\$43.86

**NEW**



Back-worn hydration system includes: abrasive-resistant nylon, leak-proof reservoir with threaded cap; neck threads fit standard "M1" cap. 42" long drinking tube with insulated cover. Leak proof bite valve, tube retaining clip, two zippered 140 cubic-inch gear storage pockets/compartments. MOLLE webbing system. Adjustable two inch wide quick-release shoulder harness with sternum strap "D" rings for accessory attachments.

Capacity: 120 oz. (3.5 liter); 18" L x 9-1/2" W x 2-1/2" D; Empty weight: 2 lbs., 4 oz.

8465-01-524-2761	DD Mustang Hydramax P/N HY2072	JWOD	Black	EA	\$63.76
8465-01-524-2763	DD Mustang Hydramax P/N HY2070	JWOD	Desert Camo	EA	\$49.86
8465-01-524-2144	DD Mustang Hydramax P/N HY2071	JWOD	Universal Camo	EA	\$63.76

### Drinking System Reservoir

Replacement reservoir for use with Alpha and Mustang Hydramax Hydration Systems. One-piece, flexible blow-molded bottle with integral thread neck; 42" long drinking tube with insulated cover; leak-proof bite valve.



Capacity: 120 oz. (3.5 liter); 15" L x 8" W x 2" D; Empty weight: 12.8 oz.

8465-01-524-2764	DD P/N HY2045 JWOD	Translucent "Clear"	EA	\$18.76
------------------	--------------------	---------------------	----	---------

# Safety

## Safety Helmet



Helmet complies with ISEA/ANSI Z89.1 - American National Standard for Industrial Head Protection; Type I - Helmet intended to reduce the force of impact resulting from a blow only to the top of the head; Class E - Electrical, helmet intended to reduce danger of contact exposure to high voltage conductors. Samples are proof-tested at 20,000 volts (phase to ground). Helmet is equipped with suspension system, headband, adjustable nape and chin straps. Fits hat sizes 6-3/4" to 8".

Helmet style: Cap, front peak without headlamp clips.

8415-00-935-3132	PRIME	Blue	EA	\$6.38
8415-00-935-3139	PRIME	White	EA	\$6.38
8415-00-935-3140	PRIME	Yellow	EA	\$6.38

## Safety Goggles

Low-profile design goggles protect against chemical splash and impact. Toric lens provides superior optics and peripheral vision. Soft elastomer seal on frame seals goggles to face while providing enhanced comfort. Impact-resistant, clear polycarbonate lens absorbs more than 99.9 percent of harmful UV light. Indirect venting increases air circulation. Quick-adjust headband. Meets ANSI Z87.1. (NFES #0318)



This is a component of Mop-Up Kit NSN 4210-01-321-4206.

4240-01-504-7863	Uvex P/N Stealth S3960C	Clear	PR	\$9.54
------------------	-------------------------	-------	----	--------

Safety-type goggles provide eye protection against small flying particles of dust, chips and machine cuttings. Molded plastic flexible frame has clear plastic lenses and an adjustable elastic webbing headband. Goggles are ventilated to reduce fogging and can be worn over eyeglasses.



4240-00-052-3776	PRIME UNICOR	Clear	PR	\$1.86
------------------	--------------	-------	----	--------

## Safety Glasses

Glasses provide eye protection while the wearer performs light work and can be worn over most prescription glasses. Wrap-around-style goggles are made of polycarbonate plastic and feature an anti-scratch, anti-fog coating and UV protection. In accordance with ANSI Z87.1.



(NFES #0475)

4240-01-292-2816	UNICOR	Clear	PR	\$3.94
------------------	--------	-------	----	--------

## Ear Plugs

Plugs are designed to provide general hearing protection in noisy environments. Made of non-toxic, non-allergenic, closed-cell PVC foam that expands to fit most ear sizes. New two-color design allows for quick inspection of proper insertion by users. Dispenser box contains 200 individually wrapped pairs. A-A-54878 .



6515-00-137-6345	JWOD	BX(contains 400 EA)	\$25.50
------------------	------	---------------------	---------



## Work Gloves

Gunn cut gloves have a leather palm, full leather thumb and forefinger, and leather fingertips. Back of gloves are made of heavy unbleached cotton flannel. Leather is cream to light gray.

Features leather reinforced knuckles and a 4-1/2" gauntlet cuff.

Size: Men's commercial size extra-large.



8415-00-721-6590	UNICOR	PR	\$8.82
------------------	--------	----	--------

Size: Men's commercial size medium.

8415-00-634-4657	UNICOR	PR	\$9.07
------------------	--------	----	--------

Features a 4-1/2" gauntlet cuff, without knuckle reinforcement.



Size: Men's commercial size medium.

8415-00-634-5021	UNICOR	PR	\$8.70
------------------	--------	----	--------

Features leather reinforced knuckles and a 2-1/2" gauntlet cuff.

Size: Men's commercial size medium.

8415-00-634-4660	UNICOR	PR	\$8.38
------------------	--------	----	--------

Features a 2-1/2" gauntlet cuff, without knuckle reinforcement.



Size: Men's commercial size medium.

8415-00-634-4658	UNICOR	PR	\$8.25
------------------	--------	----	--------

## Lightstick (Chemlight)

Chemical lights, commonly known as Chemlights, are a non-toxic, non-flammable source of light. These lightsticks are good for emergency, safety, and signaling uses. They provide safe, effective light without heat, sparks, or flame. To activate, a user bends the plastic lightstick, breaking the inner glass vial. Chemicals from the broken glass vial mix with chemicals from the plastic tube to deliver a light-creating chemical reaction. Self-contained, compact, rugged, and waterproof.



Average life rating: 12 hours.

ⓘ 48-month maximum shelf life (not extendable)

6260-01-195-9753	JWOD	Orange	Length: 6"	BX(contains 10 EA)	\$11.17
6260-01-196-0136	JWOD	Yellow	Length: 6"	BX(contains 10 EA)	\$11.17

(NFES #3009)

ⓘ 48-month maximum shelf life (not extendable)

6260-01-074-4229	JWOD	Green	Length: 6"	BX(contains 10 EA)	\$11.17
------------------	------	-------	------------	--------------------	---------

(NFES #3007)

ⓘ 48-month maximum shelf life (not extendable)

6260-01-178-5559	JWOD	Red	Length: 6"	BX(contains 10 EA)	\$11.17
------------------	------	-----	------------	--------------------	---------

GSA Global Supply offers tens of thousands of office supplies, tools, and computer products to help meet your mission requirements. See our complete selection of products at [www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov).

# Discover what the Centralized Mailing List Service (CMLS) can do for you!

At GSA, meeting our customers' needs for product information is important to us. That's why we created a new online library of GSA publications at the Centralized Mailing List Service (CMLS) Web site. By visiting [www.gsa.gov/cmls](http://www.gsa.gov/cmls), users can view and order publications free of charge. Along with the latest GSA Global Supply catalogs, CMLS offers publications containing useful information about GSA acquisition tools, contract vehicles, and products and services.

## The CMLS Web Site Offers:

- A wide selection of publications ready for shipment, in any quantity, for free;
- Downloadable copies (PDFs) of many publications;
- Easy online ordering with e-mail order confirmation;
- The ability to search and view publications without providing any contact information;
- Free subscriptions to GSA's *MarkeTips* magazine; and
- An invitation to register "buying interests" for future publications.

## User-friendly Features

At [www.gsa.gov/cmls](http://www.gsa.gov/cmls), we've included user-friendly features that enable users to quickly and easily find vital information:

- **Searching for publications:** Search by title, topic, or publication number.
- **Saving PDFs of publications:** Select "View PDF Prompt," right-click, and select "Save As."
- **Account Management:** Update your addresses and select desired "privacy" level.
- **Ordering publications:** Request existing publications or "subscribe" to future editions by registering.
- **Viewing information:** Topics include GSA Global Supply, Fleet, Travel, Acquisition and more!

## Contact us today!

Visit us on the Web at [www.gsa.gov/cmls](http://www.gsa.gov/cmls), or e-mail [cmls@gsa.gov](mailto:cmls@gsa.gov). If online access is not feasible, you may call us at (817) 334-5215, Monday – Friday, 8:00 a.m. to 4:00 p.m. (CT)





# Fax Order Form

(Make copies of this form for future use)

Customer Name \_\_\_\_\_

Ship-To Address \_\_\_\_\_

\_\_\_\_\_

Date \_\_\_\_\_

Telephone Number \_\_\_\_\_

Fax Number \_\_\_\_\_

Optional Document Number (14 digits) \_\_\_\_\_

Signature of Approving/Ordering Official (Optional) \_\_\_\_\_

### If Paying With Credit Card

Credit Card Number \_\_\_\_\_

Expiration Date \_\_\_\_\_

### Activity Address Code

Activity Address Code \_\_\_\_\_

Access Code \_\_\_\_\_

### Remarks:

Will you accept a back order if an item is out of stock?  Yes  No  
*(We do not place back orders for credit card purchases.)*

*Fax your order  
24 hours a day!*

	GSA Part No./NSN	Quantity	Item Description	U/I	Unit Price	Extended Price
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						

**Fax to (800) 856-7057**      *Thank you for your order!*  
*(Your order will be confirmed by fax.)*

Estimated Total Cost \_\_\_\_\_

### For GSA Use Only

Store	Ticket Number	Lines	Total	Fax Back (Date/Time/Initials)

# Ordering Information



1

Call (800) 525-8027 (7:30 a.m. to 8 p.m., ET, Monday through Friday). If using your government purchase card, please have your card ready. Otherwise, have your six-digit Activity Address Code and account information available.

2

Fax your order to (800) 856-7057.

3

To order online, visit us at [www.GSAglobalsupply.gsa.gov](http://www.GSAglobalsupply.gsa.gov).

**Call Center (800) 525-8027 | [www.GSAglobalsupply.gsa.gov](http://www.GSAglobalsupply.gsa.gov)**

GSA CENTRALIZED MAILING LIST SERVICE  
501 W. FELIX ST., STE 1101  
WHS 9 SEC F  
FORT WORTH, TX 76115-3411

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300

[www.gsa.gov](http://www.gsa.gov)  
October 2007

Catalog Code:  
5-07-00147

Order additional catalogs  
at [gsa.gov/cmls](http://gsa.gov/cmls)

PRSR STD  
Postage & Fees Paid  
General Services  
Administration  
Permit No. G-30