




Global Supply™
Your Reliable Government Source

U.S. General Services Administration

Your Mission. Your Way.



Winter 2009

Tools and Hardware

www.GSAglobalsupply.gsa.gov

See it. Buy it. Get it.

Make GSA Your Source for Tools and Hardware.

GSA provides support to military and civilian agencies acquiring tools and hardware, while offering flexible options designed to accommodate specific requirements. Together, these benefits present comprehensive and flexible choices suitable for meeting any tools or hardware product requirement.

Highlights of GSA's Flexible Requisition/Acquisition Methods:

Requisitioning from GSA

GSA Global Supply™ procures tools and hardware products meeting the recurring needs of your federal agency or branch of the military. Since GSA Global Supply has already procured the most in-demand tools and hardware on the government's behalf, obtaining these products through GSA Global Supply is a simple requisition between agencies – no comparison shopping is necessary. Standard shipping is included with most orders and “direct delivery” products are clearly identified. This catalog features some of GSA Global Supply's most popular tools and hardware products.

To view GSA Global Supply's complete offering of products, visit www.GSAGlobalsupply.gsa.gov. Once on the Web site, select “Go” beneath the “Browse Products” option. After you advance to the next page, choose the “Tools and Hardware” tab. You will find a vast array of products, including building supplies, power tools and accessories, precision measuring devices, environmentally-friendly products, and much more.

For additional information about ordering from GSA Global Supply, see page i of this publication.

Purchasing from a GSA Vendor

By offering tools and hardware products that cover the breadth of the commercial marketplace, the GSA Multiple Award Schedule (MAS) program enables your agency to choose from thousands of tools and hardware products, available from hundreds of pre-qualified vendors. Typically, this method of procurement is quicker and easier than open-market procurements. Although an acquisition through the MAS program is a more involved option than a requisition through GSA Global Supply, issuing a purchase order through the MAS program may be appropriate for obtaining tools and hardware not widely requested enough to be included in the GSA Global Supply inventory. For more information, visit www.gsa.gov/products and click the “Hardware and Facilities Maintenance” link.

Special Order Program

GSA Global Supply has a robust Special Order Program (SOP). Customer agencies can place requisitions for NSN or part-numbered items with GSA Global Supply and be assured that GSA will take all the necessary steps to ensure compliance with all Federal Acquisition Regulations and Executive Orders. GSA Global Supply can purchase products on behalf of its customers, including tools and hardware, office products, cleaning supplies and fire equipment. It will not purchase commodities that are the responsibility of another agency. GSA Global Supply sets up a fee for purchasing the product, based on GSA Multiple Award Schedules availability and value of the order. SOP items can be ordered from GSA Global Supply by calling the GSA Global Supply call center at (800) 525-8027 or via FEDSTRIP/MILSTRIP. GSA Global Supply Stores or Base Stores supported by GSA Global Supply can also assist with placement of SOP orders.

Ensuring Reuse with GSA Personal Property Management

Screening other agencies' excess personal property inventories is the federal government's priority source of supply. And with today's increased environmental consciousness, reusing excess property is a source of pride. To help you acquire the excess property your agency needs, GSA offers www.gsa.gov/gsexcess, the personal-property reporting tool for the federal government. At GSAXcess®, reporting, searching and selecting excess property is convenient and user-friendly.

In addition to the tools and hardware available through GSA Global Supply, GSA has contracts in place with hundreds of vendors that offer a wide variety of tools and hardware. The selection is comparable to that of the commercial marketplace but without the burden of performing an open-market procurement. For detailed descriptions of the products below and vendor listings, please access the GSA eLibrary through www.gsa.gov/elibrary.

- **MAS 51 V, Hardware SuperStore** – This MAS is one of the world's largest suppliers of quality products to government customers on a global scale. These products include tools, appliances, lawn and garden equipment, paints, sealants and adhesives. Hardware SuperStore also provides federal agencies with streamlined procurement of all the services necessary to maintain and manage a facility. This MAS also provides for ancillary services relating to or supporting products and services offered under MAS 51 V, as well as accessories in support of, and ancillary to, the commodities offered.
- **MAS 56, Buildings, Building Materials, and Industrial Products and Services** – This MAS contains a wealth of offerings: building and building materials/industrial services and supplies; ancillary repair and alterations (R&A) related to warehouse equipment solutions; ancillary R&A related to pre-engineered/prefabricated buildings and structures; ancillary R&A for building-material solutions; power-distribution equipment; generators; batteries; air- and water-purification equipment; sewer-treatment equipment; maintenance and repair shop equipment with related environmental products; above-ground storage tanks and systems; fuel-dispensing units and fuel-management systems; building materials; solar energy systems; energy-saving lighting products; specialty lighting; and warehouse equipment and supplies.
- **MAS 84, Total Solutions for Law Enforcement, Security, Facilities Management, Fire, Rescue, Clothing, Marine Craft and Emergency/Disaster Response** – This MAS contains total solutions for law enforcement, security, facilities management, fire, rescue, clothing, marine craft and emergency/disaster response. (Note: The Local Preparedness Acquisition Act [signed June 26, 2008] authorizes state and local governments to purchase the following from GSA: alarm and signal systems, facility-management systems, firefighting and rescue equipment, law-enforcement and security equipment, marine craft and related equipment, special-purpose clothing, and related services.)
- **MAS 03FAC, Facilities Maintenance and Management** – This MAS includes GSA's facilities maintenance, repair and operations services for federal civilian and military workplaces. Services include (but are not limited to): dockside maintenance and repair services; energy management; building-commissioning services; water-conservation services and consulting; facilities maintenance, management and consulting services; elevator inspection and maintenance; fire-alarm system preventative maintenance and repair services; fire-suppression system maintenance and repair services; electrical and utility services; HVAC maintenance; grounds maintenance; pest-control services; cemetery maintenance; and industrial, aerospace and marine coating solutions. Recently added - Ancillary Repair and Alteration. With the Ancillary Repair and Alteration SINs, products and/or services ordered under another SIN of a Schedule can be altered, delivered, repaired or installed.
- **Single Award Schedule (SAS) 00JWOD, NIB/NISH Products** includes mandatory source products that can be purchased from AbilityOne (formerly known as JWOD). This SAS offers a variety of tools and hardware-related products, including (but not limited to): tool bags; tool belts; toolboxes and toolkits; light fixtures; abrasives (discs, belts, etc.); scaffolding and accessories; and construction supplies (wheelbarrows, chains, locks, tape, etc.).

Over 125 tools and hardware products from GSA Global Supply™



GSA Global Supply™ is pleased to highlight some of our most popular tools and hardware products, from hand tools to GPS radios. GSA Global Supply offers a wide variety of tools and hardware that carry our service guarantees.

- Easy Requisitions – See It. Buy It. Get It.
- Flexible – Featuring Multiple Ordering Options
- Reliable – Delivering the Products You Need, Where You Need Them
- Anywhere – Assuring Global Delivery
- Anytime – Supporting 24/7 Purchasing
- More – Offering Extensive Product Selection
- Safe – Providing Easy Compliance

The items in this publication represent just a few of the tools and hardware items available from GSA Global Supply. For our complete line of tools and hardware, visit www.GSAGlobalSupply.gsa.gov.

Contents

Hand Tools	2
Power Tools	10
Hardware	13
Safety	15
Outdoor Accessories	17



Ordering

Online (24 Hours):

www.GSAGlobalSupply.gsa.gov

The GSA Global Supply Web site gives you access to tens of thousands of tools, office supplies, computer products and other items. You can use your government purchase card or arrange direct billing with your Activity Address Code (AAC/DoDAAC). Select the items you want and place your order.

All GSA Global Supply items are also available via **GSA Advantage!**® and the DOD EMALL web site.

Telephone:

(800) 525-8027
DSN 465-1416

Call our toll-free number to place your order. We are open from 7:30 a.m. to 8 p.m. (Eastern Time), Monday through Friday.

Fax Orders (24 Hours):

(800) 856-7057

You will receive a confirmation of your order with a tracking number for your files.

Part Number Ordering

Many GSA Global Supply catalogs feature items with National Stock Numbers (NSNs) and others with GSA part numbers. FEDSTRIP/MILSTRIP customers can order GSA part-numbered items by using one of the following identifiers:

- AOB: For domestic shipment
- AO2: For overseas shipment

Both NSNs and GSA part-numbered items carry the same customer benefits. All are FAR-compliant and AbilityOne Guaranteed. All can be shipped anywhere on the globe. All are backed by GSA Global Supply customer service.

DOD EMALL

All GSA Global Supply items appear on the DOD EMALL site. Customers must use their AAC/DoDAAC to purchase GSA items.



Hand Tools

Multi-Tool Kit

This multi-tool kit contains: a multi-pliers tool (NSN 5110-01-346-5339); six stainless steel screwdriver bits; and a coupler that fits over the cross-tip screwdriver blade in the multi-pliers. The screwdriver bits and the coupler are stored in a rubber bit holder with slots for each of the items; the holder has an extended gripping tab that permits easy bit removal from the sheath. The screwdriver bits are 1/4" hex inserts and consist of three flat-tip bits (in sizes 12-14, 5-6, and 0-1) and three cross-tip bits (in Phillips sizes 1, 2, and 3). Furnished in a black synthetic sheath with a Velcro flap closure, a belt loop, and two pockets (one for the multi-pliers tool and one for the rubber bit holder).



5110-01-385-7354 Fiskars Inc. 07510G Length: 4-7/8" (closed) SE \$52.28

This new multi-tool includes: titanium handles; needle-nose and regular pliers; wire cutters; hard wire cutters; crimper; saw; 154-cm, clip-point, stainless-steel knife blade; serrated knife; cutting hook; wood/metal file; diamond-coated file; wire stripper; two large bit drivers; small bit driver; nine double-end bits (sizes: screwdriver 1/4 and 3/16"; hex 5/32 and 9/64"; hex 1/8 and 7/64"; hex 3/32 and 5/64"; hex 1/16 and 0.05"; Robertson #2 and #3; screwdriver 1/8" and Torx #15; Phillips #1 and #2; Phillips and flat-tip eyeglass screwdriver); 8"/19-cm ruler; bottle/can opener; fixed lanyard ring; quick-release lanyard ring; and a removable pocket clip.



Furnished in a leather sheath.

5110-01-525-6655 Leatherman Tool Group 830674 Length: 4" (closed) EA \$92.99

Multi-Tool

This tool is the next generation multi-tool. Tool offers two locking knife blades with one-hand access, plus two more locking tools and a more comfortable handle. The tool also comes with needle-nose and regular pliers, wire cutters, hard-wire cutters, clip-point knife, serrated knife, diamond-coated file, wood/metal file, wood saw, scissors, extra small, small, medium, large and Phillips screwdrivers, can/bottle opener, wire stripper and lanyard attachment.



Stainless steel finish. Leather sheath.

5110-01-456-0578 Length: 4" (closed) EA \$66.79

Furnished in a nylon sheath.

5110-01-525-6664 Leatherman Tool Group 830675 Length: 4" (closed) EA \$92.99

Pocket Multi-Tool (Retractable)

Multi-use pocket tool contains: serrated knife blade; pliers; drop-point knife; wire cutters; flat-tip and Phillips screwdrivers; can/bottle opener; lanyard eye; ruler; and crimper. Also features a component-locking mechanism.



Black oxide finish. Black nylon sheath.

5110-01-346-5341 Length: 4-7/8" (closed) EA \$51.23

This new multi-tool includes: titanium handles; needle-nose and regular pliers; wire cutters; hard wire cutters; crimper; saw; 154-cm, clip-point, stainless-steel knife blade; serrated knife; wood/metal file; diamond-coated file; wire stripper; large- and small-bit drivers; eight double-end bits (sizes: hex 5/32 and 9/64"; hex 1/8 and 7/64"; hex 3/32 and 5/64"; hex 1/16 and 0.05"; Robertson #2 and #3; screwdriver 1/8" and Torx #15; Phillips #1 and #2; Phillips and flat-tip eyeglass screwdriver); 8"/19-cm ruler; bottle/can opener; fixed lanyard ring; quick-release lanyard ring; and a removable pocket clip.



Furnished in a leather sheath.

5110-01-525-6659 Leatherman Tool Group 830062 Length: 4" (closed) EA \$92.99

Gator Serrater Pocket Knife

This multi-purpose single-blade folding knife is made of high carbon stainless steel with a nonglare satin finish on the blade. The 3-3/4" blade has a smooth sharpened edge from the point to approximately the middle of the blade and the balance of the blade has a serrated edge. The knife has a safety feature that pauses the blade halfway through rotation to prevent accidental opening or closing. The handle is rubberized with a non-slip grip that includes a separate contour for the index finger. This provides for a firm and comfortable grip. The blade lock release mechanism is located at the midpoint on the back of the handle and is activated by pushing inward. Provided in a heavy duty synthetic sheath with velcro flap closure and a belt loop.



5110-01-369-9340 Length: 5" (closed) EA \$28.04

Pocket Knife

This folding pocket knife has a stainless steel modified sheepfoot blade with an oval thumb hole. The 3-1/2" blade has a partially serrated and a straight edge. The black high-strength plastic handle is lightweight and molded to form. When the knife is closed, it is 4-7/8" long and when it is open, the knife is 8-1/4" long. The knife features a patented hinged lock and has a reversible stainless steel carry clip.



Blade is black and has a corrosion resistant coating.

5110-01-452-2215 EA \$37.33

Folding Knife

The Applegate Combat Folder is the first folding combat knife ever developed. It features a large stainless steel blade that fits snugly into a relatively small handle, an objective not easily accomplished with most folding knives. In addition, the knife features a 4-1/2" blade with a thumb stud for easy one-handed deployment, as well as a sheath for easy storage. Created in the likeness of legendary Applegate-Fairbairn® knives.



5110-01-436-1548 Length: 5-3/4" (closed) EA \$88.00

Sledgehammer

Sledge hammer includes a forged steel head with corrosion-preventive coating and a polished striking face. Features an octagonal face on each end of the head. Conforms to ASME B107.54.



Hickory handle has a clear lacquer coating. Wedges secure handle to head.

Head weight: 10 lbs.

5120-00-243-2957 **PRIME** Length: 35" EA \$22.46

Ball Peen Hammer (Fiberglass Handle)

Machinist's ball peen hammer has a fiberglass handle with cushioned rubber grip that is firmly bonded to the head.



Head Weight: 1 lb.

5120-00-061-8543 **PRIME** Overall Length: 14-1/2" EA \$14.79

Head Weight: 1-1/2 lbs.

5120-00-061-8545 **PRIME** Overall Length: 15" EA \$16.59

Head Weight: 2 lbs.

5120-00-061-8546 **PRIME** Overall Length: 15-1/2" EA \$18.14

Measuring Tape (Steel)

Self-supporting steel measuring tape features permanent graduation markings and numbers printed on the full length of the tape. Housed in a butt-end plated metal or impact-resistant plastic case.



Features automatic-winding power return, blade lock and a belt clip. Displays English markings. Graduations are in 1/16" increments (first 6" are in 1/32"). Reads left to right.

5210-01-139-7444 AbilityOne Length: 25'; Width: 1" EA \$10.89

Insulated Wire Cutter

Designed for cutting electrically charged barbed wire. Insulated handles withstand high voltages up to 14,000 volt RMS. Cuts wire, cable and light chain to 3/16", soft and medium hard metals to 1/4" diameter. Cuts chain links up to Brinell 300, or Rockwell C31. A center-cut tool with a special parrot-beak jaw for ease in grasping wire and staples.



5110-00-595-8229 Overall Length: 9" EA \$67.95

Adjustable Wrench

Heavy-duty open-ended wrench has a rack-and-worm adjustment. Head is angled at 22-1/2°. Consists of frame (fixed jaw and handle), movable jaw and adjusting worm. IAW ASME B107.8.



Jaw capacity: 1-11/16".

5120-00-423-6728 **PRIME** Length: 15" EA \$43.68

Jaw capacity: 15/16"

5120-00-240-5328 **PRIME** Length: 8" EA \$11.42

Jaw capacity: 1-5/16".

5120-00-264-3796 **PRIME** Length: 12" EA \$21.97

GSA Global Supply™
guarantees compliance
with federal
procurement regulations.

Combination Bench and Pipe Vise

Use combination vise as a machinist's vise or for holding pipes or rods. Replaceable V-shaped alloy steel pipe jaws are serrated and heat treated. Main jaw facings are hardened steel and serrated. Swivel base rotates to any position and has a positive locking mechanism. Swivel base plate has three mounting holes.



Jaw Width: 4-1/2"; Jaw Opening: 5"; Pipe Capacity: 1/4 to 3-1/2".

5120-00-223-1951 EA \$471.52

Jaw Width: 5"; Jaw Opening: 6"; Pipe Capacity: 1/4 to 4-1/2".

5120-00-243-9072 EA \$686.00

Jaw Width: 6"; Jaw Opening: 8"; Pipe Capacity: 1/4 to 6".

5120-00-293-0110 EA \$1,032.94

Machinist's Vise

Cast or forged steel machinist's vise is for machine shop use. Jaws are milled parallel and have replaceable hardened steel serrated jaw facings. Swivel base has three mounting holes, rotates to any position and has a positive locking mechanism.



5120-00-293-1439 Jaw Width: 4"; Jaw Opening: 6" EA \$334.32
 5120-00-223-1945 Jaw Width: 6"; Jaw Opening: 9" EA \$812.16

Bolt Cutter (Clipper Cut)

Designed for close cutting near flat surfaces. The clipper-cutter tool cuts rivets, bolts and steel rods and has an adjustable, rigid, two-jaw head.



Removable, sharp-edged jaws are made of hardened tool steel. Dual lever-arm steel handles have toggle or geared action. Adjustments compensate for jaw wear. A rubber bumper or lock-screw stops eliminate pinching the operator's hands. CID A-A-3047

5110-00-188-2524 Length: 36"; Diameter Capacity: 9/16" EA \$109.93

Capacity: 3/8".

5110-00-596-9156 **PRIME** Length: 24" EA \$85.17

Impact Socket Set (Manual)



Set has a manual impact driver-type handle. The drive rotates when the handle is struck. Has a square male drive. Steel with industrial black oxide or phosphate coating.

Set consists of 12 components: 1/2" square drive manual impact driver; hex-head drivers in sizes 5/16", 3/8", 7/16", 1/2", 9/16" and 5/8"; flat-tip drivers in sizes 7/16 x 0.05" and 1/2 x 0.075"; Phillips drivers in sizes 3 and 4; and drag link driver in size 3/4 x 0.109". Furnished in a sturdy and durable plastic or metal case.

5120-00-171-3117 EA \$278.73

Socket Set

Mechanic's set of 23 chrome-plated steel components. Set consists of:

- 8" and 8-1/2" long hinged handles
- a 6"-long reversible ratchet
- a 16"-long brace-type speeder
- 6"- and 11"-long solid extensions
- two 12-point universal joints (1/2 and 9/16" wrench sizes)
- six long-length 12-point sockets (1/2", 9/16", 5/8", 11/16", 3/4" and 3/16" wrench openings)
- and nine regular-length 12-point sockets (3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" and 7/8" wrench openings)



ASME B107.1.

3/8" square drive.

5120-00-322-6231 **PRIME** SE \$91.17

Chromium-plated hand socket set consists of 24 long-length 12-point sockets in sizes 10 to 32 and 20.6mm (13/16") sockets. Furnished in a metal or plastic box with compartments. ASME B107.5.



1/2" square drive.

5120-01-113-8076 SE \$212.03



Save time with the convenience of a socket set. Thirteen-piece chromium-plated hand 1/4" drive socket set consists of one reversible ratchet, one spin-type handle, one universal joint, one solid extension, four regular-length 6-point 3/16 to 9/32" sockets and five regular-length 12-point 5/16 to 1/2" sockets. Furnished in a metal or plastic box with compartments. ASME B107.1 and ASME B107.10.

5120-00-081-2305 **PRIME** SE \$30.66



Chrome-plated steel socket set is a versatile collection of hand tools. Set includes: two hinged 9 and 14-1/2" long handles and one reversible ratchet, one universal joint, three solid extensions that are 2, 5 and 10" long and 13 regular-length 12-point sockets that have 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8 and 1-1/4" wrench openings. Furnished in a case. ASME B107.1.

1/2" square drive.

5120-00-081-2307 **PRIME** SE \$95.69

Save time with the convenience of a socket set. Chromium-plated hand socket set consists of three handles that include 22" long hinged, 20" long reversible ratchet and 20 to 32' sliding T, two solid bar extensions that are 8 and 17" long; and twenty-two 12-point sockets that are regular length and have 1-1/2 to 3-1/8" wrench openings. Furnished in a metal or impact resistance plastic case. ASME B107.1 and ASME B107.10M.



1" square drive.

5120-00-081-2309 SE \$1,587.46

Torque Wrench (Micrometer)



Micrometer torque wrench enables right- and left-handed torquing and ratcheting. Square male drive. Capacity: 100 to 600 ft.-lbs. (maximum); Graduation: 10 ft.-lbs.; Drive Size: 3/4". Signal Method: audible. Features: rubber handle, reversible ratchet and case. ASME B107.14M.

5120-01-113-9564 Length: 40" (approximate) EA \$312.29

Torque Multiplier



A multiplier torque wrench is used to facilitate the loosening and tightening of propeller shaft retaining nuts, aircraft engine thrust bearing nuts, helicopter rotor clutch, fan and transmission nuts, turbo-jet engine turbine couplings and bearing retaining nuts. When used with a torque wrench and socket, torque multiplier increases the available output torque.

In accordance with U.S. Army Tank Automotive Command Dwg. 12369294. Torque capacity: 90 ft.-lbs. (nominal); Drive surface size: 1/2" (single end); Drive end shape: square (single end, internal); Gear ratio: 4 to 1; Male square output drive: 3/4". End item identification, 2350-01-248-7619, M2 fighting vehicle.

5120-01-312-1269 **DD** Length: 7-1/4"; Height: 5-3/4" EA \$673.38

Portable Toolbox

Keeps tools in one place. Aluminum box closes with two latches and has a single handle at the top.



Briefcase style. Handles up to 20 lbs. of tools. Naval Engineering Dwg 6SE01085.

5140-01-154-3870 Height: 11-1/2"; Length: 18"; Width: 6" (Interior) EA \$192.37



Three-panel style. Handles up to 60 lbs. of tools. Naval Engineering Dwg 6SE01087 Rev F.

5140-01-154-3869 Height: 16-1/2"; Length: 22"; Width: 8-2/5" (Interior) EA \$202.36

GSA Global Supply™ offers tens of thousands of office products, tools and supplies to help meet your maintenance, repair and operations requirements. See the complete array of products at www.GSAGlobalsupply.gsa.gov.

Tool Organizer

Bucket Boss tool organizer is constructed of durable rip-proof fabric. Organizer has 38 exterior and 18 interior pockets.

Features:

- fully padded
- cordless drill holster
- security pocket with flapped closure
- and elastic strap for long-handled tools.

Fits in and over a five-gallon bucket (not included).



5140-01-490-7248 Fiskars, Inc. 01056

EA \$25.62

General Mechanic's Tool Kit



All-in-one kit is ideal for general maintenance and repairs. Kit includes:

- mounting brackets
- pry bar
- tool-cleaning brush
- cold chisel
- spring tension clips
- files
- flashlight
- thickness gauge
- hammer
- wood file handle
- key sets
- pocket and putty knives
- padlock
- pliers
- aligning, drive pin and solid center punches
- magnetic retrieving tool
- tools and accessories roll
- steel rule
- Phillips and flat-tip screwdrivers
- metal-cutting shears
- sockets
- socket wrench tool clip
- test light
- toolbox
- combination box and open-end wrenches and set
- Allen wrench set
- socket wrench set
- solid extension bar
- flare nut and open-end wrenches
- pliers and spanner wrenches.

Department of the Army Supply Catalog SC 5180-95-N26.

5180-00-177-7033

KT \$974.32

Master Mechanic's Tool Kit

Kit contains:

- pry bar
- hand hacksaw blades and frame
- mounting bracket
- scratch wire brush
- hand cold chisels
- hand rivet buster chisel
- spring-tension clip
- socket wrench extension
- screw extractor set
- hand file (Swiss and American patterns)
- contact-point flat, half, round regular (with wood handle)
- mechanical finger
- gap-setting gage
- thickness gage
- hammers
- socket wrench handle
- socket head screw key set
- pocket knife
- putty knife
- retaining ring pliers set
- diagonal cutting pliers
- slip-joint pliers
- aligning punch
- solid center punch and drive pin punch
- magnetic retrieving tool
- machinist's steel rule
- Phillips standard and offset screwdriver set
- screwdriver socket wrench attachments
- socket wrench sets
- stud remover and setter



- two-meter measuring tape
- portable toolboxes
- box and open-end combination wrench set
- adjustable auto wrench
- adjustable open-end wrench
- adjustable wrench
- open-end tappet wrench
- pipe wrench (heavy-duty adjustable)
- curved and straight-jaw vise-grip-type pliers.

Department of the Army Supply Catalog SC 5180-95-NO5.

5180-00-699-5273

KT \$2,215.67

Refrigeration Equipment Tool Kit

This kit provides the necessary components and hand tools required for refrigeration maintenance.

Kit includes:

- eight compressed gas cylinder valve connection adapters
- 13 pipe and tube adapters
- adapter socket wrench
- air-conditioning ratcheting box wrench
- pinch bar
- six-piece tube hand bender set
- hacksaw and blades; modern refrigeration and air-conditioning book
- brazing and soldering set
- copper brazing alloy
- silver brazing alloy
- wire scratch brush
- pipe bushing
- power cable assembly
- two cold hand chisels
- abrasive cloth
- terminal hand crimping tool
- tube cutter and flaring tool kit
- charging refrigerant cylinder
- leak detector
- socket wrench extension
- half round hand file
- tube hand flaring tool
- flashlight
- brazing flux
- soldering flux
- thickness (feeler) gage
- hand hammer
- hose assembly and set
- socket wrench set
- speeder brace type handle with socket set
- torch
- non-metallic hose set; socket head screw key set
- pocket knife
- charging and testing refrigerant manifold
- multimeter
- hand oiler
- abrasive paper
- tubing pinch-off tool
- pliers
- mechanical puller



- center solid punches
- drive pin punches
- tube swaging hand punch; tools and accessories roll
- hand screw starters
- Phillips screwdrivers
- flat-tip screwdrivers
- offset screwdrivers
- sealing compound
- tin alloy solder
- electric soldering iron
- mechanical handheld tachometer
- insulation electrical tape
- two-meter measuring tape
- self-indicating bimetallic thermometer
- portable toolbox
- attachment universal joint
- rotary vacuum pump unit
- line-piercing valve
- box and open-end combination wrench set
- open-end adjustable wrench
- open end box (flare nut) wrench
- pipe wrench
- pipe wrench (heavy-duty, adjustable)
- ratchet wrench set socket wrench sets
- open end wrenches
- pipe wrenches
- air-conditioning ratchet wrench.

Department of the Army Supply Catalog SC 5180-95-N18.

5180-00-596-1474

KT \$5,313.76

Carpenter's Tool Kit



Kit for Army engineer squad contains:

- construction worker's leather aprons
- combination pry and scraper bar
- hacksaw blade
- one chisel and plane sharpener blade
- one chalk line and reel
- six-piece firmer wood chisel set
- two inserted hammer faces
- files
- hacksaw frame
- seven hammers
- six goggles
- wood file handle
- inserted hammer face holder
- craftsman's knife
- level and plumb
- line level, pencil
- plane
- pliers
- rasp
- rasp and handle
- crosscut and rip saws
- cross-tip and flat-tip screwdrivers
- carpenter's and combination squares
- tacker staples
- tacker
- sharpening stone
- measuring tapes
- nylon twine
- adjustable open-end wrench.
- equipped with a carpenter's tool kit chest.

Dept of the Army Supply Catalog
SC 5180-95-CL-NO8.

5180-00-293-2875

KT \$1,294.74

Prices are updated periodically.

You will be billed at the price that is in effect when your order is placed.

Electrician's Tool Kit

Kit consists of:

- scratch awl
- repairman's tool belt
- hand electrical conduit benders
- bit augers
- hacksaw blade and frame
- ratcheting bit brace
- tool carrier
- woodworking butt chisel
- cold chisel
- chisel firmer
- tube cutter
- terminal crimping tool
- hand masonry drills
- push drill
- bit brace extension
- files
- flashlight
- gloves
- hammer



- wood file handle
- socket head screw key set
- pocket knife
- level and plumb
- test lead
- multimeter
- padlock
- pliers
- lineman's belt-looped pouch
- fuse puller
- drive pin punch
- tool and accessories roll
- multiple folding rule
- measuring tape
- nested saws
- portable toolboxes
- flat-tip screwdrivers
- cable stripper
- steel fish tape
- adjustable wrench and pipe wrenches.

Comes in a tool chest. Army Supply Catalog 5180-95-N35.

5180-00-313-3045

KT \$2,794.54

TE-50B-type kit consists of:

- spring adjusters
- alignment tool
- armature clips
- bending tool
- brushes
- contact burnisher
- abrasive cloth
- extractor
- files
- flashlight with filters
- hemostatic forceps
- gauges
- fluid gun
- hammer
- hammer-drum space gauge
- hand wheel adapter
- wood file handle
- tape guide holder
- various hooks
- keys and key sets
- pocket knife
- lamp
- lens
- lube oil
- inspection mirror
- oiler
- hinge pin
- pliers
- mechanical puller
- punch
- punch set
- reamers
- machinist's rule
- screw starter
- screwdrivers
- screwdriver bit set and handle
- tin alloy solder
- soldering aid tool
- soldering gun
- electric soldering iron
- sharpening stones



- various tapes
- tape lid gauge
- tensionmeter
- tuning forks
- open end wrench set
- nut driver socket set
- adjustable wrenches
- vice grips
- tap and reamer wrench
- portable toolbox.

Dept of the Army Supply Catalog 5180-95-N01.

5180-00-356-4602

KT \$4,488.59

Electronic System Tool Kit



All-in-one kit includes: 53 individual tools; 31 interchangeable screwdriver/nut driver blades and handles; extensions; electronic snips; straight-nose soldering seizer; Bristol spline bits; Allen hexagonal socket screw key bits; Phillips and flat-tip screwdriver blades; reamer; diagonal; chain-nose, needle-nose, ignition and other pliers; adjustable wrench; adjustable wire cutter and stripper; electronic technician's knife; mini-driver kit; offset ratchet screwdriver set; four-way pocket tool; screwdrivers, screwdriver hexagonal socket; nut drivers; amplifier torque handle; and tool case.

5180-01-046-4980

KT \$517.44

Our efforts are ongoing to fulfill your supply needs and provide you with quality products at cost-saving prices. We now offer a wider range of products than ever before.

Check out our expanded product line!

Hydraulic Hand Jack

This self-contained, hand-operated, hydraulic jack performs a wide variety of lifting, straightening, shoring, bracing and bending applications. Use it for general industrial and automotive maintenance, construction, fabrication and material handling in shops and factories. Jack is an integral unit consisting of a pump, ram and reservoir. Furnished with a jack handle.



Rated capacity: 8 Tons.

Collapsed height: 9-1/2"; Extended height: 17-7/8".

5120-00-595-8396 EA \$146.52

Rated capacity: 12 Tons.

Collapsed height: 9-1/8"; Extended height: 16-1/2".

5120-00-224-7330 EA \$161.12

Rated capacity: 30 Tons.

Collapsed height: 11-1/4"; Extended height: 17".

5120-00-188-1790 EA \$526.97

Has an 8 ton capacity; Extended height: 23" min.; Closed height: 11-12"; Hydraulic rise: 8" min.; Extended screw rise: 4" min.; Handle length: 20". U.S. Army Tank Automotive Command drawing 12375464 dated June 27, 1990.

5120-01-374-0532 EA \$173.08

A self-contained jack, capable of being operated in either a vertical or horizontal position. Furnished with a detachable operating lever. The jack shall consist of a base, pump, reservoir, cylinder, plunger, and necessary valves to produce the operating pressure required to utilize the jack at its full rated capacity. Component parts of the jack shall be capable of withstanding pressure at least 1-1/2 times the maximum working pressure.



Rated capacity: 12 Tons.

Collapsed height: 8-1/2"; Extended height: 17-1/8".

5120-01-146-8096 EA \$160.54

Hand Jack (Scissors)



This scissors hand jack is used on the Hummer vehicles. Extended height: 18"; Collapsed height: 6-21/64".

5120-01-430-3123 Capacity: 3 tons EA \$242.50

Jack Tool Bag

This tool satchel is made of Polyamide or Polyester material. Length: 22-3/4"; Width: 26". Used to house a vehicle jack.



5140-01-429-6945 Black EA \$47.29

Lug Nut Wrench

Heavy-duty tire wrench is for removing wheel lug nuts. Made of heat-treated and hardened drop-forged steel alloy.



Double-ended wrench has a socket at each end, with holes at each end of the shank for a slip-in handle. Features one-piece construction.

Has a 1-1/2" hexagonal socket and a 13/16" square socket. Comes with handle.

5120-00-316-9217 Length: 17" min. EA \$39.74

Vehicle Track Connection Tool



Clamping force for fixture is 9000 lbs capable of exerting 18000 pounds proof clamping force.

In accordance with U.S. Army Tank Automotive Command drawing 12252120.

Used on NSN 5420-00-889-2020, Bridge Launching Carrier.

5120-01-016-2149 EA \$584.01

Power Tools and Accessories

Cordless Power Tool Set



This six-piece set contains heavy-duty, 18V cordless power tools. Set includes: 1/2" hammerdrill/drill/driver with 500 in.-lbs. of maximum torque; 6-1/2", 16-tooth carbide blade circular saw and a rip fence; reciprocating saw with keyless blade clamp; right-angle drill with 310 in.-lbs. of maximum torque; 6,500-RPM high-power cut-off tool; hands-free flexible floodlight; one-hour charger; two 18V batteries; 360-degree side handle; wrench; backing flange; three-position side handle; and a contractor bag.

5130-01-535-1215 **DD** SE \$783.38

Cordless Drill

Hi-torque 12-volt cordless screwdriver/drill is variable speed and reversible (VSR), has a 16-position pre-selected torque setting, one full lock up setting and a low (0 to 500 rpm) and a high (0 to 1500 rpm) speed selector. The screwdriver/drill has a 3/8" keyed chuck that accepts both round-shank drill bits and hexagonal screwdriver bits. Furnished with two 12-volt removable battery packs, a heavy-duty 120-volt input one-hour battery charger and a set of instructions. The kit comes in a metal or plastic carrying case.



5130-01-284-3063 EA \$165.47

Cordless, 18V, 1/2" driver drill has a variable two-speed trigger. No-load speed: low (0 to 400 RPM) and high (0 to 1,300 RPM). Torque is 400 in.-lbs. Shift lock drive instantly changes from drill to driver. Locking/ratcheting chuck for secure tightening of bits. Special features: ergonomically designed; rubberized grip; externally accessible brushes for serviceability and longer tool life. Components include: two 18V Ni-MH batteries; multi-voltage charger; Phillips/slotted bit; keyless chuck; battery cover. Furnished in a case.



5130-01-534-9053 **DD** EA \$249.00

Heavy-duty 18-volt 1/2" (13mm) adjustable clutch drill/driver kit features: variable speed; reversing switch; anti-slip soft comfort grip; keyless chuck; and an electric brake. Includes a one-hour charger, two battery packs (with two amp-hours minimum each pack), a screwdriver bit, and a heavy-duty carrying case.



No-load speed: 2,000 rpm (maximum); Maximum torque: 400 in.-lbs. (minimum).

5130-01-444-4662 EA \$262.37

Cordless Impact Wrench

This 18-volt cordless impact driver is compact in size and features: 1/4" hex shank; 0 to 2,400 rpm no-load speed; 0 to 3,000 bpm; Maximum torque: 1700 in.-lbs. (98 ft.-lbs.); Weight: 4.9 lbs.; Length: 6-1/2". Set includes: a one-hour charger and two 18-volt batteries. Furnished in a heavy-duty case.



5130-01-535-1217 **DD** SE \$353.31

This heavy-duty, 1/2" square drive, 18-volt, cordless impact wrench is compact in size and weight. It has 0-2,400 RPM and 0-3,000 BPM for faster application speed. The maximum torque is 1,650 in.-lbs/ 138 ft.-lbs. The handle has a textured anti-slip comfort grip for maximum comfort. Tool weight is just under 5 pounds. The set includes a 1 hour charger, two 18-volt battery packs and is furnished in a heavy-duty case.



5130-01-545-0769 **DD** SE \$305.20

This 18-volt cordless wrench has a 1/2" square drive and a pistol grip handle. It delivers 2,880 in.-lbs/240 ft.-lbs. of torque, and has a no load speed of 1-1400 RPM. Features a variable speed switch; forward/reverse switch; reversible battery pack, and a soft-grip handle. Weight: 9 lbs. Furnished in a carrying case with two 2.4 Amp 18-volt batteries, and a universal charger.



5130-01-543-5846 **DD** Length: 11-3/4". SE \$350.85

Pneumatic Impact Wrench

Air-powered, portable, titanium impact wrench loosens and tightens bolts and nuts. Has built-in power regulator for control of power output. The wrench has a pistol-grip handle and is reversible. Operating pressure is 80-100 psig. Furnished with operating and maintenance instructions.



Wrench has a 3/4" square drive with a 2" maximum spindle offset. Air inlet connection is 3/8" NPT or NPTF. Air consumption while impacting: 50 CFM maximum. Torque developed after 5 seconds impacting: 750 ft.-lbs. minimum.

5130-00-184-1427

EA \$1,185.56



Wrench has a 1/2" drive; Torque range: 50-600 ft.-lbs.; Torque capacity: 700 ft.-lbs reverse, 625 ft.-lbs . forward; Blows per minute: 1250; No load speed: 9500 rpm; Air inlet: 1/4"; Min. hose size: 3/8"; Air consumption: 24 cfm; Standard bolt capacity: 9/16".

Has a Titanium body.

5130-01-490-6444 **DD** Length: 7"; Tool Weight: 4 lbs. EA \$316.83

This quick-disconnect-type pneumatic drill has a pistol-grip handle with a 3/4" male square straight-drive spindle. Comes with a hex nipple (0.38 NPTF x 0.25 NPTF) and a three-foot hose. Has a 38"-18NPTF male coupling with 300 psi (maximum). Capacity: 700 ft.-lbs. (minimum); Working torque range: 100 to 500 ft.-lbs.; Average air consumption: 7.5 CFM.



5130-01-428-3751 Overall Length: 10" (maximum) EA \$869.36

Electric Impact Wrench

This impact wrench is designed for electricity-powered driving of sockets and screwdriver bits, as well as installing and removing nuts, bolts and screws. Ultimate torque after 5: 850 ft.-lbs. (minimum); 800 BPM (minimum); Spindle offset: 2-1/2" maximum; Bolt size capacity: 1-1/4" minimum. Furnished in a carrying case.



5130-01-087-6840 Sq. Drive Size: 1" EA \$2,845.95

Disk Sander

Right-angle air sander for medium- and heavy-duty sanding, deburring, blending, smoothing and brushing operations. No-load speed is 6000 rpm. Sander has lever throttle and auxiliary side handle. 1/4" female NPT or NPTF air inlet connection. The spindle has a 5/8-11 UNC-2A thread for mounting the sanding pad. Operating pressure is 90 psig. Pad diameter is 7". The angle height over the spindle is 4.5" maximum. Furnished with parts list and instruction manual.



5130-00-596-1176 **PRIME**

EA \$244.78

Circular Saw

Portable electric circular saw. Features adjustable metal base for depth and angle of cut adjustment, adjustable rip fence, position indicator, round arbor, dust blower, trigger switch in a comfortable handle and antikick-back clutch. Saw operates on 120V AC/DC. Furnished in a carrying case with one blade, arbor nut wrenches and operating instructions.



Motor armature axis is parallel to blade spindle axis. Has a minimum 3800 no-load rpm, a rated current of 15 amp and 5/8" diameter arbor hole. Minimum cut at 90° is 3-3/8"; maximum cut at 45° is 2-1/4". Blade diameter: 10 to 10-1/4".

Electromagnetic Interference-Suppressed tool. (Only the basic tool prior to modification for EMI suppression is required to have proof certifying compliance with the applicable UL Standard.)

5130-00-889-8991 **PRIME**

EA \$650.95

Metal Cutting Circular Saw

Heavy-duty, 18V cordless circular saw has a 6-3/4", 40-tooth carbide tipped blade and cuts up to 2" conduit and pipe in one pass. Features: Metal upper and lower guards for maximum durability; a multi-coated Sight-Line window for maximum abrasion resistance; 20 mm arbor; 3200 RPM no load speed and 2-3/8" depth of cut at 90 degrees. Includes one hour charger with automatic tune-up mode, two 18V batteries in a heavy-duty kit box.



5130-01-545-0768 **DD** Tool Weight: 9-1/2 lbs.

SE \$439.84

In our ongoing efforts to fulfill your supply needs, we now offer a wider range of products than ever before. Check out our expanded product line!

Electric Rotary Tool Kit



Electric rotary tool kit is used for grinding, carving, drilling, sanding, buffing, sawing, deburring, routing, polishing, engraving, sharpening and shaping. Variable speed 5,000 to 35,000 RPM. The rotary tool has a 2-1/4" body diameter with a collet that accommodates 1/8" diameter shanks and an overall length of 8". Furnished in a metal or plastic carrying case with the following accessories: One each Collet, Collet wrench, 5/8" Cylinder wheel, Screwpoint mandrel, Mandrel with internal threads, 1/2" Standing drum, 1/8" Drill bit, 7/8" Polishing wheel; Two each 15/16" Cutting wheel, and 1/2" diameter Felt polisher. Conforms to UL 45.

5130-01-014-6856 **PRIME** EA \$86.37

Twist Drill Set (Cobalt Steel)


Aircraft quality, heavy-duty cobalt high-speed steel bits for use in constant speed drills. Cobalt drills maintain their cutting ability at higher temperatures which is common in drilling harder materials. Recommended for use in the following types of steels: high-strength alloy steels, stainless steel, titanium, manganese steel, armor plate and steel. These bits feature 135° split points with straight round shanks for easier drill starting without the need for center punching. The bits are oxide surface-treated, right-hand cutting, and have two flutes. NAS 907.

Type D: Straight shank; jobbers length; short flute. The numbered sizes 1 to 40 are provided in an indexed metal case.

5133-00-980-3423 **PRIME** SE \$93.50

Twist Drill Set (High-Speed Steel)

General-purpose twist drills feature metal-cutting, high-speed steel bits for right-hand cutting. For use with hand, air-operated or electric drills for drilling ferrous and non-ferrous materials. Heat-treated bits have two spiral flutes. ASME B94.11M.



Short (jobbers) length set comes in a metal indexed case. 29 fractional sizes: 1/16 to 1/2" inclusive, by 64ths; Material: High-speed steel; Right-hand cutting; Point angle: 118°.

5133-00-293-0983 **PRIME** SE \$55.53

Twist Drill Set (Metric)

For high-speed use with power drills for drilling steel and nonferrous materials. The bits are surface treated with oxide and feature two flutes, a straight, round shank, a split point and a 118° point angle. Comes in short (jobbers) lengths in the following 25 drill sizes: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5 and 13mm. Provided in metal indexed case. ASME B94.11M.



5133-01-047-0258 SE \$77.49

Twist Drill Set

This high-speed steel twist drill set features a gold ferrous oxide finish. Set contains one each of the following 29 drill bit sizes – Split points: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, and 11/64". Pilot points: 3/16, 13/64, 7/32, 15/64, 1/4, 17/64, 9/32, 19/64, 5/16, 21/64, 11/32, 23/64, 3/8, 25/64, 13/32, 27/64, 7/16, 29/64, 15/32, 31/64 and 1/2". Furnished in a metal indexed case.



5133-01-535-1216 **DD** SE \$82.60

Hardware

Alkaline Battery



This alkaline, manganese dioxide battery is great for use with tape recorders, pocket calculators, smoke detectors, transistor radios, and other electronic equipment. Frequently lasts more than twice as long as the same size carbon-zinc battery, depending on type of use. Non-rechargeable. ANSI C 18.1.

Rectangular shaped, with two snap terminals.

(NFES #1241)

ⓘ 36-month maximum shelf life (not extendable)

6135-00-900-2139	Size: 9V	PG(contains 12 EA)	\$11.00
------------------	----------	--------------------	---------

Cylindrical battery has flat terminals; nominal voltage is 1.5V.

ⓘ 36-month maximum shelf life (not extendable)

6135-00-826-4798	Size: AAA	PG(contains 12 EA)	\$3.00
------------------	-----------	--------------------	--------

Pallet contains a total of 1,488 packages (186 cases, each containing 8 packages). (NFES #0030)

ⓘ 36-month maximum shelf life (not extendable)

6135-00-985-7845	Size: AA	PG(contains 24 EA)	\$4.20
------------------	----------	--------------------	--------

(NFES #0834)

ⓘ 36-month maximum shelf life (not extendable)

6135-00-985-7846	Size: C	PG(contains 12 EA)	\$5.64
------------------	---------	--------------------	--------

(NFES #0033)

ⓘ 36-month maximum shelf life (not extendable)

6135-00-835-7210	Size: D	PG(contains 12 EA)	\$10.51
------------------	---------	--------------------	---------

It is GSA policy to offer products that fully comply with all applicable environmental regulations and Executive Orders.

Single-Leg Chain Assembly

Welded steel chain assembly is intended for general service. Includes a direct eye (standard) grab hook at each end.



Rugged-service chain safe working load is 5,400-lbs. Maximum inside link dimensions: 1-3/16 x 19/32". Chain is forged from high-test, heat-treated carbon steel. Nominal (trade) size 3/8" links. Fed. Spec. RR-C-271 Type 1 Class 2.

4010-00-171-4427	Length: 20 ft.	EA	\$47.30
------------------	----------------	----	---------

Light-service chain, safe working load 1,900-lb. Nominal inside link dimensions: 1-3/32 x 1/2". Nominal (trade) size 5/16" links, proof coil chain. Fed. Spec. RR-C-271 Type 1 Class 4.

Trade size 5/16".

4010-00-171-4426	Length: 14 ft.	EA	\$34.22
------------------	----------------	----	---------

Chain

General-use uncoated welded steel chain includes no attachments. Safe working load is 4,500- lb.; Breaking load 18,000-lbs. Nominal (trade) size of chain is 1/2"; Nominal inside link dimensions: 1-1/2 x 13/16", proof coil. Fed. Spec. RR-C-271 Type 1 Class 4.



4010-00-149-5584	LG(contains 100 FT)	\$236.31
------------------	---------------------	----------

Sash Chain

Weldless sash chain is made of strong, copper-coated carbon steel. Breaking strength 300 psi. Trade size 8.



4010-00-171-4512	RL(contains 500 FT)	\$163.10
------------------	---------------------	----------

Cord

Braided polyamide nylon cord is light- and heat-resistant. Has a 550-lb. breaking strength and 30 percent minimum elongation. Used by the Forest Service for shroud lines on cargo parachutes. MIL-C-5040H, Type III. (NFES #0533)



4020-00-240-2146 AbilityOne White SL(contains 2100 FT) \$138.40

Rope



Made of nylon fiber, this rope has a right-hand or "Z" twist and 55% elongation. Especially useful for mooring, towing and hoisting operations; heat and light resistant.

Has a 1,500-lb. breaking strength.

Diameter: Three strands of 1/4" each for a total of 3/4" diameter.

4020-00-928-3438 Natural Circumference: 3/4" RL(contains 600 FT) \$32.10

Has a 3,300-lb. breaking strength.

Diameter: Three strands of 3/8" each for a total of 1-1/8" diameter.

4020-00-968-1356 Natural Circumference: 1-1/8" RL(contains 600 FT) \$74.24

Has a 5,800-lb. breaking strength.

Diameter: 1/2".

4020-00-968-1357 Natural Circumference: 1-1/2" RL(contains 600 FT) \$144.78

Has a 9,800-lb. breaking strength.

Diameter: Three strands of 5/8" each for a total of 2" diameter.

4020-00-968-1358 Natural Circumference: 2" RL(contains 600 FT) \$211.29

Has a 13,200-lb. breaking strength.

Diameter: Three strands of 3/4" each for a total of 2-1/4" diameter.

4020-00-141-7152 Natural Circumference: 2-1/4" RL(contains 600 FT) \$306.56

Has a 23,200-lb. breaking strength.

Diameter: Three strands of 1" each for a total of 3" diameter.

4020-00-919-3443 Natural Circumference: 3" RL(contains 600 FT) \$552.22

Strapping and Sealing Kit



Hand-operated kit secures and reinforces bales, boxes, bundles, crates and material in freight cars and trucks. Includes stretcher, sealer, 90-lb. of flat steel strapping and seals. Instructions and storage box also furnished. The replacement components for these kits are available through the Special Order Program on a direct delivery basis.

Consists of 3/8"-wide steel strapping (0.020" thick) and 2,000 seals.

Replacement strapping (100-lb. coil) is available under 8135-00-283-0664 and replacement seals (box of 5,000) are available under 8135-00-239-5285.

3540-00-565-6240 KT \$274.58

Consists of 1/2" wide steel strapping (0.020" thick) and 2,000 seals.

Replacement strapping (100-lb. coil) is available under 8135-00-283-0666 (Galvanized) or 8135-00-285-4747 (Painted) and replacement seals (box of 5,000) are available under 8135-00-239-5308.

3540-00-565-6241 KT \$275.82

Consists of 5/8" wide steel strapping (0.020" thick) and 1,600 seals.

Replacement strapping (100-lb. coil) is available under 8135-00-283-0667 (Galvanized) or 8135-00-281-4071 (Painted) and replacement seals (box of 5,000) are available under 8135-00-290-1086.

3540-00-565-6242 KT \$275.15

Consists of 3/4" wide steel strapping (0.020" thick) and 1,500 seals.

Replacement strapping (100-lb. coil) is available under 8135-00-283-0668 (Galvanized) or 8135-00-285-4748 (Painted) and replacement seals (box of 5,000) are available under 8135-00-239-5288.

3540-00-565-6243 KT \$274.65

Consists of 1-1/4" wide steel strapping (0.035" thick) and 100 seals.

Heavy-duty steel strapping cutter is also included. Replacement strapping (100-lb. coil) is available under 8135-00-283-0671 (Galvanized) or 8135-00-531-7721 (Painted) and replacement seals (box of 1,000) are available under 8135-00-239-5294.

3540-00-565-6244 KT \$473.48

Stock up on the supplies you need. GSA Global Supply™ is your single-source solution for tools.

We're open from 7:30 a.m. to 8 p.m. (ET) to take your phone order. Just call (800) 525-8027.

Work Gloves

A. Form-fitting gloves protect the hands from heat, cold and abrasion. The gloves are designed for superior finger control, dexterity and sensitivity and can be worn comfortably for long periods of time. They have cotton elastic cuffs with hook-and-loop closure; synthetic leather palm and finger material; seamless thumb design; seamless index finger design; reinforced finger tips; reinforced finger and knuckle areas; neoprene padded knuckle panel; snug fitting non-static padded top; hidden seam stitching; double-layer padded palm with pre-curved anatomic design to add comfort.



8415-01-486-8773	P/N MPCT05-07 or equal	Black	Size: Extra-Small	PR	\$30.51
8415-01-486-9481	P/N MPCT05-08 or equal	Black	Size: Small	PR	\$30.51
8415-01-486-9482	P/N MPCT05-09 or equal	Black	Size: Medium	PR	\$30.51
8415-01-486-9483	P/N MPCT05-10 or equal	Black	Size: Large	PR	\$30.51
8415-01-486-9487	P/N MPCT05-11 or equal	Black	Size: Extra-Large	PR	\$30.51
8415-01-486-9488	P/N MPCT05-12 or equal	Black	Size: Extra-Extra Large	PR	\$30.51

B. Half-finger design with a split cowhide palm; nylon mesh back; impact reducing padding on palm, thumb and index finger; hook-and-loop closure tab. Machine wash and dry. Sized to fit palm circumference of 9" to 10".



8415-01-394-0211		Black		PR	\$8.61
------------------	--	-------	--	----	--------

Safety

Ear Plugs

Plugs are designed to provide general hearing protection in noisy environments. Made of non-toxic, non-allergenic, closed-cell PVC foam that expands to fit most ear sizes. New two-color design allows for quick inspection of proper insertion by users. Dispenser box contains 200 individually wrapped pairs. A-A-54878. (NFES #1027)



6515-00-137-6345	AbilityOne		BX(contains 400 EA)	\$25.50
------------------	------------	--	---------------------	---------

Safety Glasses

Glasses provide eye protection while the wearer performs light work and can be worn over most prescription glasses. Wrap-around-style goggles are made of polycarbonate plastic and feature an anti-scratch, anti-fog coating and UV protection. In accordance with ANSI Z87.1.



(NFES #0475)

4240-01-292-2816	UNICOR	Clear		PR	\$3.94
------------------	--------	-------	--	----	--------

Safety Goggles

Low-profile design goggles protect against chemical splash and impact. Lens provides superior optics and peripheral vision. Soft elastomer seal on frame seals goggles to face while providing enhanced comfort. Impact-resistant, clear polycarbonate lens absorbs more than 99.9 percent of harmful UV light. Indirect venting increases air circulation. Quick-adjust headband. This is a component of Mop-Up Kit NSN 4210-01-321-4206. Meets ANSI Z87.1. (NFES #0318)



4240-01-504-7863	Uvex Stealth S3960C, or equal	Clear		PR	\$9.54
------------------	-------------------------------	-------	--	----	--------

Wraparound style goggles for use as primary eye protection while performing any job that can possibly produce eye-damaging debris. Indirect ventilated goggles permit the passage of air and may prevent the direct passage of liquids from chemical splash hazards. Goggles consist of a polycarbonate plastic lens with a soft outer molded plastic frame and may be worn over most prescription glasses. Replaceable lens and adjustable elastic headband. Minimum 99% UV protection. Meets ANSI Z87.1



4240-01-292-2818	PRIME UNICOR	Clear		PR	\$6.77
------------------	--------------	-------	--	----	--------

Safety Helmet



Helmet complies with ISEA/ANSI Z89.1 - American National Standard for Industrial Head Protection. Type I - Helmet is intended to reduce the force of impact resulting from a blow only to the top of the head. Class E - Electrical, helmet is intended to reduce danger of contact exposure to high voltage conductors. Samples are proof-tested at 20,000 volts (phase to ground). Helmet is equipped with suspension system, headband, adjustable nape and chin straps. Fits hat sizes 6-3/4" to 8".

Helmet style: Cap, front peak without headlamp clips.

8415-00-935-3139	PRIME	White	EA	\$8.10
8415-00-935-3132	PRIME	Blue	EA	\$8.10

Dust Mask (Disposable)



Light-weight dust mask features an adjustable nose clip and adjustable upper and lower elastic straps to hold it in place, making it ideal for covering nose and mouth. Excellent for use when grinding, sanding, sweeping, and bagging, and other dusty operations. Not for use in oil environments. Disposable unit meets 42 CFR 84 for NIOSH N95 requirement.

4240-01-463-5449	BX(contains 20 EA)	\$13.95
------------------	--------------------	---------

Disposable Particulate Respirator



Lightweight, low-profile design provides worker comfort, minimizes interference with eye protection. N95 protection provides protection against non-oil particulates and is 95% efficient. Designed to function as a one-size-fits-all respirator to include adjustable straps and a pre-shaped metal noseband for customized nasal contour adjustment. Includes an exhalation valve.

4240-01-492-0177	BX(contains 10 EA)	\$12.78
------------------	--------------------	---------

High-Visibility Safety Clothing

High-visibility clothing for daytime and nighttime safety.

Safety vest.



Fluorescent nylon mesh safety vest provides high visibility for daytime and nighttime safety. Features 7 neon yellow and silver reflective stripes (two over the shoulders, one across the front, one across back, three across back panel). Possesses a long back panel for extra safety. Hook/loop side fastener adjusts girth.

8415-01-464-6612	AbilityOne	Fluorescent Orange	EA	\$19.24
------------------	------------	--------------------	----	---------

Vinyl-coated fluorescent mesh safety vest specifically designed for military personnel wearing field packs. The over-the-head vest features two 1-1/2"-wide silver-white reflective horizontal stripes on both the front and back. Vest includes an attached reflective waist belt that closes in front with hook and loop fasteners. All edges are enclosed with binding.



8415-00-177-4974	AbilityOne	Fluorescent Orange	EA	\$28.81
------------------	------------	--------------------	----	---------

Soft, vinyl coated, flame resistant mesh safety vest has two 1-1/2"-wide yellow reflective horizontal stripes on the front and on the back. Vest sides close with black elastic straps. Vest front closes with two hook-and-loop fasteners. Features a single oversized front pocket. Mesh cloth meets ANSI/NFPA 701 flammability requirements.



8415-01-394-0216	AbilityOne	Fluorescent Orange	EA	\$16.10
------------------	------------	--------------------	----	---------

Mesh safety vest has an extended triangular-shaped retro-reflective yellow vinyl rear tail and two yellow vinyl retro-reflective strips running from the front bottom hem, over each shoulder, into the back tail trim. Vest sides close with adjustable elastic straps with release buckles. Vest front closes with hook and loop fasteners.



8415-01-444-1495	Fluorescent Orange	EA	\$16.41
------------------	--------------------	----	---------

Fax your order to us
24 hours a day,
7 days a week at
(800) 856-7057.

Outdoor Equipment and Accessories

D-Handle Shovel



The ideal tool for handling loose and bulky materials, such as dirt, sand, gravel, grain and snow. High-grade steel blade is heat-treated for long life and features sharpened cutting edges. Shoulder edge of blade is rolled to form a step for digging leverage. Handle is fashioned from hardwood and features a transparent lacquer or varnish coating.

Has an open back and D-handle. Blade is made of 14-gauge steel, measures 12" long and 10" wide, and has a round point. Handle measures 26 to 28" long with a 17 to 21" handle lift.

5120-00-293-3336

EA \$14.26



Has an open back and D-handle. Blade is made of 14-gauge steel, measures 12" long and 10" wide and has a square point. Handle measures 26 to 28" long with a 17 to 21" handle lift.

5120-00-224-9326

EA \$14.52

Shovel



The ideal tool for handling loose and bulky materials, such as dirt, sand, gravel, grain and snow. High-grade steel blade is heat-treated for long life and features sharpened cutting edges. Shoulder edge of blade is rolled to form a step for digging leverage. Handle is fashioned from hardwood and features a transparent lacquer or varnish coating.

Shovel has an open back and a long handle. Blade is made of 14-gauge steel and measures 12" long and 10" wide and has a round point. Socket or strap measures 8-3/4" in length. Handle measures 46 to 52" long with a 29 to 33" handle lift.

5120-00-188-8450

EA \$10.85

Snow Shovel/Pusher



Its large scoop makes this shovel ideal for clearing snow from areas such as sidewalks and driveways. Features a square-point blade and a welded or riveted handle socket. Knockdown-type shovel has an open-back construction and a long, pusher-type handle.

Knockdown-style shovel has a pusher-type, long handle. Blade is made of 16-gauge steel and measures 24" wide and 10-1/2 to 12-1/2" high.

Medium-weight shovel.

5120-00-288-6529

Length: 55 to 72"

EA \$28.75

Sidewalk Ice Scraper and Chipper



The scraper has a flat 0.09"-thick hardened steel blade and a 6-5/8" cutting edge. The scraper has an integral shank and socket for handle mounting. The handle is made of seasoned ash and has a lacquer or varnish coating.

5110-00-329-3299

Length: 55 to 65"

EA \$22.07

Peavy



Useful for rolling, turning and carrying logs and timber. Consists of socket, duckbill hook, hook bolt, pike and handle. Straight-spike pike is made of steel bar. Hook measures 1 x 1/2" with a 10-1/2" opening. Hardwood handle measures 54" long and is 2-1/2" in diameter.

5120-00-223-8996

Overall Length: 67"

EA \$93.26

GSA Global Supply™ offers tens of thousands of office products, tools and supplies to help meet your maintenance, repair and operations requirements. See the complete array of products at www.GSAGlobalsupply.gsa.gov.

Pitchfork



The 12-1/4"-long fork has sharply pointed, four forged-steel tines and a handle made of bent hardwood. The spread measures 9-1/2". Handle length: 48".

3750-00-255-7733 EA \$22.43

Garden Rake



A must-have tool for effective gardening! This rake is designed for raking and smoothing soil. Rake head features a forged steel one-piece head and shank construction with a securely attached hardwood handle. CID A-A-2846.

Class A: Bow. Head contains 14 to 16 teeth and is a minimum of 13-1/2" wide. Minimum head depth: 3"; Handle length: 59" minimum.

3750-00-171-7182 EA \$14.65

Intrenching Tool

The tool is capable of being used as a shovel when fully extended and as pick when the shovel blade is locked in positioned at a 90-degree angle.

Intrenching tool features: a hinged shovel; D-type hand grip; one serrated cutting blade edge; one axe blade edge and an aluminum handle. The blade and handle can be locked into opened or closed positions. Folds to 9-1/2" for storage.



5120-00-878-5932 Length: 23-1/2" (extended) EA \$70.00

MAX-Military Multi-Purpose Tool



The MAX military tool is 7 tools in one. The Max comes with the following: 3-1/2 pound single bit Hudson Bay style ax with fiberglass handle, ax sheath, shovel attachment, mattock attachment, pick attachment, broad pick attachment, rake-hoe attachment, rake-hoe fastener and safety hitch pins. Includes attachment carrying bag.

5120-01-416-8568 EA \$228.62

Single-Bit Ax



This ax is ideal for general utility use in forestry work. It has a forged, hardened steel head, a ground polished cutting edge, and an elliptical tapered eye for the handle.

Single-bit, men's (Dayton) pattern ax has a curved hickory handle and flat-top face for striking. Features a 4-3/4"-wide cutting edge. Head weight: 4 lbs.; Handle length: 31".

(NFES #0707)

5110-00-293-2336 EA \$24.90

FRS/GMRS Walkie-Talkie Radio Set

Features 22 channels with high, medium and low settings and NOAA weather radio. Provides up to 12-mile range, with 836 privacy codes. Uses four watts of power. Water-resistant unit works with all FRS/GMRS and includes vox, scan feature, hands-free operation, backlit LCD and keylock. Other features include roger beep tone, auto squelch, power high/power low option, and call tones. Includes headset package, charger and durable belt clip.



5820-01-518-3622 SE \$95.28

GPS FRS/GMRS Radio

Radio features an integrated FRS/GMRS, state-of-the-art navigation combined with a two-way communication unit and a WAAS-enabled, 12-parallel-channel GPS receiver. Channels: 7FRS, 15 GMRS and 8 GMRS repeater (using GMRS frequency in the U.S. requires a FSS license). Receives on seven NOAA weather channels and detects weather-alert tones. Electronic compass and barometric sensor with automatic pressure trend recording. Display size is 1.7" high and 1.3" wide with 256-color transfective TFT (176 x 220 pixels). Waterproof radio features semi-private radio communication, 10 call and ring tones, four roger tones, vibration mode and text-message capability. Includes RINO 530; Americas Recreational Basemap; PC/USB interface cable; wrist strap; belt clip, lithium-ion battery pack and charger; A/C adapter cable; quick start guide; owner's manual. Weight 10.3 oz.



5820-01-541-8042 **NEW** DD Garmin Gray/Black 7.5H" x 2.3W" x 1.8"D SE \$437.90
Rino 530

This 12-channel, WAAS-enabled GPS radio transmits up to two miles FRS and five miles GMRS with 14 FRS channels and eight GMRS repeater channels. Ergonomic design makes this radio ideal for one-handed operation. Features 38 sub-audible squelch codes per transmission channel for semi-private radio communications. Detects up to seven NOAA weather channels. Features an electronic compass, barometric sensor, and external voice activation (VOX). Unit is waterproof to IPX-7 standards. Call and Press-To-Talk (PTT) and page-mode buttons are located on the side of the unit; power backlighting, volume and zoom buttons located on front. Includes unique thumb stick for channel selection and volume adjustment. Built-in base map for North and South America. The 24-MB internal memory is great for loading Mapsource details. Battery life is 14 hours on three AA batteries. Weight 7.6 oz.



5820-01-538-0944 **NEW** DD Garmin Gray 4.5"H x 1.3"W x 1.6"D SE \$307.40
RINO 130

GPS with Integrated FRS/GMRS

Combines two-way radio and GPS features to help you communicate with your associates and locate them easily. Using the Rino's unique Position Reporting feature, you can send your exact location to other Rino users in your group, so they can see your precise location on the map page. Because Rino is a standard FRS/GMRS radio, you can use it to communicate with any other conventional FRS/GMRS radio around. The Rino can save up to 500 of your most important locations in memory as waypoints so you can come back to them at another time.



Used with, but not included, boom microphone (NSN 5965-01-518-4488), speaker/earbud (NSN 5965-01-518-4490), charger (NSN 6130-01-518-4491), carrying case (NSN 5895-01-518-4495), windshield mounting bracket (NSN 5820-01-518-4494), power adapter (NSN 6130-01-518-4496).

The Rino 120 has a built-in city point data base and 8 MB of internal memory to load other points of interest data from compatible MapSource products.

5820-01-518-4487 DD Garmin Olive Green 4-1/2 x 2.3 x 1.6" EA \$216.39
P/N 010-00270-12



The Rino 110 has a built-in city point data base and 1MB of internal memory to load other points of interest data from compatible MapSource products.

5820-01-518-5183 DD Garmin Yellow 4-1/2 x 2.3 x 1.6" EA \$158.62
P/N 010-00270-00

The brand names you know, the simplified ordering process you trust - all from GSA Global Supply™.

GPS Radio

GPS Radio weighs 5.3 ounces. Display is 2.1" high and 1.1" wide and features high-contrast LCD with bright backlighting. Case is waterproof to IEC 529 IPX7 standards. Radio features a temperature range of 5° F with indefinite data storage; no memory battery is required. Total internal memory is 24 MB.



5820-01-524-5067 **DD** Garmin eTrex Vista 4.4"H x 2"W x 1.2"D EA \$200.39
P/N 010-00243-00

Unique "Scout Mode" marks area perimeters and creates borders. Built-in electronic compass and barometric altimeter (with weather predictions) plays MP3 audio files from an MMC/SD card (MMC/SD card, headphones and HPA-1 headphones adapter are not included). Built-in microphone for recording voice notes to waypoints. Watertight with sure-grip rubber welt seal. Display features high-brightness 2.83" diagonal (7.19 cm) color TFT display, 320V x 240H pixel resolution, and white LED backlit screen. Excellent direct sunlight and low-light/night viewing. Precision, 16-channel PS+WAAS receiver. GPS/Mapping features antenna port for connecting optional external GPS+WAAS antenna (not included) and dual processors for high-speed screen updates. Dual easy/advanced operation modes. Built-in continental U.S. and Hawaii background map featuring interstate exit services. One MMC/SD digital media memory card slot for higher-detailed mapping, GPS trip details recording/playing and MP3 music playing capabilities. Optional mapping accessories pack includes MapCreate™ USA Topo mapping software, one digital MMC/SD memory card, and an MMC/SD card reader/writer with USB connector. Weight: 8.7 oz. Uses two AA batteries (not included). Waterproof to IPX7 standard, with sure-grip rubber welt seal.



5820-01-537-1876 **NEW DD** Black/Silver 5.6"H x 2.5"W x 1.2"D SE \$385.12

Don't waste energy
looking everywhere
for the products you need.
Use GSA Global Supply™ -
Your Reliable
Government Source.

Got more tools
than you can
keep track of?
Let us
help you find
the perfect
storage solution.

Automobile GPS



Premium satellite navigation system pronounces street names in English or Spanish with high quality natural sounding voices and text to speech for turn by turn route guidance. High-resolution touch screen with large buttons. Pre-installed, street-level maps for the entire USA, including Puerto Rico. Unlimited amount of Waypoints. Illustrates graphic landforms (rivers, lakes, shorelines and parks). Various settings that allow drivers to create the best possible routes. Built-in Li-Ion battery allows you to use the GPS outside of the vehicle. MP3 player, video player, and picture viewer that can be used with your own SD card. Can be mounted to the windshield and easily moved from car to car. Automatic reroute, 3D/2D view, pan and zoom, day/night mode functions. Extensive POI database 12+ million POIs preloaded. Find businesses by phone number or address. Points of interest including landmarks, gas stations, restaurants, etc. USB cable for connection to PC for data, music, video, and picture transfer.

5825-01-394-3003 **NEW DD** Black EA \$437.32



Fax Order Form

(Make copies of this form for future use)

Customer Name _____

Ship-To Address _____

Date _____

Telephone Number _____

Fax Number _____

Optional Document Number (14 digits) _____

Signature of Approving/Ordering Official (Optional) _____

If Paying With Credit Card

Credit Card Number _____

Expiration Date _____

Activity Address Code

Activity Address Code _____

Access Code _____

Remarks:

Will you accept a back order if an item is out of stock? Yes No
(We do not place back orders for credit card purchases.)

***Fax your order
24 hours a day!***

	GSA Part No./NSN	Quantity	Item Description	U/I	Unit Price	Extended Price
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						

Fax to (800) 856-7057 Thank you for your order!

(Your order will be confirmed by fax.)

Estimated Total Cost _____

For GSA Use Only

Store	Ticket Number	Lines	Total	Fax Back (Date/Time/Initials)
-------	---------------	-------	-------	-------------------------------

GSA CMLS
501 W. FELIX ST., STE 1101
WHS 9 SEC F
FORT WORTH, TX 76115-3411

**OFFICIAL BUSINESS
PENALTY FOR PRIVATE
USE \$300**

www.gsa.gov
January 2009

Catalog Code:
5-09-00050

Order catalogs at gsa.gov/cmls



PRSR STD
Postage Paid
Washington, D.C. 20405
Permit G-30



Ordering Information



1

Call (800) 525-8027 (7:30 a.m. to 8 p.m., ET, Monday through Friday). If using your government purchase card, please have your card ready. Otherwise, have your six-digit Activity Address Code and account information available.

2

Fax your order to (800) 856-7057.

3

To order online, visit us at www.GSAGlobalsupply.gsa.gov.

Call Center (800) 525-8027 | www.GSAGlobalsupply.gsa.gov

