



Global Supply™
Your Reliable Government Source

U.S. General Services Administration

Your Mission. Your Way.



Spring 2009

Tools and Outdoor Supplies

www.GSAGlobalSupply.gsa.gov

See it. Buy it. Get it.

Make GSA Your Source for Tools and Outdoor Supplies.

GSA provides support to military and civilian agencies acquiring tools and outdoor supplies, while offering flexible options designed to accommodate specific requirements. Together, these benefits present comprehensive and flexible choices suitable for meeting any tools or hardware product requirement.

Highlights of GSA's Flexible Requisition/Acquisition Methods:

Requisitioning from GSA

GSA Global Supply™ procures tools and outdoor supplies meeting the recurring needs of your federal agency or branch of the military. Since GSA Global Supply has already procured the most in-demand tools and hardware on the government's behalf, obtaining these products through GSA Global Supply is a simple requisition between agencies – no comparison shopping is necessary. Standard shipping is included with most orders and “direct delivery” products are clearly identified. This catalog features some of GSA Global Supply's most popular tools and hardware products.

To view GSA Global Supply's complete offering of products, visit www.GSAGlobalsupply.gsa.gov. Once on the Web site, select “Go” beneath the “Browse Products” option. After you advance to the next page, choose the “Tools and Hardware” tab. You will find a vast array of products, including building supplies, power tools and accessories, precision measuring devices, environmentally-friendly products, and much more.

For additional information about ordering from GSA Global Supply, see page 1 of this publication.

Purchasing from a GSA Vendor

By offering tools and outdoor supplies that cover the breadth of the commercial marketplace, the GSA Multiple Award Schedule (MAS) program enables your agency to choose from thousands of tools and hardware products, available from hundreds of pre-qualified vendors. Typically, this method of procurement is quicker and easier than open-market procurements. Although an acquisition through the MAS program is a more involved option than a requisition through GSA Global Supply, issuing a purchase order through the MAS program may be appropriate for obtaining tools and hardware not widely requested enough to be included in the GSA Global Supply inventory. For more information, visit www.gsa.gov/products and click the “Hardware and Facilities Maintenance” link.

Special Order Program

GSA Global Supply has a robust Special Order Program (SOP). Customer agencies can place requisitions for NSN or part-numbered items with GSA Global Supply and be assured that GSA will take all the necessary steps to ensure compliance with all Federal Acquisition Regulations and Executive Orders. GSA Global Supply can purchase products on behalf of its customers, including tools and hardware, office products, cleaning supplies and fire equipment. It will not purchase commodities that are the responsibility of another agency. GSA Global Supply sets up a fee for purchasing the product, based on GSA Multiple Award Schedules availability and value of the order. SOP items can be ordered from GSA Global Supply by calling the GSA Global Supply call center at (800) 625-8027 or via FEDSTRIP/MILSTRIP. GSA Global Supply Stores or Base Stores supported by GSA Global Supply can also assist with placement of SOP orders.

Ensuring Reuse with GSA Personal Property Management

Screening other agencies' excess personal property inventories is the federal government's priority source of supply. And with today's increased environmental consciousness, reusing excess property is a source of pride. To help you acquire the excess property your agency needs, GSA offers www.gsa.gov/gsexcess, the personal-property reporting tool for the federal government. At GSAXcess®, reporting, searching and selecting excess property is convenient and user-friendly.

In addition to the tools and outdoor supplies available through GSA Global Supply, GSA has contracts in place for outdoor supplies. The selection is comparable to that of the commercial marketplace but without the burden of performing an open-market procurement. For detailed descriptions of the products below and vendor listings, please access the GSA eLibrary through www.gsa.gov/elibrary.

- **MAS 51 V, Hardware SuperStore** – This MAS is one of the world's largest suppliers of quality products to government customers on a global scale. These products include tools, appliances, lawn and garden equipment, paints, sealants and adhesives. Hardware SuperStore also provides federal agencies with streamlined procurement of all the services necessary to maintain and manage a facility. This MAS also provides for ancillary services relating to or supporting products and services offered under MAS 51 V, as well as accessories in support of, and ancillary to, the commodities offered.
- **MAS 56, Buildings, Building Materials, and Industrial Products and Services** – This MAS contains a wealth of offerings: building and building materials/industrial services and supplies; ancillary repair and alterations (R&A) related to warehouse equipment solutions; ancillary R&A related to pre-engineered/prefabricated buildings and structures; ancillary R&A for building-material solutions; power-distribution equipment; generators; batteries; air- and water-purification equipment; sewer-treatment equipment; maintenance and repair shop equipment with related environmental products; above-ground storage tanks and systems; fuel-dispensing units and fuel-management systems; building materials; solar energy systems; energy-saving lighting products; specialty lighting; and warehouse equipment and supplies.
- **MAS 84, Total Solutions for Law Enforcement, Security, Facilities Management, Fire, Rescue, Clothing, Marine Craft and Emergency/Disaster Response** – This MAS contains total solutions for law enforcement, security, facilities management, fire, rescue, clothing, marine craft and emergency/disaster response. (Note: The Local Preparedness Acquisition Act [signed June 26, 2008] authorizes state and local governments to purchase the following from GSA: alarm and signal systems, facility-management systems, firefighting and rescue equipment, law-enforcement and security equipment, marine craft and related equipment, special-purpose clothing, and related services.)
- **MAS 03FAC, Facilities Maintenance and Management** – This MAS includes GSA's facilities maintenance, repair and operations services for federal civilian and military workplaces. Services include (but are not limited to): dockside maintenance and repair services; energy management; building-commissioning services; water-conservation services and consulting; facilities maintenance, management and consulting services; elevator inspection and maintenance; fire-alarm system preventative maintenance and repair services; fire-suppression system maintenance and repair services; electrical and utility services; HVAC maintenance; grounds maintenance; pest-control services; cemetery maintenance; and industrial, aerospace and marine coating solutions. Recently added - Ancillary Repair and Alteration. With the Ancillary Repair and Alteration SINs, products and/or services ordered under another SIN of a Schedule can be altered, delivered, repaired or installed.
- **Single Award Schedule (SAS) 0JWOD, NIB/NISH Products** includes mandatory source products that can be purchased from AbilityOne (formerly known as JWOD). This SAS offers a variety of tools and hardware-related products, including (but not limited to): tool bags; tool belts; toolboxes and toolkits; light fixtures; abrasives (discs, belts, etc.); scaffolding and accessories; and construction supplies (wheelbarrows, chains, locks, tape, etc.).

Over 150 tools and outdoor supplies from GSA Global Supply™



GSA Global Supply™ is pleased to highlight some of our most popular tools and outdoor supplies, from hand tools to GPS radios. GSA Global Supply offers a wide variety of tools and hardware that carry our service guarantees.

- Easy Requisitions – See It. Buy It. Get It.
- Flexible – Featuring Multiple Ordering Options
- Reliable – Delivering the Products You Need, Where You Need Them
- Anywhere – Assuring Global Delivery
- Anytime – Supporting 24/7 Purchasing
- More – Offering Extensive Product Selection
- Safe – Providing Easy Compliance

The items in this publication represent just a few of the tools and outdoor supplies available from GSA Global Supply. For our complete line of tools and outdoor supplies, visit www.GSAGlobalsupply.gsa.gov.

Contents

Tool Kits and Storage	2
Hand Tools	6
Power Tools and Accessories	14
Hardware	18
Lawn and Garden	21



Ordering

Online (24 Hours):

www.GSAGlobalsupply.gsa.gov

The GSA Global Supply Web site gives you access to tens of thousands of tools, office supplies, computer products and other items. You can use your government purchase card or arrange direct billing with your Activity Address Code (AAC/DoDAAC). Select the items you want and place your order.

All GSA Global Supply items are also available via **GSA Advantage!**® and the DOD EMALL web site.

Telephone:

(800) 525-8027
DSN 465-1416

Call our toll-free number to place your order. We are open from 7:30 a.m. to 8 p.m. (Eastern Time), Monday through Friday.

Fax Orders (24 Hours):

(800) 856-7057

You will receive a confirmation via fax.

Part Number Ordering

Many GSA Global Supply catalogs feature items with National Stock Numbers (NSNs) and others with GSA part numbers. FEDSTRIP/MILSTRIP customers can order GSA part-numbered items by using one of the following identifiers:

- AOB: For domestic shipment
- AO2: For overseas shipment

Both NSNs and GSA part-numbered items carry the same customer benefits. All are FAR-compliant and AbilityOne Guaranteed. All can be shipped anywhere on the globe. All are backed by GSA Global Supply customer service.

DOD EMALL

All GSA Global Supply items appear on the DOD EMALL site. Customers must use their AAC/DoDAAC to purchase GSA items.



Tool Kits and Storage

General Mechanic's Tool Kit



Kit includes pry bar, sash and trim paint brush, scratch wire brush, cold chisel, driftpin, solid extension bars, files, gap setting and thickness gauges, hammer, wood file, hinged, socket wrench and brace type speeder handles, test lead, keys, key sets, putty knife, pliers, battery terminal clamp puller, drive pin punch set, magnetic retrieving tool, steel rule, offset screwdriver, cross-tip and flat-tip screwdriver sets, sockets, universal joint attachments, adjustable open-end wrench, box, combination box and open-end, flare nut, pipe and pliers wrenches. Comes with a toolbox. Marine Corps Component List SL3-00456A.

5180-00-606-3566

KT \$1,209.38

Mechanic's Tool Kit



This 546 piece kit has 331 sockets, 26 drive tools, 90 combination wrenches, 31 screwdrivers and nutdrivers. There are 68 additional tools including pliers, hex key set, punches, chisels and a hacksaw with blades. There are fractional and metric sizes including 1/4, 3/8, 1/2, and 3/4" drives.

5180-01-544-9840 DD

KT \$1,875.43

Medical Equipment Repair Tool Kit



For maintenance and repair of electronic medical equipment. Kit includes alignment tools, scratch wire brush, scratch awl, desoldering tool, chisel, crimping tool, circuit tester, electric soldering iron heating unit, files, penlight flashlight, gap-setting gauges, hammer, T-handle nut driver and wood handles, electric soldering iron handle, keys, key set, pocket knife, test lead kit, pocket level, mirror, multimeter, pliers, punches, steel rule, scissors, screw starter, screwdriver, screwdriver bit set and handle, high-performance cross-tip and flat-tip screwdrivers, jeweler's screwdriver set, screwdriver and wrench set, solder, soldering aid tool, electric soldering iron tips, desoldering wick, rule tape, tool box, tweezers, socket set, spring puller hooks, wire stripper, wrenches and wrench set.

5180-00-117-3414

KT \$1,002.49

General Mechanic's Tool Kit



This 432 piece kit consists of 235 SAE and Metric sockets, 23 drive tools, 102 wrenches, and 72 specialty tools. Three drive sizes: 1/4, 3/8 and 1/2". Tool box is not included.

5180-01-551-0473 DD

KT \$1,117.47

Pipefitter's Tool Kit

Kit includes hacksaw blade; hacksaw frame; pipe-cutter wheel; pipe and tube cutters; propane cylinder; hammer; oiler; slip-joint pliers; reamer; cross- and flat-tip screwdriver; sealing compound; sealing flux (paste); solder; measuring tape; die-head thread cutter; pipe vise and stand; basin, pipe and plier wrenches and internal-gripping pipe wrench. Furnished in a tool chest. Army Supply Catalog 5180-95-N13.



5180-00-596-1501

KT \$3,474.77

Engineer's Tool Kit

This kit provides the necessary components and hand tools required for its intended use by Army combat engineers. The kit includes the following items and is LAW Army Supply Catalog SC 5180-90-N12.

Kit for Army engineer squad includes; single-bit ax and sheath, hacksaw blade and frame, pioneer tool kit chests, crowbar, wire rope cutter, hinged posthole digger, files, trip wires, grapnel, hammer, wood file handle, wood hammer handle, mattock pick and single-bit ax handles, machete with rigid handle and sheath, marline, mattock (without handle), fibrous cord, saw, shovels, textile cord, tape, trowels, timber wedge and vise grip pliers.



5180-00-596-1546

KT \$3,304.66

Mason and Concrete Finisher's Tool Kit

Kit includes whitewash brushes; caulking tools; brick chisel; concrete corner tool; concrete edger; mortar floats; concrete hand groovers; hammers; mortar float handles; mortar mixing hoe; putty knife; level and plumbs; line blocks; plumb bobs; asphalt rake; wood rules; measuring tapes; trowels and circular tapered end handles. Comes with a tool chest. Dept of the Army Supply Catalog SC 5180-90-CL-N14.



5180-00-596-1504

KT \$1,403.03

Highway Safety Tool Kit



This tool kit contains essential highway safety items housed in a slim plastic storage box. Designed to fit in car trunks, under van and utility vehicle seats, and behind the seats of most pickup trucks.

Consists of the following components: a thermal reflective blanket; a 12-ft. battery booster cable; a utility cutter; a D-cell size flashlight; one pair of cotton gloves; two yellow chemical light sticks; an inflatable pillow; an 8" slip-joint pliers; two highway warning reflectors; one Phillips screwdriver; one flat-tip screwdriver.

5180-01-441-6698

KT \$121.60

Home Repair Tool Kit



This home repair tool kit is designed for minor home repairs. Kit contains 42 tools assembled in a portable stepstool-type toolbox. Components include: flashlight; flat-head and Phillips screwdrivers; 10-piece nut driver set; plunger; industrial goggles; 16-oz. hammer; 10-piece socket head screw key set; Craftsman's knife; putty knife; level and plumb; mechanical finger; needle-nose pliers; two slip-joint pliers; nest saw set; glass scraper razor blade; anti-seizing tape; measuring tape; plumber's plunger; electrical insulation tape; open-ended adjustable wrench; pliers wrench.

5180-01-423-6468

AbilityOne

KT \$290.38

Office Tool Kit

Kit offers all-in-one convenience! Contains: screwdriver bit set and handle with one Phillips and five flat-tip mini-drivers; slip-joint pliers with combination jaw and cutter; chain pliers with long round nose and cutter; heavy-duty straight trimmer's shears; curved claw hammer; adjustable wrench; two flat-tip screwdrivers with tip widths 0.188 and 0.313"; two Phillips screwdrivers with tip sizes 1 and 2; smooth jaw tweezers; six-piece, L-shaped Allen wrench set (nominal sizes 0.05 to 1/8"); steel measuring tape (16" long, 3/4" wide); utility knife with retractable blade in four positions. Equipped with a custom zipper tool case.



5180-01-336-7141 KT \$130.72

Computer Repair Kit

Contains two swivel-head Phillips screwdrivers sizes 00 (6-1/4" lg.), 0 (7-1/8" lg.); two swivel-head slotted screwdrivers sizes 3/32" (6-1/8") and 1/8" (7-5/8"); a Phillips screwdriver size 2; a regular slotted screwdriver size 3/16"; two hollow shaft nutdrivers size 3/16 and 1/4"; screwstarter with pocket clip for Torx size T-10, T-15, T-20, T-25, T-27 & T-30 as well as most Allen hex and Phillips; 1 x 2" oval inspection mirror with pocket clip; syringe style mechanical finger; crosslock tweezers; needle-nose pliers; PC chip remover and inspection light with 6" flex and focus beam. Comes in a compartmented, foam-padded, zippered vinyl canvas tool pouch.



5180-01-432-3144 KT \$86.35

Mobile Tool Cabinet

This black 9-drawer mobile tool cabinet is in the professional storage class. It includes the following features: A 48"w x 22-1/4"d x 1/2" thick fiberboard work surface with a side tray and built-in storage bins on sides and back; 2 locking heavy-duty casters with toe brakes; Full-width aluminum drawer pull; Ball-bearing (top drawer only) and friction slide; Capacity: 12,511 cu. in.; Weight: 185 lbs.



5140-01-551-0468 DD 48w x 36-3/4h x 22-1/4"d EA \$949.32

Mobile steel cabinet stores and transports power and nonpower hand tools. Has welded construction, a baked enamel finish, a lock with two keys and a continuous piano-type hinge. Drawers are mounted on durable compound slides and have suitable pulls and dividers.

Has seven drawers that are 25"w x 18-1/2"d: Three drawers-2" h; Three drawers-4" h; One drawer-6" h. Cabinet is mounted on two swivel locking and two rigid nonlocking castors measuring 5" in diameter. Drawers have automatic internal locking system.



5140-01-010-4775 29"w x 20"d x 34"h EA \$349.20

Has eight drawers, a lower compartment and four caster wheels. With an electrical junction box.



5140-01-019-0802 33"w x 17"d x 37"h EA \$680.63

Got more tools than you can keep track of? Let us help you find the perfect storage solution.

Portable Toolbox

Keeps tools in one place. Aluminum box closes with two latches and has a single handle at the top.

Three-panel style. Handles up to 45#s of tools. Naval Engineering Dwg 6SE01086 Rev F.



5140-01-154-3868 8-2/5"w x 18" x 13-1/2" h EA \$231.68



Universal or general-use box is used for carrying hand tools. Box is made of sheet steel with a welded construction and features a baked enamel finish. A piano-type hinge runs the full length of the lid. There is one chest-type handle located at each end which has a 90 degree stop to prevent being raised above its horizontal position. When not in use, the handles rest against the box end surface. The hasp and staple accommodates a 1-3/4" padlock. A 1/4" plywood insert covers the inside bottom of the tool box.

Has four 24-gauge steel cantilever trays. Box is made of 22-gauge steel and has three reinforcing skid rails and a hasp-and-staple or drawbolt latch.

5140-00-289-8910 Red 10-1/2"w x 22" x 13"h EA \$182.52

Machinist's Tool Chest

Transport and store tools with this sturdy storage chest. Consists of box body and lid, top compartment with till drawers, front panel, handle and hardware. Has a continuous piano-type hinge and sturdy compound drawer slides. Front panel is stored under the bottom drawer. Chest-type handle is centered on top of the box. Top compartment and drawers are lined with cork, felt or a similar material. Has an integral lock and two luggage-type catches. Made of sheet steel with welded construction.



Has 7 drawers. Six are compartmented.

5140-00-319-5079 Red 8-1/2"w x 20" x 13"h EA \$275.75

Mechanic's Tool Chest

Convenient. Mount sheet steel chest on either a workbench or mobile tool cabinet. Features heavy-duty handles at each end. Nine drawers are mounted on compound slides. Top compartment is 30" long, 14-1/4" wide and 2-7/16" deep and is divided into three sections, with one section storing a 7-1/2"-wide and 19"-long tote tray. Six drawers are 6" wide and 13" deep and are positioned three across on each of the two uppermost levels. Three lower drawers are 27-1/2" wide and 13" deep. Bottom drawer is 3-1/2" high and the other eight drawers are 1-5/8" high. Enamel or epoxy plastic finish.



5140-00-104-0196 Red 15"w x 31" x 17"h EA \$466.26

Mechanic's Tool Pouch

A convenient accessory for mechanics. Cotton duck cloth pouch has two webbed handles, a zipper closure along the entire length of the top and seven tool pockets. Bottom stiffened by synthetic composite board.



5140-00-329-4306 UNICOR Olive Drab 5-1/4"w x 11-1/2" l x 7"h EA \$23.23

Tool Satchel

This highly portable cotton duck satchel is excellent for keeping tools organized.



Includes two pockets with slide fastener closure and two nylon web handles. (Does not include sling.)

Length: 19-1/2"; Width: 6"; Height: 8-1/2".

5140-00-473-6256 PRIME AbilityOne EA \$22.28

Heavy duty ballistic nylon tool bag. Nylon is lightweight, abrasion and moisture resistant. Features a sturdy handle, protective rails, and interior and exterior storage pockets. Double stitched for increased durability.



5140-01-490-6470 Dewalt DEW D6100 11"w x 21" l x 11-1/2"h EA \$89.04

Hand Tools

Bent Trimmer's Shears

Lightweight shears for light paper cutting and trimming applications. Balanced shears reduce fatigue. Rust-resistant stamped stainless steel. Molded plastic handles are for left- and right-hand use. One blade is pointed and has a thumb ring, the other is pointed or beveled.

Has bent handles for easy, maneuverable and accurate cutting.



5110-01-241-4371 Length: 8-1/4" EA \$4.49

Straight Trimmer's Shears

Use lightweight shears for light paper cutting and trimming applications. Balanced shears reduce fatigue. Have straight handles. Rust-resistant stamped stainless steel. Molded plastic handles are for left- and right-hand use. Both blades are stamped stainless steel and pointed.

Shears have a 3-5/8" length of cut.



5110-01-241-4373 **PRIME** Length: 8-1/4" EA \$4.35

Multi-Tool

The Charge XTⁱ features Titanium handles. This tool includes: 154 CM knife blade, needlenose pliers, regular pliers, wire cutters, hard-wire cutters, crimper, serrated knife, cutting hook, saw, wood/metal file, diamond-coated file, two large bit drivers, small bit drivers, 9 double-ended bits (Phillips and flat-tip eyeglass screwdriver, 1/4 and 3/16" screwdrivers, 1/8" and Torx #15 screwdriver, Phillips #1 and #2, 3/32 and 5/64" hex, 5/32 and 9/64" hex, 1/16 and .050" hex, 1/8 and 7/64" hex and Robertson #2 and #3), ruler (8"/19cm), bottle/can opener, wire stripper, fixed lanyard ring, quick-release lanyard ring, and a removable pocket clip.

Stainless steel finish. Black nylon sheath.



5110-01-541-1202 Leatherman Tool Group 830275 Length: 4" (closed) EA \$97.28

Camouflage finish. Leather camouflage sheath. (Real Tree hardwoods green)



5110-01-541-1206 Leatherman Tool Group 830491 Length: 4" (closed) EA \$123.04

This multi-use pocket tool features a component locking mechanism. The tool contains a drop point knife blade, serrated sheepsfoot knife blade, file, Phillips tip screwdriver, 3 flat tip screwdrivers, can/bottle opener, needlenose pliers, wire cutters, scale, ruler, crimper, and a lanyard ring. Plier head retracts and slides into the handle. Other components fold into the handle, and when opened, lock in the open position and are released by lock release mechanisms on outside of handles.



Black oxide finish. Black nylon sheath.

5110-01-394-6252 Length: 5-1/8" (closed) EA \$52.28

This multi-use pocket tool features a component locking mechanism. The tool consists of drop point and serrated knife blades, needle nose pliers, wire cutters, flat-tip and Phillips screwdrivers, can/bottle opener, lanyard eye, ruler and crimper.

Stainless steel finish. Black nylon sheath.



5110-01-394-6249 Length: 5-1/8" (closed) EA \$46.47

Folding Multi-Tool

This multi tool is designed for the user who needs extreme wire cutting ability and quick access to the components. The tool has a stainless steel plier head and stainless steel components other than the saw blade. The pliers are spring loaded with the jaws containing replaceable and indexable tungsten carbide inserts with a nitride finish. The aluminum handles have black rubber molded inserts and rotate around the plier head. All the components in the handle rotate independently. The tool features the following components: Spring-loaded, needle-nose pliers, wire cutters, bottle opener, 3 flat tip screwdrivers, 1 Phillips tip screwdriver, coarse/fine file, scissors, half serrated drop point knife blade, replaceable carbide saw blade and universal jig saw coupler.

Furnished in a nylon sheath.



5110-01-475-2144 Lengths: 6-5/8" (Opened); 5-1/8" (Closed) EA \$72.50

Pocket Multi-Tool (Folding)

Ideal for the handyman. The Military Provisional Tool contains a needle-nose and standard plier; wire cutters; crosshead screwdriver; small, medium, and large flathead screwdrivers; can/bottle opener; awl/punch; knife blade; ruler.

Stainless steel finish. Leather sheath.



Furnished in a leather sheath.

5110-01-279-9332 Length: 4 to 5" (closed) EA \$28.69

Pocket Knife (General Purpose)

General-purpose, folding-type knife. The knife has four high-grade steel blades with nail grooves for easy opening. Included in the knife are a 3-1/4" cutting blade, a can opener blade, a leather punch blade, a combination screwdriver, and bottle cap lifter blade. The cutting blade edge extends to a point and a steel spring holds the blade in position. Riveted assembly makes this knife long lasting. Metal surfaces are ground and polished. Includes clevis.



5110-00-162-2205 EA \$18.81

Pocket Multi-Tool (Retractable)

All-in-one multi-tool. Component locking mechanism. Retractable pliers-head knife tool consists of a drop point and serrated knife blades, pliers, wire cutters, flat-tip and Phillips screwdrivers, can/bottle opener, lanyard eye, ruler and crimper.

Stainless steel finish. Black nylon sheath.



5110-01-346-5339 **PRIME** Length: 4-3/8" (closed) EA \$46.47

Rescue Knife

For cutting aircraft seat belts and harnesses. The J-style knife has an aluminum alloy handle and two interchangeable carbon steel blades. Handle and cover are highly polished or electrostatically painted. Tip is fitted with a Dzus key. The knife cuts 10,000-lb strength webbing with one stroke.



5110-00-524-6924 Stebc Industries RN-2 or equal EA \$40.68

Pocket Knife

The Gator-Mate features a 2-3/4" stainless steel, serrated blade with non-glare satin finish. Excellent for cutting through tough pieces of rope or webbing. The comfortable grip (formed from rugged Kraton® rubber) is molded around and through a fiberglass nylon reinforced frame. This knife's superior handle construction is indicative of Gator's durability. (The Kraton handle cover is molded around and through the inner frame forming a two-stage molded handle that joins into a single piece.) Complete with black synthetic sheath with Velcro closure and belt loop.



5110-01-385-7235 Fiskars Brands, Inc. 06151 Length: 7-1/4" (open), 4-1/8" (closed) EA \$21.83

This folding pocket knife has a stainless steel modified sheepsfoot blade with an oval thumb hole. The 3-1/2" blade has a partially serrated and a straight edge. The black high-strength plastic handle is lightweight and molded to form. When the knife is closed, it is 4-7/8" long and when it is open, the knife is 8-1/4" long. The knife features a patented hinged lock and has a reversible stainless steel carry clip.



5110-01-451-0707 EA \$37.51

Dial Caliper



Use for inside, outside and depth measurements. Caliper has 0 to 6" range. Dial has 0.001" graduations and has 0.100" range per revolution. Shockproof white dial protects against damage. Stainless steel slide. Lock screw for dial bezel. Lock screw to secure sliding jaw in position. Depth rod included. Comes with a case.

5210-01-010-4522 **PRIME** Range: 0 to 6" EA \$166.06

Vernier Caliper



Caliper consists of beam frame with integral fixed jaw, sliding jaw with vernier scale, adjustment screw and fine adjustment clamp. Main scales are located on front and back of beam. For outside readings the scale is read directly; for inside readings the scales allow for stated width of nibs. Made of tool steel with a chrome-plated dull finish. Carrying case included.

Caliper has 0 to 12" (0 to 300mm) outside ranges and 0.010 to 12" (0.300 to 300mm) inside ranges. Jaw is 2-1/4" deep. Front vernier in English units has 0.001" graduations, and back vernier in metric units has 0.020mm graduations.

5210-00-293-2913 EA \$501.24

Electronic Caliper



Electronic caliper w/ depth gage. Resolution: 0.005 inch. Accuracy: POM 0.001 inch. Features: fine adjustment, lock, auto off after 15 minutes, two 3-volt batteries, fitted plastic case, zero at any position, output data transmission: devices supporting RS232C.

5210-01-259-6010 **DD** L.S. Starrett Co. P/N 721B-6/150 Range: 0 to 6" EA \$132.18

Outside Micrometer Caliper Set



Steel set has solid anvils and 0.001 graduations. Equipped with an enameled I-beam or hollow tubular frame, as well as a spindle locknut and a ratchet or friction thimble. A carrying case is included.

Set consists of six calipers that measure; 0 to 1", 1 to 2", 2 to 3", 3 to 4", 4 to 5", and 5 to 6". One 1" disk and five rod standards (1, 2, 3, 4 and 5") are included for maintaining zero setting on each micrometer.

5210-00-554-7134 Range: 0 to 6" SE \$707.53

Depth Gage (Dial Indicating)



Suitable for measuring depths of small holes, recesses and slots. Measuring range is 0 to 0.125" and base measures 2-1/2". Face diameter of dial is 2-1/4" with a 0-25-0 dial marking. Has an adjustable dial indicator attached to the base that conforms to CID A-A-2348 except for flat back and spindle with needle contact point. Includes jewel bearing and case.

5210-00-710-4359 EA \$122.11

Carpenter's Level (Aluminum)



Carpenter's-type level features two twin-plumb vials and one fixed, non-graduated twin-level vial with bent glass tubes. Equipped with double face and side-reading convenience. Construction is truss- or channel-style aluminum alloy. Vials are fixed to ensure accuracy.

24" carpenter's metal level and plumb.

5210-00-239-0892 EA \$13.84

Steel Rule (Rigid)



Rigid one-piece ruler is expressly for right-hand reading. Features easy-to-read, non-glare black markings and figures on heat-treated tool steel or stainless steel. Features English markings.

Front face has one edge graduated in 1/32" increments and the other in 1/64" increments. Back face has one edge graduated in 1/8" increments and the other in 1/16" increments.

5210-00-234-5223 **PRIME** Length: 6"; Width: 3/4" EA \$4.97
5210-00-234-5224 **PRIME** Length: 12"; Width: 1" EA \$12.36

Measuring Tape (Fiberglass)



Fiberglass tape is for general measuring use, particularly near electrical equipment and power lines and where a high degree of accuracy is not required. Tape is made of woven linen or synthetic fiber with a moisture-resistant coating and fungus treatment. Replaceable tape has black and red markings. All tapes have a pop-open folding handle for easy, fast rewinding.

Displays English markings. Reads left to right. Graduations: 1/4". Tape width: 5/8".

Features a finger ring.

5210-00-554-7087 Length: 100' EA \$110.10

Measuring Tape (Oil Gauging)



Tape designed for gauging tank level is graduated in 1/8" increments. Standard American markings are black on a light, rust-resistant background. Reads right to left or left to right. Consists of reel, hand-crank rewind, plumb bob and one metal tape wiper with replaceable felt pads. Corrosion-resistant carbon steel frame supports tape reel and rewind spindle. Hardwood frame handle ensures a firm hold. Tape is 1/2" wide. Brass plumb bob measures 6-3/4" long and 1" in diameter. One end tapers to a flat point; the other end has a lug or eye for attaching to swivel snap fitted on end of tape. A-A-52216.

Tape has English markings.

5210-00-221-1886 **PRIME** Length: 50 feet EA \$109.98

Measuring Tape (Steel)

Self-supporting steel measuring tape features permanent graduation markings and numbers printed on the full length of the tape. Housed in a butt-end plated metal or impact-resistant plastic case.

Features automatic-winding power return, blade lock and a belt clip. Displays English markings. Graduations are in 1/16" increments (first 6" are in 1/32"). Reads left to right.



5210-01-139-7444 AbilityOne Length: 25'; Width: 1" EA \$10.78

Lineman's Pliers

The tool of choice for all-purpose wire and cable work. Side-cutting lineman's solid-joint pliers are made of drop forged steel with polished heads and an insulation crusher in handle.



Pliers have a square-nose style and cushion-grip handles. ASME B107.20.

Pliers have a 1-1/2" Jaw length, 1-9/32" Jaw width and 5/8" Jaw thickness.

5120-00-239-8251 **PRIME** Length: 8" EA \$11.89

Long-Nose Pliers

Flat gripping surface is ideal for forming, bending and handling small objects and reaching into openings. Pliers are made of forged steel, have scored jaws and are furnished with cushion-grip handles. ASME B107.13.



With side cutter

Long-Nose Pliers have a 2" Jaw length, 3/8" Jaw thickness, 11/16" Jaw width, and 3/32" Point thickness.

5120-00-247-5177 **PRIME** Length: 6" EA \$9.04

Slip-Joint Pliers (Straight Nose)



Straight nose combination slip-joint pliers have flat gripping surface with fine teeth, a curved center jaw section with sharp teeth and a shear type wire cutter located in the throat. Two-position slip-joint permits jaws to be opened wider. Chrome-plated forged steel pliers have polished heads. Furnished with cushion-grip handles. ASME B107.23M.

Regular nose combination slip-joint pliers have a 3/8" jaw thickness.

5120-00-223-7397 **PRIME** Length: 8" EA \$8.00

Vise Grip Pliers



This multi-purpose tool can function as a portable vise clamp, adjustable-end wrench and locking pliers. Positive-grip pliers can securely hold hexagonal and square nuts and bolts, rods, tubing or sheet metal. Pliers also adjust easily and lock at any size within its capacity with desired amount of jaw pressure. Release lever conveniently opens jaws. Forged from alloy steel for maximum strength and durability. Surface treated with Oxide and Phosphate.

Pliers have curved jaws, with wire cutter. Jaw capacity: 0 to 1-7/8".

5120-00-494-1911 **PRIME** Length: 10" EA \$11.24

It is GSA policy to offer products that fully comply with all applicable environmental regulations and Executive Orders.

Flat-Tip Screwdriver Set



Set of five flat-tip general purpose screwdrivers. Includes one stubby screwdriver, three general-purpose screwdrivers with flared sides, and one cabinet screwdriver with straight sides. Screwdrivers sizes are 1/4" tip width with 1-1/2" exposed blade length (stubby), 3/16" tip width (straight sides) with 3" exposed blade length, 1/4" tip width with 4" exposed blade length, 5/16" tip width with 6" exposed length and 3/8" tip width with 8" exposed blade length. Conforms to industry screwdriver standard ASME B107.15.

5120-00-103-9743 **PRIME** SE \$28.50

Combination Screwdriver Set



Eight-piece combination screwdriver set: five flat-tip and three Phillips-tip screwdrivers with orange handles in plastic tray. Sizes include flat tips 1/4" (stubby), 3/16", 1/4", 5/16", 3/8", and Phillips #2 (stubby), #1, #2.

5120-01-428-8497 SE \$68.60

Phillips-Tip Screwdriver Set



Essential set contains five Phillips-type screwdrivers. General duty use screwdrivers are in accordance with ASME B107.30. Point sizes No.1 (3" blade length); No. 2 (4" blade length); No. 3 (6" blade length); No.1 (1" stubby); No.2 (1-1/2" stubby).

5120-00-357-7175 **PRIME** SE \$12.85

Hex Key Set (Ball End)



Alloy-steel, heat-treated wrench set consists of ball-end style hexagon keys that can be used at angles up to 25°.

Set consists of 12 ball-end style hexagon keys with screwdriver-type plastic handles. Contains sizes 0.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4 and 5/16". Furnished with plastic case or pouch.

5120-00-116-7841 SE \$29.93

Hex Key Set



This set makes it easy. Tempered steel hexagonal wrenches tighten and loosen fasteners with a hexagonal hole in screw head. L-shaped tool has a double-ended shaft that bends 90° to form a short arm and a long arm. Short series has an arm length suitable for normal use. Black oxide coating. Furnished in a roll or wrap. ASME 18.3

This 20 piece short-series set contains sizes 0.028, 0.035, 0.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8 and 3/4".

5120-00-935-4641 **PRIME** SE \$15.99

Nut Driver Set (Spin-Type)



Set of nine spin-type screwdriver grip-nut drivers. Has hexagonal sizes 3/16, 7/32, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2 and 5/8". Provided in a wrap or roll.

5120-00-542-5799 **PRIME** Length: 7" SE \$35.48

Screwdriver Bit Set and Handle

Consists of a plastic handle, extension and nine changeable hexagonal bits. The 4-1/8" long handle has a spring-action lock to hold bit or extension. The 5" long extension has a shaft with wing drive to accept handle. The 5"-long bits come in sizes 0.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32 and 3/16". Both the bits and the extension are interchangeable with Xcelite handles.

5120-00-851-4247 **PRIME**

SE \$46.92

Socket Wrench Set

Save time with the convenience of a socket set. Sixty-seven-piece nickel chromium-plated components furnished in a well-constructed sheet metal or impact resistant plastic box. The set consists of the following ANSI approved tools.



Eleven 6-point single hexagon sockets, regular length, ANSI B107.1. Sizes: 1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 and 1/2". Nine 6-point single hexagon sockets, long length, ANSI B107.1. Sizes: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 and 1/2". Three 8-point double square sockets, ANSI B107.1. Sizes: 1/4, 5/16 and 3/8". One hinged handle, ANSI B107.10M. One reversible ratchet handle, ANSI B107.10M. One speeder handle, brace type, ANSI B107.10M. One handle, socket wrench, spin type, A-A-2167. One handle, socket wrench, tee, sliding, ANSI B107.10M. One universal joint attachment, socket wrench, ANSI B107.10M. Four extension bar attachments, solid, socket wrench, ANSI B107.1. Overall lengths 2, 4, 6 and 14". One extension bar attachment, flexible, socket wrench. ANSI B107.10M. Overall length 6". One ratchet adapter attachment, socket wrench. ANSI B107.10M. Two single hexagon (6-point) socket, socket wrenches. ANSI B107.1. Sizes 9/16 and 3/4". Six (6) socket, socket wrenches, universal, double hexagon (12-point). ANSI B107.1. Sizes: 1/4, 5/16, 3/8, 7/16, 1/2 and 9/16". Nine (9) socket, socket wrench attachment, internal (socket head set and cap screw). Sizes 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32 and 1/4". Screwdriver bits and adapters: Three screwdriver bits, clutch type, Commercial Type A or G design suitable for use with United Screw and Bolt Corporation clutch recess screws. Sizes 5/32, 11/64 and 15/64". Two screwdriver bits, carburetor type. Consists of a flat tip and socket. Tip shall be recessed in the socket opening so as to achieve self-center. One female socket screwdriver bit, drag link pattern. Three Phillips screwdriver bits. One size 1 and two size 2 bits. Three screwdriver bits, flat tip. Bit widths 3/16, 1/4 and 3/8". One handle, spin type, with screwdriver grip, a flexible 1/4" diameter steel shank with a 1/4" male end. Handle length 4" maximum. One ratchet spinner designed for use as a spinner or with a ratchet handle. One wrench, flexible, adjusting, consists of a shaft in a tubular housing, 1/4" male drive on wrench end, knurled spinner handle on opposite end of shaft, wrench end of housing shall be flexible for a length of 3 1/2" minimum, overall length 21" maximum.

5120-00-087-1022

KT \$736.14

Socket Set



All-in-one convenience. Chromium-plated hand socket set consists of 21 components. Set includes three handles: 20" long hinged, reversible ratchet and sliding T, one universal joint, three solid extensions that are 3, 8 and 16" long and 14 regular length 3/4" drive, 12-point sockets that have 7/8 to 2" wrench openings. Furnished in a metal or impact resistance plastic box. ASME B107.1 and ASME B107.10M.

3/4" square drive.

5120-00-204-1999 **PRIME**

SE \$394.69

Chromium-plated hand socket set makes it easy to find the right tool. Set consists of 38 components: 23 regular-length 12-point sockets with wrench openings of 10 to 32mm; six long-length 12-point sockets with wrench openings of 14, 17, 19, 20.6, 22 and 27mm; four handles, which include spin-type speeder (19-1/2" long), reversible ratchet, sliding T and brace-type speeder; one universal joint attachment; three solid bar extensions (48.4 to 76.2, 127 and 254mm lengths); and one ratchet adapter. Furnished in an impact-resistant metal or plastic box with compartments. ASME B107.5 and ASME B107.10M.



1/2" square drive.

5120-00-103-9800

SE \$364.84

GSA Global Supply
guarantees compliance
with federal procurement
regulations.

Reversible Ratchet Handle



Chrome-plated steel handle has a round shank and comfortable handgrip. Male drive tang has a spring-loaded steel ball to hold sockets and attachments. Has a gear-head or clutch-type ratchet mechanism and a shifting lever or knob for reversing the ratchet direction. Drive tang, shift knob, ratchet covers and male drive tang may have a black oxide coating. ASME B107.10M.

3/4" square drive.

5120-00-249-1076 Length: 17" EA \$68.63

Sliding T Handle



Chrome-plated steel handle has round shank and comfortable handgrip. Male drive tang has spring-loaded steel ball to hold mating sockets and attachments. Round handle rod slides through the hole in the solid shank of the socket holder. Spring-loaded friction action retains the socket holder at any position along the handle rod. Each end of the handle has a firmly mounted steel ball that acts as a stop for the sliding socket holder. Has a square male drive. ASME B107.10M.

3/4" square drive.

5120-00-709-4072 Length: 17 to 20" EA \$23.66

Socket Wrench Extension (Solid Shank)



Chrome-plated steel extension bar is designed for use with hand tools. Includes a solid shank and has a square female socket at one end and a male drive tang at the opposite end. ASME B107.10M.

3/4" square drive.

5120-00-243-7328 Length: 7-1/2 to 8" EA \$16.18
5120-00-227-8079 Length: 15 to 17" EA \$25.58

Geared Socket Wrench



Geared socket wrench removes heavy-duty wheel stud nuts from truck rims. Fits hexagonal nuts with 1-1/2" across flats and square nuts with 13/16" across flats. The 35" tubular handle fits over the 20-1/2" bar handle.

5120-00-378-4411 EA \$424.12

Box Wrench Set



Double-headed, regular length, 12-point wrenches have a deep offset at each end. Sizes are clearly marked. Wrenches are furnished in a roll or wrap with individual pockets for each wrench. ASME B107.100.

Set consists of eight short-length wrenches in the following sizes: 6 and 7, 8 and 9, 9 and 10, 11 and 12, 13 and 14, 15 and 16, 17 and 19 and 18 and 20mm.

5120-00-103-9782 SE \$70.84

Box Wrench Set (Geared)




Geared box wrenches have an all-steel, one-piece construction and are fully polished. First box end has a geared ratcheting 12-point closed head design with a 0-degree offset. Short ratcheting arc and small head thickness allows the fastener to be quickly turned even in confined areas. The conventional box end permits more torque to be applied to a fastener. Furnished in a vinyl roll.

Set consists of 17 wrenches in the following fractional and metric sizes: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, and 3/4"; 10, 11, 12, 13, 14, 15, 16, 17, 18, and 19mm.

5120-01-495-7715 Armstrong Tools P/N 27-708 SE \$362.09

Ratchet Wrench Set



Set consists of twelve chrome plated, 12-point ratcheting box wrenches in the following sizes: 1/4 x 5/16", 3/8 x 7/16", 1/2 x 9/16", 5/8 x 3/4", 11/16 x 7/8", 1 x 1-1/16", 1-1/8 x 1-1/4", 7 x 8mm, 9 x 10mm, 12 x 13mm, 14 x 15mm, and 19 x 21mm. Furnished in a shrink wrap.

5120-01-545-0770 DD SE \$122.87

Combination Box and Open-End Wrench Set (Geared)



Geared combination wrenches have an all-steel, one-piece construction and are fully polished. The box end features a geared ratcheting 12-point closed head design with a 0-degree offset. Short ratcheting arc and small head thickness allows the fastener to be quickly turned, even in confined areas. The conventional open end permits more torque to be applied to a fastener. Furnished in a vinyl roll.

Set consists of 10 wrenches in the following sizes: 1/4"; 5/16"; 11/32"; 3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16"; 3/4".

5120-01-495-7712 Armstrong Tools P/N 25-667 SE \$155.71




Set consists of 10 wrenches in the following metric sizes: 10 mm; 11 mm; 12 mm; 13 mm; 14 mm; 15 mm; 16 mm; 17 mm; 18 mm; 19 mm.

Regular length. (Overall length from 167 to 268 mm)

5120-01-495-7708 Armstrong Tools P/N 52-667 SE \$181.13

Box Wrench Set (Ratchet)



Single-headed wrenches each have a 12-point hexagonal opening, a steel head and a steel or plastic handle. For loosening and tightening hexagonal fasteners such as tubing and hose nuts. Kit offers convenience of 11 wrenches furnished in a roll or wrap.

Chrome-plated wrenches come in sizes 3/8 to 1" in 1/16" increments. Sizes are clearly marked.

5120-00-474-7227 PRIME SE \$229.37

Torque Multiplier (Electronic Display)

Digital readout accuracy within +/- 2% of actual output torque from 20% of rated maximum torque to the rated maximum torque. Clockwise/counter-clockwise operation. Protractor is graduated 180° in 1° increments. Has zero backlash. Operates from minus -25 to +120°F. Powered by 9v battery. Easy zero adjustment. Requires torque wrench bar NSN 5120-01-008-3632.



Has a 1200-ft-lb rated maximum output torque (1.0 ft-lb increment) and a 6"-long x 3/4" square male output shaft. Furnished in a carrying case with a 3/8" male input crank, a 3/4" square female output shaft and a set of instructions. Weighs approximately 20 lbs.

5120-00-169-2986 5-1/16 x 6-5/8 x 9-1/4" EA \$3,445.27

GSA Global Supply offers tens of thousands of office products, tools and supplies to help meet your maintenance, repair and operations requirements. See the complete array of products at www.GSAglobalsupply.gsa.gov

Power Tools and Accessories

Cordless Power Tool Set



This six-piece set contains heavy-duty, 18V cordless power tools. Set includes: 1/2" hammerdrill/drill/driver with 500 in.-lbs. of maximum torque; 6-1/2", 16-tooth carbide blade circular saw and a rip fence; reciprocating saw with keyless blade clamp; right-angle drill with 310 in.-lbs. of maximum torque; 6500-RPM high-power cut-off tool; and a hands-free flexible floodlight. Also included: one-hour charger; two-18V batteries; 360-degree side handle; wrench; backing flange; and a three-position side handle. Furnished in a contractor bag.

5130-01-535-1215 **DD** SE \$723.61

Cordless Drill

Heavy-duty 18-volt 1/2" (13mm) adjustable clutch drill/driver kit features: variable speed; reversing switch; anti-slip soft comfort grip; keyless chuck; and an electric brake. Includes a one-hour charger, two battery packs (with two amp-hours minimum each pack), a screwdriver bit, and a heavy-duty carrying case.



No-load speed: 2,000 rpm (maximum); Maximum torque: 400 in.-lbs. (minimum).

5130-01-444-4662 EA \$262.37

Cordless Screwdriver/Drill

Cordless, 12-volt, 3/8" reversible screwdriver/drill features two variable speed ranges (0 - 450 rpm; 0 - 1450 rpm) and a keyless chuck. Includes two power packs, and a charger. Furnished in a carrying case.



5130-01-363-2559 EA \$167.02

Electric Drill

Reversible, variable-speed, straight-drive drill has a removable auxiliary side handle and a trigger lock-on button. Double insulated. Heavy-duty, portable drill converts to a clutch screwdriver. Has a 0 to 1,000 rpm and 0 to 1,400 rpm no-load speed. Operates on 120V, 60-Hz current at 5 amp. Has a key-operated, three-jaw chuck. Comes with an instruction book and a chuck key with holder. Conforms to UL standards.



5130-00-935-7354 **PRIME** Chuck Size: 3/8" EA \$192.38

Heavy-duty, medium-speed (650-RPM's no load speed) has a spade-end handle with breastplate for breast drilling and auxiliary side handle. Rated 6.0 amp minimum and has a minimum of 4.7 ft-lb torque at rated load. Keyed jaw chuck. Furnished in a carrying case.



Electromagnetic Interference-Suppressed tool. (Only the basic tool prior to modification for EMI suppression is required to have proof certifying compliance with the applicable UL Standard.)

5130-00-889-9004 Chuck Size: 1/2" EA \$344.87

Prevent shock with this double-insulated, portable, reversible, straight-drive, variable-speed drill. Rated 5 amp at 120v AC, 60-Hz power and includes a keyed jaw chuck. Heavy-duty drill has a 550-800 RPM no-load speed. Drill has a pistol-grip with a removable auxiliary side handle. Comes with an instruction book, parts list and chuck key. Conforms to UL standards.



5130-00-283-3231 Chuck Size: 1/2" EA \$126.82

Electric Hammer Drill

Heavy-duty, reversible drill-hammer has variable speed and has a 1" diameter drill bit capacity. Accepts SDS bits. Has two modes of operation: hammer with rotation for concrete/masonry or rotation only with chuck for wood/steel. Provided with three-wire power cord, depth rod gauge, adjustable 360° side handle and carrying case. Motor operates on 115/120v AC with a current of 5.6 to 6.0 amp. Has 900 rpm and 0-5500 BPM maximum.



5130-00-138-5552 EA \$419.46

Electric Router

Power tool cuts away unwanted wood, rounds stair treads, prepares inlaying and more by use of various router bits. The 1/4" collet chuck securely locks 1/4" round shank bit and attachments. Double-insulated, single-speed router operates on a 1-hp, 120v AC electric motor with a two-wire cord. Has 24,000 to 26,000 rpm no-load speed. Accessories include: 2 hand grips; 2 collet wrenches; 1 hinge mortising bit with 1/2"-wide, 13/32"-deep and 1/4" shank; butt-hinge template guide: 17/32" inside diameter, 5/8" outside diameter, 7/16 from tip to bottom; Handbook of Operating Instructions and Parts List. Weight: 8 pounds.



Electromagnetic Interference-Suppressed tool. (Only the basic tool prior to modification for EMI suppression is required to have proof certifying compliance with the applicable UL Standard.)

5130-00-990-4450

EA \$408.58

Disk Sander

Heavy-duty sander uses 7" diameter abrasive disks and wheels and has a 12-amp rating at 120v AC and a 6000 rpm no-load speed. Sander has a right-angle drive, end handle and a two-position side handle for mounting either right or left of spindle. Spindle threads RH 5/8-11. A back-up pad is not included but can be ordered separately (see Sanding Disk Holder 5130-00-357-2301). Sander converts to a grinder by using a grinding wheel and a proper wheel guard, neither of which is included and must be obtained from the manufacturer. Furnished with parts list and instruction book.



5130-00-596-9728

Weight: 20 lbs. maximum.

EA \$179.79

Make sure your tool shop is well-equipped. GSA Global Supply has all you need.

Gasoline Circular Saw



Rescue saw commonly used for the purpose of removing personnel lodged in damaged aircraft and other emergency evacuation needs. Wheel speed 6300 RPM maximum. Powered by air cooled, single cylinder, two-cycle gasoline engine. Minimum engine displacement 4.4 cu.in (72.4 cc) which develops 4.7 brake HP minimum. Capable of cutting in any position. Adjustable blade guard. Accessories include complete set of operating and maintenance instructions, 14" diameter reinforced steel cutting abrasive wheel, 14" diameter reinforced concrete cutting abrasive wheel, 14" diameter abrasive wheel for cutting non-ferrous metals such as Aluminum, 1gallon safety can, helmet system that includes head and hearing protection and full-face protective shield, a minimum of 1 pair of protective eyewear and clear protective face shield, spare drive belt, spare air filter, and 6 each 1/4 pint bottles of SAE approved 2-cycle engine oil. Weight less fuel and blade, 31 lbs maximum. Comes in a metal carrying case.

5130-00-134-1207

EA \$1,517.96

Circular Saw



Portable electric circular saw. Features adjustable metal base for depth and angle of cut adjustment, adjustable rip fence, position indicator, round arbor, dust blower, trigger switch in a comfortable handle and antikick-back clutch. Saw operates on 120V AC/DC. Furnished in a carrying case with one blade, arbor nut wrenches and operating instructions.

Motor armature axis is parallel to blade spindle axis. Has a minimum no-load speed of 5000 rpm, 1/2 hp, a rated current of 13 amp and a round 5/8" diameter arbor hole. Minimum cut at 90° is 2-3/8"; maximum cut at 45° is 1-3/4". Blade diameter: 7 to 7-1/4". No EMI suppression.

5130-00-089-3353

EA \$192.52

Reciprocating Saw



Suited for general-purpose uses, such as sawing steel, sheet metal, brass, aluminum, wood and other materials. Portable, electric-powered saw operates on 115v AC/DC power and has either a grounded plug or double insulation. Has a comfortable, closed-grip handle with a trigger switch. Chuck holds blade securely. Furnished with recommended blades and carrying case.

Single-speed saw has a horizontal (inline) drive. No load speed: 1600 - 2400 strokes per minute. Stroke length: 7/16" minimum.

Electromagnetic Interference-Suppressed tool. (Only the basic tool prior to modification for EMI suppression is required to have proof certifying compliance with the applicable UL Standard.)

5130-00-720-0654

Weight: 9 lbs.

EA \$242.31

Heavy Duty Jigsaw

Heavy-duty jig saw accommodates 1/4" universal shank blades. Saw has a 1" minimum stroke length and a closed D top handle for easy handling. Motor operates at variable speed with a no load speed range 0-3100 strokes per minute and has rated current at 4.0 amps at 120v, 60 Hz. Lock-on button switch. Ball and roller bearing, double-insulated construction. Furnished with two metal cutting blades, two wood cutting blades, wrench(es) for shoe adjustment and blade changes, and operating and maintenance instructions.



5130-00-889-7745

EA \$140.38

Pneumatic Screwdriver

Adjustable-clutch pneumatic screwdriver is used to install and remove threaded fasteners. Adjustable-clutch allows the operator to drive fasteners to a preset, uniform torque. Screwdriver is reversible and has a pistol-grip handle. Quick-change 1/4" hexagonal chuck uses 1/4" hexagonal bits. Has a 1/4 or 3/8" NPT air inlet and 90 psig operating pressure. Furnished with operating and maintenance instructions.



Screwdriver has a 750 to 1350 rpm no-load speed, 15 to 50 in-lb torque range and automatic shut-off type clutch.

5130-00-990-2874

EA \$429.35

Pneumatic Impact Wrench

Air-powered, portable, titanium impact wrench loosens and tightens bolts and nuts. Has built-in power regulator for control of power output. The wrench has a pistol-grip handle and is reversible. Operating pressure is 80-100 psig. Furnished with operating and maintenance instructions.



Wrench has a 3/8" square drive with a 1-3/8" maximum spindle offset. Air inlet connection is 1/4" NPT or NPTF. Air consumption while impacting: 15 CFM maximum; Torque developed after 5 seconds impacting: 70 ft.-lbs. minimum.

5130-00-234-4879

EA \$461.90

Impact Socket Set



These sockets are used with power tools. Steel with industrial black oxide or phosphate coating. Comes in an impact-resistant plastic or metal case. ASME B107.33.

Socket set consists of 16 components: 14 regular-length six-point sockets with wrench openings of 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-7/16 and 1-1/2" and 7 and 13" solid extension bars.

3/4" square drive.

5130-00-357-5135

SE \$209.45

Sockets are used with power tools and are made of steel with industrial black oxide or phosphate coating. Furnished in an impact-resistant plastic or metal case.

Socket set consists of 18 components: Sixteen 6-point regular-length sockets with wrench openings of 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-7/16, 1-1/2, 1-5/8, 1-11/16, 1-13/16, 1-7/8 and 2"; Two solid extension bars in 7 and 13" lengths. ASME B107.2.

1" square drive.

5130-00-357-5136

SE \$402.77

Twist Drill Set



This cobalt steel jobber-length drill set contains 115 pieces. Sizes include the following: 1/16 to 1/2" in 1/64" increments; letter drills A-Z number drills from 1 through 60. Drills have a 135-degree split point. Furnished in a case.

5133-01-551-1094 **DD**

SE \$372.61

Twist Drill Set (Cobalt Steel)

Aircraft quality, heavy-duty cobalt high-speed steel bits for use in constant speed drills. Cobalt drills maintain their cutting ability at higher temperatures which is common in drilling harder materials. Recommended for use in the following types of steels: high-strength alloy steels, stainless steel, titanium, manganese steel, armor plate and steel. These bits feature 135° split points with straight round shanks for easier drill starting without the need for center punching. The bits are oxide surface-treated, right-hand cutting, and have two flutes. NAS 907.



Type J-Straight shank, jobbers length (short).

Features eighteen fractional sizes from 7/64 to 3/8" in 1/64" increments provided in an indexed metal case.

5133-00-980-3422

SE \$50.01

Electric Etcher

Electric arc-type etcher operates on 120v AC for marking tools, jigs and dies. Etcher features stage selector switch, on/off power switch, 3' etching cable, 3' ground cable equipped with a 25 sq. in. ground plate at one end and a copper terminal at the other. Has 5' power cable with three-prong plug, steel housing with carrying handle and space for stowage of cables, stylus, spare etching points. Furnished in case. CID A-A-59252.



1000-watt heavy-duty etcher features ten etching heat settings.

5130-00-203-7943

EA \$401.37

Electric Etcher (Engraver)

Designed for engraving glass, plastics, wood, stone and metals. Heavy-duty vibrator-type etcher features an etching point that reciprocates at 7200 strokes per minute and an adjustment knob that varies width and depth marking. Etcher operates on 120v AC and is furnished with six alloy steel etching points: two with diamond tips and four with tungsten carbide tips. CID A-A-59252.

5130-00-596-8404 **PRIME**

EA \$32.09

Our efforts are ongoing to fulfill your supply needs and provide you with quality products at cost-saving prices. We now offer a wider range of products than ever before. Check out our expanded product line!

Hardware

Alkaline Battery



This alkaline, manganese dioxide battery is great for use with tape recorders, pocket calculators, smoke detectors, transistor radios, and other electronic equipment. Frequently lasts more than twice as long as the same size carbon-zinc battery, depending on type of use. Non-rechargeable. ANSI C 18.1.

Rectangular shaped, with two snap terminals.

(NFES #1241)

36-month maximum shelf life (not extendable)

6135-00-900-2139	Size: 9V	PG(contains 12 EA)	\$13.88
------------------	----------	--------------------	---------

Cylindrical battery has flat terminals; nominal voltage is 1.5V.

36-month maximum shelf life (not extendable)

6135-00-826-4798	Size: AAA	PG(contains 12 EA)	\$3.00
------------------	-----------	--------------------	--------

Pallet contains a total of 1,488 packages (186 cases, each containing 8 packages). (NFES #0030)

36-month maximum shelf life (not extendable)

6135-00-985-7845	Size: AA	PG(contains 24 EA)	\$4.75
------------------	----------	--------------------	--------

(NFES #0834)

36-month maximum shelf life (not extendable)

6135-00-985-7846	Size: C	PG(contains 12 EA)	\$6.25
------------------	---------	--------------------	--------

(NFES #0033)

36-month maximum shelf life (not extendable)

6135-00-835-7210	Size: D	PG(contains 12 EA)	\$10.51
------------------	---------	--------------------	---------



Duracell PROCELL alkaline batteries deliver outstanding performance and reliability. These long-lasting batteries are dependable, even after seven years of storage. Last up to ten times longer than super heavy-duty zinc carbon batteries in power-demanding applications. Long service life at high-drain discharges. Operate reliably in temperature extremes of -20 to 54° C. Date-coded to ensure maximum freshness. Economical bulk packaging for professional applications. Contain no added mercury.

Package of 12 each. PC1300

TL1-DRC-51340J	DURACELL	Size: D	PG	\$13.76
----------------	----------	---------	----	---------

Package of 72 (six packs of 12 each). PC1300-6.

TL1-DRC-13006H	DURACELL	Size: D	PG	\$59.11
----------------	----------	---------	----	---------



Package of 12 each. PC1400.

TL1-DRC-51140E	DURACELL	Size: C	PG	\$14.95
----------------	----------	---------	----	---------

Package of 72 each (six packs of 12). PC1400-6.

TL1-DRC-14006C	DURACELL	Size: C	PG	\$56.13
----------------	----------	---------	----	---------



Package of 24. PC1500.

TL1-DRC-51540L	DURACELL	Size: AA	PG	\$21.51
----------------	----------	----------	----	---------

Package contains six packs of 24 each (144 total). PC1500-6.

TL1-DRC-15006M	DURACELL	Size: AA	PG	\$64.17
----------------	----------	----------	----	---------



Package of 24 each. PC2400.

TL1-DRC-52440E	DURACELL	Size: AAA	PG	\$24.22
----------------	----------	-----------	----	---------

Package of 72 each (three packs of 24). PC2400-3.

TL1-DRC-24003E	DURACELL	Size: AAA	PG	\$35.06
----------------	----------	-----------	----	---------



Package of 12. PC1604.

TL1-DRC-51640M	DURACELL	Size: 9V	PG	\$26.66
----------------	----------	----------	----	---------

Package of 72 each (six packs of 12). PC1604-6.

TL1-DRC-16046L	DURACELL	Size: 9V	PG	\$104.25
----------------	----------	----------	----	----------

Lithium Battery

This three-volt lithium battery provides high energy density and has excellent rate capabilities. Lithium represents one of the latest advances in primary battery technology. Up to four times the power of alkaline batteries. Wide operating temperature range. Excellent shelf life. Six per package.



TL1-DRC-12105C DURACELL Size: DL1/3N PG \$18.11

Flashlight

Streamlight super-bright LEDs last for more 100,000 hours. Waterproof up to 200 feet. New tail-cap switch for momentary and easy on/off operation. Virtually indestructible, non-conductive polymer features a rubber face cap for impact and shock resistance.



Provides a runtime of 336 hours; 10 white LEDs. Requires three C-cell batteries (not included). Measures 8.5" in length and weighs 13.5 oz

TL1-KEL-33202H STREAMLIGHT EA \$49.90



Provides a runtime of 155 hours; seven white LEDs. Four AA batteries included. Measures 6.5" in length and weighs 6.3 oz

TL1-KEL-68202M STREAMLIGHT EA \$37.74

Premium flashlight with durable aluminum body, featuring an adjustable beam between spot and flood utilizing a Xenon bulb for brighter light. Push button on/off switch, shatter proof lens and corrosion-resistant body. Includes a belt holster and 1 spare lamp in the head assembly. (3.0 volts) (2 AA alkaline batteries included). For replacement batteries see NSN's 6135-01-447-0950 (PG/4) or 6135-00-985-7845 (PG/24).



6230-01-513-2663 DD AbilityOne Black Length: 6-1/4" BX(contains 12 EA) \$147.07



Tube-shaped flashlight has a three-way switch for on, off and flasher functions. Features a roll-resistant design and a clear, pre-focused spot lens.

Heavy-duty model comes with one PR-2 bulb installed, plus a spare bulb that is stored in the watertight plastic case, with hanger ring. Requires two D cell batteries (not included). (Flashlight is not intended for use in environments containing explosive gases or extreme temperatures.) For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).

6230-00-163-1856 PRIME AbilityOne Length: 8" (maximum) EA \$5.64



Keep this handy for general use. Standard flashlight features a three-way switch for on, off and flasher functions plus a diffused-light lens and multi-colored (red, blue and blackout) removable filters. Has a straight, molded plastic case and comes with one PR-6 bulb installed plus one spare bulb. Requires two D cell batteries (not included). For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).

6230-00-270-5418 PRIME Length: 9"; Diameter: 2-1/4" EA \$7.60

Right-angle shape, rough service waterproof flashlight features a three-position switch (on/off/blinker) with guard, an ABS body, a belt clip, and a hanging ring plus a diffused light lens and multi-colored (red, blue and blackout) removable filters. Includes a spare bulb. Requires two D cell batteries (not included). For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).



Accessories available: 6135-00-835-7210 Alkaline Battery, 6135-01-446-8310 Alkaline Battery

6230-01-463-5816 P/N N47-1B or equal Olive Drab EA \$8.94

Prices are updated periodically. You will be billed at the price that is in effect when your order is placed.

Staple Gun (Compression-Type)

Heavy-duty, manually operated, compression-type gun drives preformed steel wire staples in strip form onto penetrable materials such as wood or composition board. Use for posters, labels, tags and building paper. Steel spring mechanism returns handle to starting position and feeds next staple to driving position, making it easier to operate with one hand. All surfaces are coated to prevent corrosion. Comfortable handgrip design.



Tacker accepts 1/2"-wide flat-crown staples with the following leg lengths: 5/32, 1/4, 5/16, 3/8, 1/2, and 9/16". Tacker accommodates a minimum of 84 staples.

(NFES #2490)

5120-00-889-1796	Duo-Fast CS5000	EA	\$62.75
------------------	-----------------	----	---------

Staples

Steel, U-shaped, tacker staples are pre-formed and have a flat top. Made of rectangular stock, with a 1/2"-wide crown. Staples are designed to function in tackers that accept staples with a 0.5 to 0.515 inch crown width. The staple will not function in an Arrow T-50- style tacker (13/32" crown) or a Duo-Fast CS5000 tacker (15/32" crown).



Heavy-duty staples are for fastening thick or hard-to-pierce materials such as ceiling tile, insulation or tug pads. Use with heavy-duty tacker. Each strip contains 84 staples.

5315-00-889-2602	DD	Size: 4 (1/4" long)	BX(contains 5000 EA)	\$7.21
5315-00-889-2603		Size: 5 (5/16" long)	BX(contains 5000 EA)	\$6.61

Utility Knife

Multipurpose craftsman's knife has a hardened and tempered blade made of carbon steel and a single cutting edge.



Removable blade and holder. Retractable blade locks in three cutting positions. Comes with five interchangeable blades that store in the handle, which opens by unscrewing one screw.

5110-00-892-5071	PRIME	Length: 5-1/2"	EA	\$3.13
------------------	-------	----------------	----	--------

Circulating Fan

Beat the heat with this high-velocity, two-speed fan. Use on the floor, desk or wall as an air circulator. It may also be used in the window for exhaust or intake purposes. The plastic blades circulate a minimum of 2600 CFM of air in any direction at a 180° tilt. The tubular frame has a safety guard. This fan is free from radio interference. Operates on 110 to 120 volts AC 60-cycle power and has a 10-foot-long, three-conductor cord and plug. Conforms to UL standards.



4140-00-961-5480	EA	\$41.51
------------------	----	---------

Stay cool with this column-mounted, two-speed (minimum) pedestal fan that adjusts to heights up to 96". Head of fan tilts 5° below and 15° above horizontal. A safety guard completely covers the metal or rigid plastic blade assembly. Fan operates on 115V AC, 60-Hz power and has a three-conductor 10-foot power cord. Conforms to UL standards.



Fan provides 4950/7300 cfm air flow.

4140-00-833-5068	Blade diameter: 30"	EA	\$154.34
------------------	---------------------	----	----------

Keep cool with this three-speed oscillating fan. Features on-off switch and low, medium, and high speeds. Wall or desk mount; oscillates 80°; converts from wall to desk with no tools. Made with three impact-resistant plastic blades and a three-wire eight-foot electrical supply cord with an integral ground. Operates on 115V AC, 60-Hz, single-phase power. Conforms to UL standards.



Minimum 2000 cfm air flow.

4140-00-256-9912	Blade diameter: 12"	EA	\$28.81
4140-00-851-9319	Blade diameter: 16"	EA	\$33.69

Office Water Cooler

Water cooler quenches your thirst with electronically cooled water and features a self-closing faucet. A five-gallon inverted glass bottle, NSN 8125-00-132-9566 (not included), supplies water by the force of gravity. Freestanding unit has an air-cooled condenser. Freon coolant is required. Use only when pressure-type dispensers are impractical. 0.95 gallon per hour minimum of chilled 50° F drinking water at ARI rating conditions. It comes with a receptacle for waste water so no drain line is required. Operates on 110 to 120 volts AC, 60-Hz power and has a three-wire cord. Meets UL and industry standards. Certified lead free by the manufacturer.



Lead-Free Item According to ASTM/EPA Test Methods

4110-00-203-0565	EA	\$158.40
------------------	----	----------

Your time is money.
Look to GSA Global Supply
and save.

Lawn and Garden

Garden Hose

Commercial-grade, rubber/vinyl-reinforced 5/8" diameter garden hose. Kink-resistant hose includes brass couplings, a protective collar at faucet end, and an abrasion-resistant gray cover. Burst strength is 500 psi with a minimum four-ply construction.



♻️ 65% Postconsumer Material

4720-01-447-8759	CPG	LG(contains 50 FT)	\$23.93
4720-01-447-8757	CPG	LG(contains 100 FT)	\$39.88

Soaker Hose

Perforated PVC plastic or rubber soaker hose. Non-adjustable. Protective coating. Dual tubes provide a flat base to alleviate twisting during use. Spray holes are distributed evenly throughout the length. Stays flexible at temperatures as low as 32°. CID A-A-59270A.



Contains a female threaded coupling with a washer on one end, and a removable end closure on the other end.

100 foot length covers 2500 square feet.

3750-00-289-9025		LG(contains 100 FT)	\$24.01
------------------	--	---------------------	---------

Lawn Sprinkler

The sprinkler is furnished with a removable, metal impulse head. The head is adjustable to spray water in a full or partial circular pattern. The head is equipped with an adjustable break-up spring loaded device to regulate the radius of coverage. The base is made of corrosion resistant metal or plastic of equal strength. Coverage is 90 square feet.



3750-00-679-0753		EA	\$34.64
------------------	--	----	---------

Hedge Clippers

These hardwood-handled clippers are excellent for trimming hedges and small shrubbery. Serrated blades are ground, sharpened and notched near the pivot points for easily cutting heavy canes and branches.



Cutting edge: 8" long; Handles: 9" long.

3750-00-951-1585		EA	\$19.57
------------------	--	----	---------

Is Your Computer Tough Enough?

Need a system that can handle harsh environments, shock and vibration?

GSA can help you to keep the mobile professional mobilized.

Rugged PDA

When you have a need for portable, durable & sturdy IT, GSA has just what you need. You can get rugged handheld computers which are made to handle the rigorous MIL-STD-810F military standard for drops, vibration, humidity, altitude and extreme temperatures.



Pruning Shears



Heavy-duty lopping shears have a convex blade and a concave hook. Used for pruning plants, bushes and tree limbs up to 1-1/2" in diameter. For two-handed use, shears have hardwood handles and a safety stop to protect operator.

3750-00-641-1197	Length: 27"	EA	\$25.05
------------------	-------------	----	---------

Lawn Rake

Lawn rake is suitable for raking grass clippings, leaves, twigs, and litter from lawns without injury to the grass or roots. This steel tine rake has a flexible head and a hardwood handle. CID A-A-2846.



Class B: Semi-radial head; Size 2; Head width: 22" to 26"; Tines: 21 to 26"; Handle length: 47" minimum.

3750-00-903-0720

EA \$10.93

Garden Rake

A must-have tool for effective gardening! This rake is designed for raking and smoothing soil. Rake head features a forged steel one-piece head and shank construction with a securely attached hardwood handle. CID A-A-2846.



Class A: Bow. Head contains 14 to 16 teeth and is a minimum of 13-1/2" wide. Minimum head depth: 3"; Handle length: 59" minimum.

3750-00-171-7182

EA \$14.65

Pitchfork



The 12-1/4"-long fork has sharply pointed, four forged-steel tines and a handle made of bent hardwood. The spread measures 9-1/2". Handle length: 48".

3750-00-255-7733

EA \$22.43

D-Handle Shovel



The ideal tool for handling loose and bulky materials, such as dirt, sand, gravel, grain and snow. High-grade steel blade is heat-treated for long life and features sharpened cutting edges. Shoulder edge of blade is rolled to form a step for digging leverage. Handle is fashioned from hardwood and features a transparent lacquer or varnish coating.

Has an open back and D-handle. Blade is made of 14-gauge steel, measures 12" long and 10" wide, and has a round point. Handle measures 26 to 28" long with a 17 to 21" handle lift.

5120-00-293-3336

EA \$14.70

Shovel

The ideal tool for handling loose and bulky materials, such as dirt, sand, gravel, grain and snow. High-grade steel blade is heat-treated for long life and features sharpened cutting edges. Shoulder edge of blade is rolled to form a step for digging leverage. Handle is fashioned from hardwood and features a transparent lacquer or varnish coating.



Shovel has an open back and a long handle. Blade is made of 14-gauge steel and measures 12" long and 10" wide and has a round point. Socket or strap measures 8-3/4" in length. Handle measures 46 to 52" long with a 29 to 33" handle lift.

5120-00-188-8450

EA \$11.18

Pick/Mattock

Loosen soil, grub and dig up and cut roots with this hardened, forged carbon steel tool with a rust-resistant finish. Comes without a handle. Pick-type mattock has a curved flat-surfaced blade perpendicular to the handle eye on one end of the head and a pick point on the other end.



Head length: 18-1/2 to 19-1/2"; Blade width: 3-1/2"; Eye Size: Number 6; Weight of head: 5 pounds.

5120-00-243-2395

EA \$18.85

Wheelbarrow

Wheelbarrow has a steel tray and legs. Pneumatic tire can be either tubeless or tube type.



Contractor 6 cu ft design has wooden handles.

3920-00-329-4303

EA \$82.28

Make sure your tool shop is well-equipped. GSA Global Supply has all you need.

Work Gloves

Gunn cut gloves have a leather palm, full leather thumb and forefinger, and leather fingertips. Back of gloves are made of heavy unbleached cotton flannel. Leather is cream to light gray.



Features leather reinforced knuckles and a 2-1/2" gauntlet cuff.

Size: Men's commercial size medium.

8415-00-634-4660 UNICOR PR \$8.37



Features a 2-1/2" gauntlet cuff, without knuckle reinforcement.

Size: Men's commercial size medium.

8415-00-634-4658 UNICOR PR \$8.19



These light duty work gloves are made of cotton flannel.

Clute-cut style with cotton knit wristlet.

8415-00-634-5026 UNICOR Natural Overall Length: 10" PG(contains 12 PR) \$26.99

Trash Can

One-piece, watertight trash can made of polyethylene plastic has smooth surfaces for easy cleaning. Trash can has two diametrically positioned handles, a lid with a handle for easy removal, and a means for locking the lid securely to the receptacle.



Diameter: 22"; Height: 28".

7240-00-819-7735 Gray Capacity: 32 gal. EA \$35.32

Diameter: 23-3/4"; Height: 32-1/4".

7240-00-139-7521 Gray Capacity: 44 gal. EA \$45.17

Trash and garbage can with handles and corrugated sides is made of rust-resistant galvanized steel. Top and bottom rims are reinforced with steel-bands. Comes without a cover.



Outside diameter at top rim is 20-7/8".

For use with trash/garbage can cover NSN 7240-00-161-1143.

7240-00-160-0440 Capacity: 32 gal. EA \$37.32

Trash Can Cover

Trash and garbage can cover of galvanized steel has a sturdy steel handle.



Inside diameter at top rim is 21-1/8".

For use with 32-gallon capacity trash/garbage can NSN 7240-00-160-0440.

7240-00-161-1143 EA \$9.51

Our efforts are ongoing to fulfill your supply needs and provide you with quality products at cost-saving prices. We now offer a wider range of products than ever before. Check out our expanded product line!

Trash Bag

This heavy-duty, premium-quality plastic bag features strong puncture- and tear-resistance and includes closure ties.



The 20- to 30-gallon size has a 75-lb. load capacity.

♻️ 25% Postconsumer Material

8105-01-183-9767	CPG	Clear	30 x 36"	BX(contains 250 EA)	\$43.81
------------------	-----	-------	----------	---------------------	---------

The 33-gallon size has a 75-lb. load capacity.

♻️ 25% Postconsumer Material

8105-01-183-9769	CPG	AbilityOne	Dark Brown or Green	33 x 39"	BX(contains 125 EA)	\$36.61
------------------	-----	------------	---------------------	----------	---------------------	---------

The 34-gallon size has a 75-lb. load capacity.

♻️ 25% Postconsumer Material

8105-01-150-6256	CPG	AbilityOne	Clear	32 x 44"	BX(contains 125 EA)	\$37.93
------------------	-----	------------	-------	----------	---------------------	---------

The 57-gallon size has a 75-lb. load capacity.

♻️ 25% Postconsumer Material

8105-01-183-9764	CPG		Dark Brown or Green	36 x 58"	BX(contains 100 EA)	\$31.42
------------------	-----	--	---------------------	----------	---------------------	---------

Insect Repellent

Easy to apply while keeping your hands repellent free. Provides protection from biting insects, especially in heavily-wooded areas. Effective against ticks, fleas, gnats and no-see-ums. Contains 20-30% DEET.



🌿 EPA registered (applicable to disinfectants and pesticides per FIFRA)

6840-01-490-6693	MSDS	P/N SRA-12M or equal	Unscented	6 oz. can	BX(contains 12 EA)	\$64.49
------------------	------	----------------------	-----------	-----------	--------------------	---------

Fly Swatter

This swatter kills pesky flies, mosquitoes, roaches or other crawling and flying insects. Consists of a cloth-trimmed wire mesh and a heavy-gauge wire handle or plastic blade and handle. Overall blade measurement: 4-1/4 x 5-3/4".



3740-00-252-3383		Overall length: 22"	PG(contains 12 EA)	\$10.41
------------------	--	---------------------	--------------------	---------

Mousetrap

This standard-size mouse trap features a four-way mechanism that reacts to slight pressure on any side. It is made of wood, with trap wire and trigger. The trap has a double- or single-legged tension spring.



3740-00-252-3384		DZ	\$6.32
------------------	--	----	--------

Ratrap

Four-way trigger responds to slight pressure from any side. Has a wooden or plastic base.



3740-00-260-1398		Size: 3-1/4 x 6-15/16"	DZ	\$22.90
------------------	--	------------------------	----	---------

The brand names you know, the simplified ordering process you trust — all from GSA Global Supply.

Fax Order Form

(Make copies of this form for future use)

Customer Name

Ship-To Address

Date

Telephone Number

Fax Number

Optional Document Number (14 digits)

Signature of Approving/Ordering Official (Optional)

If Paying With Credit Card

Credit Card Number

Expiration Date

Activity Address Code

Activity Address Code

Access Code

Remarks:

Will you accept a back order if an item is out of stock? Yes No
(We do not place back orders for credit card purchases.)

*Fax your order
24 hours a day!*

	GSA Part No./NSN	Quantity	Item Description	U/I	Unit Price	Extended Price
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						

Fax to (800) 856-7057 Thank you for your order!

(Your order will be confirmed by fax.)

Estimated Total Cost

For GSA Use Only

Store	Ticket Number	Lines	Total	Fax Back (Date/Time/Initials)
-------	---------------	-------	-------	-------------------------------

GSA CMLS
501 W. FELIX ST., STE 1101
WHS 9 SEC F
FORT WORTH, TX 76115-3411

**OFFICIAL BUSINESS
PENALTY FOR PRIVATE
USE \$300**

www.gsa.gov
April 2009

Catalog Code:
5 09 00051

Order catalogs at gsa.gov/cmls



PRSR STD
Postage Paid
Washington, D.C. 20405
Permit G-30



Ordering Information



1

Call (800) 525-8027 (7:30 a.m. to 8 p.m., ET, Monday through Friday). If using your government purchase card, please have your card ready. Otherwise, have your six-digit Activity Address Code and account information available.

2

Fax your order to (800) 856-7057.

3

To order online, visit us at www.GSAGlobalsupply.gsa.gov.

Call Center (800) 525-8027 | www.GSAGlobalsupply.gsa.gov