

# **Sale Items**



**25 % PRICE REDUCTION ON THE FOLLOWING ITEMS THROUGH MARCH — PRICES SHOWN ARE 25 % OFF REGULAR PRICES**

Chromium-plated hand socket set makes it easy to find the right tool. Set consists of 38 components: 23 regular-length 12-point sockets with wrench openings of 10 to 32mm; 6 long-length 12-point sockets with wrench openings of 14, 17, 19, 20.6, 22 and 27mm; 4 handles, which include spin-type speeder (19-1/2" long), reversible ratchet, sliding T and brace-type speeder; 1 universal joint attachment; 3 solid bar extensions (48.4 to 76.2, 127 and 254mm lengths); and one ratchet adapter. Furnished in an impact-resistant metal or plastic box with compartments.

<b>NSN:</b>	5120-00-103-9800
<b>Description:</b>	Socket Set
<b>U/I:</b>	SE
<b>Price:</b>	\$229.91



Chromium-plated hand socket set consists of 8 12-point universal joint sockets, sizes 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 and 3/4". Furnished in a metal or plastic box with compartments. ANSI B107.1.

<b>NSN:</b>	5120-00-935-7309
<b>Description:</b>	Socket Set 3/8" drive size
<b>U/I:</b>	SE
<b>Price:</b>	\$44.78

Use for clearing snow. Have a square-point blade and a welded or riveted handle socket. Lightweight, knockdown-type shovel has a D-style wooden handle. Ribbed aluminum blade measures 17" wide and 14-1/2" high. Handle length: 34 inches minimum, 36-1/2 inches maximum.

<b>NSN:</b>	5120-00-892-5319
<b>Description:</b>	Snow Shovel
<b>U/I:</b>	EA
<b>Price:</b>	\$7.42



Portable 22 gage steel toolbox with a removable tray and a flat front drop panel leading to 2 separate drawers. Consists of box body and lockable lid, till-in-top compartment, 2 drawers, front drop panel, tote tray (w/push down handle), and carrying handle. Size (nominal): overall: 20.750 x 8.5625 x 11.250 inches; Tray 1: 19.75 x 7.75 x 1.50 inches; Tray 2: 19.75 x 7.75 x 3 inches; tote: 20.5 x 8 x 3.25 inches. Snap-On P/N KRA21F.

<b>NSN:</b>	5140-00-651-7676
<b>Description:</b>	Portable Tool Box
<b>U/I:</b>	EA
<b>Price:</b>	\$143.16



Portable tool chest, locker style. 2 side carry handles. Hasp and staple lockable hinges. Welded construction. In and out swing chain with hook. Size (nominal): overall: 29 x 9 x 7.5 inches.

<b>NSN:</b>	5140-00-653-4198
<b>Description:</b>	Tool Chest
<b>U/I:</b>	EA
<b>Price:</b>	\$182.74



Built tough, rust proof, nonconductive, polymer filled with plastic foam. Ball bearing mounted work top slides easily and can be extended over work areas. Top has a lip so tools and parts won't roll off, and underneath is a deep storage bin. HD 4" swivel casters. 2 lower platforms. Size (nominal): overall: 41 x 22 x 40.25 inches; work surface: 25 x 19.75 x 1.5 inches; storage bin: 24 x 18 x 7 inches; platform(s): 12 x 19 inches. Snap-On P/N KRP1000.

<b>NSN:</b>	5140-01-389-1604
<b>Description:</b>	Utility Tool Cart
<b>U/I:</b>	EA
<b>Price:</b>	\$229.84



Heavy-duty open-ended wrench has a rack and worm adjustment. Head is angled at 22-1/2°. Consists of frame (fixed jaw and handle), movable jaw and adjusting worm. Adjustable wrench tightens nuts or bolts with either square or hexagonal heads in flammable, explosive or magnetically delicate environments. Made of sturdy beryllium-copper or aluminum-bronze alloy.

<b>NSN:</b>	5120-00-264-3794
<b>Description:</b>	Adjustable Wrench (Non-sparking)
<b>U/I:</b>	EA
<b>Price:</b>	\$80.70



Kit contains tools for installing slimserts inserts (one piece, solid, lightweight, thin wall, high strength threaded inserts) for repairing damaged threads. Included with tools are 40 four point and 40 six point #10-32 UNF slimsert inserts.

<b>NSN:</b>	5180-00-177-8968
<b>Description:</b>	Rosan Screw Thread Insert Kit
<b>U/I:</b>	KT
<b>Price:</b>	\$324.93



Tap and Die Set contains 5 taper, 5 plug and 5 bottoming taps, and adjustable round split dies for thread sizes 9/16, 5/8, 3/4, 7/8 inches in both course (UNC) and fine (UNF) threads plus a 1 inch UNC thread size and 1-14 UNS thread size. One die stock with comfortable handgrip and one adjustable tap wrench. Made of high speed steel with ground threads. (42 piece set in impact resistant case).

<b>NSN:</b>	5180-00-698-7972
<b>Description:</b>	Screw Threading Set
<b>U/I:</b>	KT
<b>Price:</b>	\$517.33



For holding taut and pulling wires. Parallel jaws have bronze-lined, smooth surfaces. Tool has flat, round or V-shaped gripping surfaces. 8000 lb maximum force, cable wire size 0.162" o/d min., and 0.552" o/d max.

<b>NSN:</b>	5120-00-238-4436
<b>Description:</b>	Cable Grip
<b>U/I:</b>	EA
<b>Price:</b>	\$89.45

Ceiling fan with three speeds. Electric motor 120v 60 Hz, single phase. Reversible Motor; 25 Weight lbs. 42" diameter with 4 blades. White fixture with white blades. 12" drop low profile flush mount. 1.5 cu. ft. of air flow per minute.

<b>NSN:</b>	4140-01-388-9958
<b>Description:</b>	Ceiling Fan
<b>U/I:</b>	EA
<b>Price:</b>	\$60.53



Heavy-duty, medium-speed (650-rpm no-load speed) 1/2" drill has a spade-end handle with breastplate for breast drilling and auxiliary side handle. Rated 6.0 amp minimum and has 4.7 ft-lb torque. Electromagnetic Interference-Suppressed tool.

<b>NSN:</b>	5130-00-889-9004
<b>Description:</b>	Electric Drill
<b>U/I:</b>	EA
<b>Price:</b>	\$102.71



Air-operated gun is for dispensing sealant prepackaged in a Semco 6-oz polyethylene cartridge equipped with the Semco plugged wiper plunger.

<b>NSN:</b>	5130-00-677-7439
<b>Description:</b>	Sealant Gun (Pneumatic)
<b>U/I:</b>	EA
<b>Price:</b>	\$914.20

Use with abrasive wheels and wire brushes to grind weld seams, clean metal parts before welding or painting and to smooth rough surfaces on castings. Air-powered portable grinder has an operating pressure of 90 psig. Furnished with wheel guard. Operating and maintenance instructions included. Has 4600-rpm no-load speed, 3.0 ft-lb. torque, a 3/8 or 1/2" NPT air inlet fitting and a safety lock-off throttle. Maximum wheel capacity is 8" x 1". Spindle diameter thread is 5/8-11 UNC.

<b>NSN:</b>	5130-01-030-3579
<b>Description:</b>	Horizontal Grinder
<b>U/I:</b>	EA
<b>Price:</b>	\$696.28



Lightweight shears make straight or contour cuts on ferrous and nonferrous materials. Portable and hand-held tool has single-shear action, with one stationary and one reciprocating blade. Shears are fungus treated with a closed-grip handle. Cutting rate is 15' per minute. Shears operate on 115v AC/DC and have a grounded three-wire plug. Cuts sheet steel up to 16-gauge (0.060) thick. Minimum cutting radius is 1-1/2 and 14" long.

<b>NSN:</b>	5130-01-087-6838
<b>Description:</b>	Sheet-Metal Cutters
<b>U/I:</b>	EA
<b>Price:</b>	\$236.78

Lightweight shears like above but cuts sheet steel up to 12-gauge (0.105") thick. Minimum cutting radius is 2-1/2" and 15" long.

<b>NSN:</b>	5130-01-087-6839
<b>Description:</b>	Sheet-Metal Cutters
<b>U/I:</b>	EA
<b>Price:</b>	\$540.69

You may order these items using FEDSTRIP/MILSTRIP, MUFFIN or GSA Advantage! at <http://www.fss.gsa.gov> procedures.

#### C O N T A C T

Customer Service

#### P H O N E

(816) 926-7315

#### D S N

465-7315

#### F A X

(816) 926-7971

**50 % PRICE REDUCTION ON THE FOLLOWING ITEMS THROUGH MARCH — PRICES SHOWN ARE 50% OFF REGULAR PRICES**

Use cellulose nitrate-based, durable, protective coating on exterior metal surfaces such as aircraft. Do not use on bare metal. Water-resistant coating with a Maximum Volatile Organic Compound (VOC) content of 420 g/L. Dries to a full gloss finish. A-A-3165

<b>NSN:</b>	8010-00-634-7320
<b>Description:</b>	Lacquer
<b>Color:</b>	Red 11136
<b>U/I:</b>	GL
<b>Price:</b>	\$24.54

A two component Chemical Agent Resistant (CARC) epoxy coating, in accordance with Military Specification MIL-C-22750F. Coating is water, weather, solvent, hydraulic fluid and oil resistant. It is used as a topcoat on aircraft and ground support equipment. Packaged in separate containers. Contains a maximum VOC of 340 g/L. International Orange 12197

<b>NSN:</b>	8010-01-419-1158
<b>Description:</b>	Epoxy Polyamide Coating
<b>U/I:</b>	Kit [total Volume 3.78 L - (1 gal.)]
<b>Price:</b>	\$67.74

Odorless alkyd-based semigloss enamel for use on walls and woodwork where washability is required, such as hospitals, kitchens, laundries and bathrooms. A-A-50574. Type I - Whites and tints (pastel), Class 1 - Volatile organic compounds (VOC) limited to 250 grams per liter.

<b>NSN:</b>	8010-01-441-5939
<b>Description:</b>	Interior Washable Enamel
<b>Color:</b>	White 27875
<b>U/I:</b>	CN
<b>Price:</b>	\$100.61

<b>NSN:</b>	8010-01-441-5914
<b>Description:</b>	Interior Washable Enamel
<b>Color:</b>	Sand 23617
<b>U/I:</b>	GL
<b>Price:</b>	\$19.31

<b>NSN:</b>	8010-01-441-5927
<b>Description:</b>	Interior Washable Enamel
<b>Color:</b>	Candlelight White 27778
<b>U/I:</b>	GL
<b>Price:</b>	\$13.74

<b>NSN:</b>	8010-01-441-5934
<b>Description:</b>	Interior Washable Enamel
<b>Color:</b>	White 27875
<b>U/I:</b>	GL
<b>Price:</b>	\$18.94

<b>NSN:</b>	8020-02-441-5922
<b>Description:</b>	Interior Washable Enamel
<b>Color:</b>	Ivory 23717
<b>U/I:</b>	GL
<b>Price:</b>	\$18.05

ASME B107.1 Twelve-point socket has a square drive and is regular length. 3/16" opening and 1/4" drive size.

<b>NSN:</b>	5120-00-277-8823
<b>Description:</b>	Socket - Regular Length
<b>U/I:</b>	EA
<b>Price:</b>	\$1.87

Combination wrenches have a box end on one end and an open end on the other. Chromium-plated wrench set is furnished in a roll or wrap. Set consists of seven wrenches (7/16" or smaller wrenches may be 6-point) in sizes 3/8" to 3/4". Snap On Part No. GOEX707B.

<b>NSN:</b>	5120-01-428-8155
<b>Description:</b>	Combination Box and Open-End Wrench Set
<b>U/I:</b>	SE
<b>Price:</b>	\$45.97

Heavy-duty aircraft quality. Jobbers (short) length with standard jobbers-length flutes for general heavy-duty applications. Diameter No. 21, overall length - 3-1/4 inches, flute length - 2-1/8 inches, 135 degree split point.

<b>NSN:</b>	5133 -00-065-0981
<b>Description:</b>	Cobalt Twist Drill
<b>U/I:</b>	DZ
<b>Price:</b>	\$5.52

Heavy-duty aircraft quality. Jobbers (short) length with standard jobbers-length flutes for general heavy-duty applications. Diameter No. 10, overall length - 3-5/8 inches, flute length - 2-7/16 inches, 135 degree split point.

<b>NSN:</b>	5133-00-838-5245
<b>Description:</b>	Cobalt Twist Drill
<b>U/I:</b>	DZ
<b>Price:</b>	\$6.49

Heavy-duty aircraft quality. Jobbers (short) length with standard jobbers-length flutes for general heavy-duty applications. Diameter No. 20, overall length - 3-1/4 inches, flute length - 2-1/8 inches, 135 degree split point.

<b>NSN:</b>	5133-00-988-5674
<b>Description:</b>	Cobalt Twist Drill
<b>U/I:</b>	DZ
<b>Price:</b>	\$8.40

Heavy-duty aircraft quality. Jobbers (short) length with standard jobbers-length flutes for general heavy-duty applications. Diameter 3/16 inch, overall length - 3-1/2 inches, flute length - 2-5/16 inches, 135 degree split point.

<b>NSN:</b>	5133-01-399-0721
<b>Description:</b>	Cobalt Twist Drill
<b>U/I:</b>	PG
<b>Price:</b>	\$9.28

Rawhide mallet has cylindrical head with firmly glued joints. Head is covered with a moisture-resistant coating. Hickory handle has a clear lacquer coating. Weight: 24 ounces; Head length: 4-3/4 inches; Face diameter: 2-3/4 inches

**NSN:** 5120-00-222-2220

**Description:** Rawhide Mallet

**U/I:** EA

**Price:** \$15.23

Flat, oil-tempered tape made of spring-steel wire has a looped end. Tape is replaceable and comes with a metal or plastic reel enclosure. Reel completely encloses coiled tape and prevents unwinding when tape is not in use. Slot around periphery allows smooth winding while maintaining tension. Size: 200 Feet x 1/8 inch x 1/64 inch

**NSN:** 5120-00-224-2697

**Description:** Steel Fish Tape

**U/I:** EA

**Price:** \$18.67

Reversible steel screwdriver has a right angle, offset-style handle. The non-removable, double-ended bit is securely mounted perpendicular to the handle. Flat tip is 1/4" wide at the small end and 3/8" wide at the large end. Overall length: 3-1/2 inches

**NSN:** 5120-00-595-9574

**Description:** Offset Ratchet Screwdriver

**U/I:** EA

**Price:** \$2.06

Pro-Line is a new series of brushes manufactured by the Federal Prison Industries. These brushes feature handles of selected hardwood, shaped for fatigue-free painting and excellent brush control. Nylon/polyester angled bristle. 2" wide, 1/2" long, 2-11/16" thick

**NSN:** 8020-01-421-6845

**Description:** Paintbrush

**U/I:** EA

**Price:** \$4.20



Pro-Line is a new series of brushes manufactured by the Federal Prison Industries. These brushes feature handles of selected hardwood, shaped for fatigue-free painting and excellent brush control. Chinex/polyester angled bristle. 2-1/2" wide, 1/2" long, 2-13/16" thick

**NSN:** 8020-01-421-7479

**Description:** Paintbrush

**U/I:** EA

**Price:** \$4.00



Pro-Line is a new series of brushes manufactured by the Federal Prison Industries. These brushes feature handles of selected hardwood, shaped for fatigue-free painting and excellent brush control. Straight hog bristle. 2-1/2" wide, 5/8" long, 2-13/16" thick

<b>NSN:</b>	8020-01-421-7487
<b>Description:</b>	Paintbrush
<b>U/I:</b>	EA
<b>Price:</b>	\$2.50



Pro-Line is a new series of brushes manufactured by the Federal Prison Industries. These brushes feature handles of selected hardwood, shaped for fatigue-free painting and excellent brush control. Chinex/polyester angled bristle. 2" wide, 1/2" long, 2-11/16" thick

<b>NSN:</b>	8020-01-422-0306
<b>Description:</b>	Paintbrush
<b>U/I:</b>	EA
<b>Price:</b>	\$3.72

Pro-Line is a new series of brushes manufactured by the Federal Prison Industries. These brushes feature handles of selected hardwood, shaped for fatigue-free painting and excellent brush control. Chinex/polyester straight bristle. 3" wide, 5/8" long, 3-1/16" thick .

<b>NSN:</b>	8020-01-422-1643
<b>Description:</b>	Paintbrush
<b>U/I:</b>	EA
<b>Price:</b>	\$4.13

Pro-Line is a new series of brushes manufactured by the Federal Prison Industries. These brushes feature handles of selected hardwood, shaped for fatigue-free painting and excellent brush control. Chinex/polyester straight bristle. 2-1/2" wide, 5/8" long, 3" thick .

<b>NSN:</b>	8020-01-422-0316
<b>Description:</b>	Paintbrush
<b>U/I:</b>	EA
<b>Price:</b>	\$3.60

You may order these items using FEDSTRIP/MILSTRIP, MUFFIN procedures or GSA Advantage! at <http://www.fss.gsa.gov>.

<b>C O N T A C T</b>
Customer Service
<b>P H O N E</b>
(816) 926-7315
<b>D S N</b>
465-7315
<b>F A X</b>
(816) 926-7971

## PRICE CORRECTION RAGE N CREATIONS INFLATABLE BOUNCERS

Inflatable Bouncers, play systems for use at parties, home, church, or school. These 12' x 12' and 15' x 15' larger bouncing inflatable playhouses allow youngsters ages 2 to 8 to dive, somersault, leap, and twist. These colorful bounce houses are already generating excitement at events held at over 20 military bases. The Moonbouncer is like having an amusement park for up to 15 children at a time.

15' x 15' Castle, Model Number RC B05, Cost \$3,072

12' x 12' Castle, Model Number RC B19, Cost \$2,880

Order directly from the Contractor:

Rage N Creations

17216 Saticoy St. #425

Van Nuys, CA 91406

Contact: Azalea Solo

Phone: (800) 264-6429

Fax: (818) 997-3155

Web Site: [www.moonbounce.com/bizop.html](http://www.moonbounce.com/bizop.html)

Contract No.: GS-07F-0207J

### C O N T A C T

Margaret Evans  
Contracting Officer

### P H O N E

(817) 978-8646

### F A X

(817) 978-8861

### E - M A I L

[margaret.evans@gsa.gov](mailto:margaret.evans@gsa.gov)

